Theorem (Second Fundamental theorem of calculus)**.**

$$\int_{t=\alpha}^{t=\beta} f(t)\mathrm{d}t$$

Theorem (Second Fundamental theorem of calculus)**.**

$$\int_{t=\alpha}^{t=\beta} f(t)\mathrm{d}t =$$

Theorem (Second Fundamental theorem of calculus).
If $f(t) = F'(t)$

$$\int_{t=\alpha}^{t=\beta} f(t)\mathrm{d}t =$$

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_{t=\alpha}^{t=\beta} f(t)\mathrm{d}t =$$

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_{t=\alpha}^{t=\beta} f(t)\mathrm{d}t = F(\beta) - F(\alpha)$$

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_{t=\alpha}^{t=\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_\alpha^\beta f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_{\alpha}^{\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$,

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_{\alpha}^{\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t$$

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_{\alpha}^{\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_\alpha^\beta f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_{\alpha}^{\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_\alpha^\beta f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
2. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$

Theorem (Second Fundamental theorem of calculus).
If $f(t) = F'(t)$ *for some* F

$$\int_\alpha^\beta f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
2. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
3. $\int \cos(t)\mathrm{d}t = \sin(t)$

Theorem (Second Fundamental theorem of calculus)**.**
If $f(t) = F'(t)$ *for some* F

$$\int_{\alpha}^{\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
2. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
3. $\int \cos(t)\mathrm{d}t = \sin(t)$
4. $\int \sin(t)\mathrm{d}t = -\cos(t)$

Theorem (Second Fundamental theorem of calculus)**.** **Example.** $\gamma(t) = (r\cos(t), r\sin(t))$
If $f(t) = F'(t)$ *for some* F

$$\int_{\alpha}^{\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
2. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
3. $\int \cos(t)\mathrm{d}t = \sin(t)$
4. $\int \sin(t)\mathrm{d}t = -\cos(t)$

Theorem (Second Fundamental theorem of calculus)**.** *If $f(t) = F'(t)$ for some F*

$$\int_{\alpha}^{\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
2. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
3. $\int \cos(t)\mathrm{d}t = \sin(t)$
4. $\int \sin(t)\mathrm{d}t = -\cos(t)$

Example. $\gamma(t) = (r\cos(t), r\sin(t))$
$\dot{\gamma}(t) = (-r\sin(t), r\cos(t))$

Theorem (Second Fundamental theorem of calculus)**.** *If $f(t) = F'(t)$ for some F*

$$\int_{\alpha}^{\beta} f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
2. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
3. $\int \cos(t)\mathrm{d}t = \sin(t)$
4. $\int \sin(t)\mathrm{d}t = -\cos(t)$

Example. $\gamma(t) = (r\cos(t), r\sin(t))$
$\dot{\gamma}(t) = (-r\sin(t), r\cos(t))$
$\|\dot{\gamma}(t)\| = r$

Theorem (Second Fundamental theorem of calculus)**.** *If* $f(t) = F'(t)$ *for some* F

$$\int_\alpha^\beta f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
2. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
3. $\int \cos(t)\mathrm{d}t = \sin(t)$
4. $\int \sin(t)\mathrm{d}t = -\cos(t)$

Example. $\gamma(t) = (r\cos(t), r\sin(t))$
$\dot\gamma(t) = (-r\sin(t), r\cos(t))$
$\|\dot\gamma(t)\| = r$
$\int_0^\pi \|\dot\gamma(t)\|\mathrm{d}t = \int_0^\pi r\mathrm{d}t = \pi r$

Theorem (Second Fundamental theorem of calculus)**.** *If $f(t) = F'(t)$ for some F*

$$\int_\alpha^\beta f(t)\mathrm{d}t = \Big|_{t=\alpha}^{t=\beta} F(t) = F(\beta) - F(\alpha)$$

Notation: Often "$t =$" is dropped

Definition. Anti-derivative of $f(t)$, denoted,

$$\int f(t)\mathrm{d}t = F(t)$$

where $F(t)$ is so that $F'(t) = f(t)$.

Examples.

1. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
2. $\int t^n \mathrm{d}t = \frac{t^{n+1}}{n+1}$
3. $\int \cos(t)\mathrm{d}t = \sin(t)$
4. $\int \sin(t)\mathrm{d}t = -\cos(t)$

Example. $\gamma(t) = (r\cos(t), r\sin(t))$
$\dot{\gamma}(t) = (-r\sin(t), r\cos(t))$
$\|\dot{\gamma}(t)\| = r$
$\int_0^\pi \|\dot{\gamma}(t)\|\mathrm{d}t = \int_0^\pi r\mathrm{d}t = \pi r$

$$f_1(t) = F_1'(t)$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\int f_1(t) + f_2(t) \mathrm{dt}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\int f_1(t) + f_2(t)\mathrm{dt}$$

$f_1(t) + f_2(t)$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\int f_1(t) + f_2(t) \mathrm{dt}$$

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t)$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\int f_1(t) + f_2(t)\mathrm{dt}$$

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t)$$

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t)$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t)}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t)}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t)+f_2(t)\mathrm{dt} = F_1(t)+F_2(t) = \int f_1(t)+\int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t)+f_2(t)\mathrm{dt} = F_1(t)+F_2(t) = \int f_1(t)+\int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t)$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t) \mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

Products need care!

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Products need care!

$(f(t)g(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3\mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3\mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))'$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) +$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t)+f_2(t)\mathrm{dt} = F_1(t)+F_2(t) = \int f_1(t)+\int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3\mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3\mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$f(t)g(t)$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) +$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t)+f_2(t)\mathrm{dt} = F_1(t)+F_2(t) = \int f_1(t)+\int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3\mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3\mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t)}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) -}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t)+f_2(t)\mathrm{dt} = F_1(t)+F_2(t) = \int f_1(t)+\int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3\mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3\mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

Example.

$$\int t\cos(t)$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

Example.

$$\int t\cos(t) =$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

Example.

$$\int \underbrace{t}_{f(t)} \cos(t) =$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

Example.

$$\int \underbrace{t}_{f(t)} \underbrace{\cos(t)}_{g'(t)} =$$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

Example.

$$\int \underbrace{t}_{f(t)} \underbrace{\cos(t)}_{g'(t)} =$$

where $g(t) = \sin(t)$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

Example.

$$\int \underbrace{t}_{f(t)} \underbrace{\cos(t)}_{g'(t)} = t\sin(t)$$

where $g(t) = \sin(t)$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

Example.

$$\int \underbrace{t}_{f(t)} \underbrace{\cos(t)}_{g'(t)} = t\sin(t) - \int \sin(t)$$

where $g(t) = \sin(t)$

$f_1(t) = F_1'(t)$ and $f_2(t) = F_2'(t)$

$$\boxed{\int f_1(t) + f_2(t)\mathrm{dt} = F_1(t) + F_2(t) = \int f_1(t) + \int f_2(t)}$$

because,

$f_1(t) + f_2(t) = F_1'(t) + F_2'(t) = (F_1(t) + F_2(t))'$

Example.

$$\int \cos(t) + t^3 \mathrm{d}t = \sin(t) + \frac{t^4}{4}$$

Similarly,

$$\boxed{\int f_1(t) - f_2(t) = F_1(t) - F_2(t) = \int f_1(t) - \int f_2(t)}$$

Example.

$$\int \cos(t) - t^3 \mathrm{d}t = \sin(t) - \frac{t^4}{4}$$

Products need care!

$(f(t)g(t))' = f'(t)g(t) + f(t)g'(t)$

$$\int (f(t)g(t))' = \int f'(t)g(t) + \int f(t)g'(t)$$

$$f(t)g(t) = \int f'(t)g(t) + \int f(t)g'(t)$$

$$\boxed{\int f(t)g'(t) = f(t)g(t) - \int f'(t)g(t)}$$

Example.

$$\int \underbrace{t}_{f(t)} \underbrace{\cos(t)}_{g'(t)} = t\sin(t) - \int \sin(t) = t\sin(t) + \cos(t)$$

where $g(t) = \sin(t)$

Substitution rule

Substitution rule

s

Substitution rule

$s : [\alpha, \beta]$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
ϕ

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}]$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$(s(\phi(\tilde{t})))$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$(s(\phi(\tilde{t})))'$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$(s(\phi(\tilde{t})))' = s'(\phi(\tilde{t}))$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$(s(\phi(\tilde{t})))' = s'(\phi(\tilde{t}))\phi'(\tilde{t})$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\phi(\tilde{t}))\phi'(\tilde{t})$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\phi(\tilde{t}))\phi'(\tilde{t})\mathrm{d}\tilde{t}$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\phi(\tilde{t}))\phi'(\tilde{t})\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'$$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\phi(\tilde{t}))\phi'(\tilde{t})\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t}$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\phi(\tilde{t}))\phi'(\tilde{t})\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha}))$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\phi(\tilde{t}))\phi'(\tilde{t})\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})}$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\phi(\tilde{t}))\phi'(\tilde{t})\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} s'(t)$$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\phi(\tilde{t}))\phi'(\tilde{t})\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} s'(t)\mathrm{d}t$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\phi'(\tilde{t})\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}}(s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} s'(t)\mathrm{d}t$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\, \underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} s'(t)\mathrm{d}t$$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$$

$$\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\tilde{\alpha}}^{\tilde{\beta}}(s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} s'(t)\mathrm{d}t$$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$$

$$\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} s'(t)\mathrm{d}t$$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$$

$$\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} s'(t)\mathrm{d}t$$

Informally:
Substituting, $t = \phi(\tilde{t})$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} s'(t)\mathrm{d}t$

Informally:
Substituting, $t = \phi(\tilde{t})$
$\frac{\mathrm{d}t}{\mathrm{d}\tilde{t}} = \phi'(\tilde{t})$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$$

$$\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} s'(t)\mathrm{d}t$$

Informally:
Substituting, $t = \phi(\tilde{t})$
$\frac{\mathrm{d}t}{\mathrm{d}\tilde{t}} = \phi'(\tilde{t})$
$\mathrm{d}t = \phi'(\tilde{t})\mathrm{d}\tilde{t}$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$$\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} (s(\phi(\tilde{t})))'\mathrm{d}\tilde{t} = s(\phi(\tilde{\beta})) - s(\phi(\tilde{\alpha})) = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} s'(t)\mathrm{d}t$$

Informally:
Substituting, $t = \phi(\tilde{t})$
$\frac{\mathrm{d}t}{\mathrm{d}\tilde{t}} = \phi'(\tilde{t})$
$\mathrm{d}t = \phi'(\tilde{t})\mathrm{d}\tilde{t}$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} s'(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} s'(t)\mathrm{d}t$

Informally:
Substituting, $t = \phi(\tilde{t})$
$\frac{\mathrm{d}t}{\mathrm{d}\tilde{t}} = \phi'(\tilde{t})$
$\mathrm{d}t = \phi'(\tilde{t})\mathrm{d}\tilde{t}$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$

$$\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t$$

Informally:
Substituting, $t = \phi(\tilde{t})$
$\frac{\mathrm{d}t}{\mathrm{d}\tilde{t}} = \phi'(\tilde{t})$
$\mathrm{d}t = \phi'(\tilde{t})\mathrm{d}\tilde{t}$

Substitution rule

$s : [\alpha, \beta] \to \mathbb{R}$
$\phi : [\tilde{\alpha}, \tilde{\beta}] \to [\alpha, \beta]$

$$s'(\phi(\tilde{t}))\phi'(\tilde{t}) = (s(\phi(\tilde{t})))'$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

Informally:
Substituting, $t = \phi(\tilde{t})$
$\frac{\mathrm{d}t}{\mathrm{d}\tilde{t}} = \phi'(\tilde{t})$
$\mathrm{d}t = \phi'(\tilde{t})\mathrm{d}\tilde{t}$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$

$$\dot{\tilde{\gamma}}(\tilde{t})$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\, \underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\|$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$\|\dot{\tilde{\gamma}}(\tilde{t})\|$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\|\phi'(\tilde{t})$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\|\phi'(\tilde{t})$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\phi(\tilde{t}))\|\phi'(\tilde{t})\mathrm{d}\tilde{t}$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\phi'(\tilde{t})\mathrm{d}\tilde{t}$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t}$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})}$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} \|\dot{\gamma}(t)\|$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} \|\dot{\gamma}(t)\|\mathrm{d}t$$

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} \|\dot{\gamma}(t)\|\mathrm{d}t$$

We have proved,

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} \|\dot{\gamma}(t)\|\mathrm{d}t$$

We have proved,

Theorem. *The arc length*

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} \|\dot{\gamma}(t)\|\mathrm{d}t$$

We have proved,

Theorem. *The arc length is invariant*

$$\boxed{\int_{\tilde{t}=\tilde{\alpha}}^{\tilde{t}=\tilde{\beta}} F(\underbrace{\phi(\tilde{t})}_{t})\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{t=\phi(\tilde{\alpha})}^{t=\phi(\tilde{\beta})} F(t)\mathrm{d}t}$$

$$\tilde{\gamma}(\tilde{t}) = \gamma(\phi(\tilde{t}))$$
$$\dot{\tilde{\gamma}}(\tilde{t}) = \dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})$$
$$\|\dot{\tilde{\gamma}}(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\phi'(\tilde{t})\| = \|\dot{\gamma}(\phi(\tilde{t}))\||\phi'(\tilde{t})|$$

Assume, $\phi'(t) > 0$

$$\int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\tilde{\gamma}}(\tilde{t})\|\mathrm{d}\tilde{t} = \int_{\tilde{\alpha}}^{\tilde{\beta}} \|\dot{\gamma}(\underbrace{\phi(\tilde{t})}_{t})\|\,\underbrace{\phi'(\tilde{t})\mathrm{d}\tilde{t}}_{\mathrm{d}t} = \int_{\phi(\tilde{\alpha})}^{\phi(\tilde{\beta})} \|\dot{\gamma}(t)\|\mathrm{d}t$$

We have proved,

Theorem. *The arc length is invariant under reparametrization.*