

stupid title

Sejin Nam

Contents

1 Free Induction Decay

Here describes what FID is. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.1 What is FID?

FID is an acronym for free induction decay

2 Fourier Transform

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

2.1 Continuous Fourier Transform

$$\begin{aligned} X(f) &= \mathcal{F}_t[x] \\ &= \int_{-\infty}^{\infty} \end{aligned} \tag{2.1}$$

1. Let's see if the pdf automatically reloads after building a modified pdf. Please write your lab number at the top right corner of this quiz as well as your signature. On the back of this quiz, please write your name.

For questions 2 and 3, consider the following quantity called standard deviation of x :

$$\sigma_x = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \tag{2.2}$$

where x_1, x_2, \dots, x_N are the values of x for N measurements. Suppose you made the measurement of x five times and obtained the results 56, 57, 56, 58, 57 (for convenience, any units were omitted).

2. (16 pts) Calculate σ_x . Show all your work.
3. (8 pts) Report your final result x_{exp} appropriately.
4. (8 pts) Briefly describe what we are doing for today's experiment.

Index

FID, 1

stupid file, 1