

```
#####  
#####  
#####  
#####  
#####  
#####  
### Player API Calls ###
```

#CREATE

#

```
curl -X POST localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"id":100, "name":"Nahid", "email":"sekander@protonmail.com}"'
```

```
{"success":true,"data":{"id":100,"name":"Nahid","email":"sekander@protonmail.com","decks":null  
,  
"message":"Created: Passion_Project.Models.Player"}
```

```
curl -X POST localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"id":100, "name":"Nahid", "email":"sekander@protonmail.com}"'  
{"data":{"id":100,"name":"Nahid","email":"sekander@protonmail.com","decks":null},  
"message":"PLAYER ID 100 is being used, please choose a different ID"}
```

```
curl -X POST localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"id":0, "name":"Nahid", "email":"sekander@protonmail.com}"'  
{"data":{"id":0,"name":"Nahid","email":"sekander@protonmail.com","decks":null},  
"message":"ID cannot be 0"}
```

```
curl -X POST localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"id":"-sdf0", "name":"Nahid", "email":"sekander@protonmail.com}"'  
{"type":"https://tools.ietf.org/html/rfc9110#section-15.5.1","title":"One or more validation errors  
occurred.", "status":400,"errors":{"player":["The player field is required."], "$.id":["The JSON value  
could not be converted to System.Int32. Path: $.id | LineNumber: 0 | BytePositionInLine:  
13."]}, "traceId":"00-d0f3e9abfd6e0f5a0eee1cb15727035a-f17b4e68503608ea-00"}
```

```
curl -X POST localhost:5065/api/player -H "Content-Type: application/json" -d '{"id":-12,  
"name":"Nahid", "email":"sekander@protonmail.com}"'  
{"data":{"id":-12,"name":"Nahid","email":"sekander@protonmail.com","decks":null},  
"message":"ID cannot be 0"}
```

```
curl -X POST localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"id":32, "nam":"Nahid", "email":"sekander@protonmail.com}"'  
{"data":{"id":32,"name":null,"email":"sekander@protonmail.com","decks":null},  
"message":"Name cannot be null or empty."}
```

```
curl -X POST localhost:5065/api/player -H "Content-Type: application/json"
-d '{"id":32, "name":"sjdf", "email":"sekander@protonmail.com"}'
{"data":{"id":32,"name":"sjdf","email":null,"decks":null},
"message":"Email cannot be null or empty."}
```

#READ

```
curl localhost:5065/api/player
{"value":[{"id":2,"name":"Nahid","email":"s[1;5Cekander@protonmail.com","decks":null},{id":3,"name":"Nahid","email":"","decks":null},{id":4,"name":null,"email":"","decks":null},{id":6,"name":"x","email":"sekander@protonl.com","decks":null},{id":7,"name":"x","email":"sekander@protonl.com","decks":null},{id":8,"name":"Nahid","email":"sekander@protonl.com","decks":null},{id":9,"name":"Nahid","email":"sekander@protonl.ca","decks":null},{id":10,"name":"Nahid","email":"sekander@protonl.ca","decks":null},{id":11,"name":"Nahid","email":"sekander@protonl.ca","decks":null},{id":13,"name":"test","email":"sekander@protonmail.com","decks":null},{id":14,"name":"NNahid","email":"sekander@protonl.com","decks":null},{id":15,"name":"d","email":"sekander@protonl.com","decks":null},{id":16,"name":"FFFxxSSS","email":"sekander@protonl.com","decks":null},{id":17,"name":"x","email":"sekander@protonl.com","decks":null}], "formatters":[], "contentTypes":[], "declaredType":null, "statusCode":200}
```

```
curl localhost:5065/api/player/2
{"value":{"id":2,"name":"Nahid","email":"s[1;5Cekander@protonmail.com","decks":null}, "formatters":[], "contentTypes":[], "declaredType":null, "statusCode":200}
```

```
curl localhost:5065/api/player/1
{"value":{"success":false,"data":1,
"message":"ID not found","requestedId":1}, "formatters":[], "contentTypes":[], "declaredType":null, "statusCode":400}
```

```
curl localhost:5065/api/player/-32
{"value":{"success":false,"data":-32,
"message":"Please Enter an ID greater than 0","requestedId":-32}, "formatters":[], "contentTypes":[], "declaredType":null, "statusCode":400}
```

#UPDATE

#

```
curl -X PUT localhost:5065/api/player -H "Content-Type: application/json"
-d '{"id":32, "name":"NNNNNNNN", "email":"sekander@protonmail.com"}'
```

```
{"success":true,"data":{"id":32,"name":"NNNNNNNN","email":"sekander@protonmail.com","decks":null},  
"message":"Updated: Passion_Project.Models.Player"}
```

```
curl -X PUT localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"id":"0", "name":"NNNNNNNN", "email":"sekander@protonmail.com"}'  
{"data":{"id":0,"name":"NNNNNNNN","email":"sekander@protonmail.com","decks":null},  
"message":"ID not found"}
```

```
curl -X PUT localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"id":"32", "name":""," "email":"sekander@protonmail.com"}'  
{"data":{"id":32,"name":"","email":"sekander@protonmail.com","decks":null},  
"message":"Name cannot be null or empty."}
```

```
curl -X PUT localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"32", "name":"NNNNNNNN", "email":""}'  
{"data":{"id":32,"name":"NNNNNNNN","email":"","decks":null},  
"message":"Email cannot be null or empty."}
```

```
curl -X PUT localhost:5065/api/player -H "Content-Type: application/json"  
-d '{"id":"32", "name":"NNNNNNNN", "email":"sdfs"}'  
{"data":{"id":32,"name":"NNNNNNNN","email":"sdfs","decks":null},  
"message":"Invalid Email format"}
```

#DELETE
#

```
curl -X DELETE localhost:5065/api/player/32  
{"success":true,"data":32,  
"message":"Deleted : 32","requestedId":32}
```

```
curl -X DELETE localhost:5065/api/player/32  
{"success":false,"data":32,  
"message":"ID not found","requestedId":32}
```

```
curl -X DELETE localhost:5065/api/player/0  
{"success":false,"data":0,  
"message":"Please Enter an ID greater than 0","requestedId":0}
```

```
#####  
#####  
#####  
#####
```

```
#####  
#####
```

Card API CALLs

#

#CREATE

```
curl -X POST localhost:5065/api/card -H "Content-Type: application/json"  
-d '{"id":1000000,"name":"TEST","description":"TEST DESCRIPTION"}'  
{ "success":true,"data":{"id":1000000,"name":"TEST","description":"TEST DESCRIPTION"},  
"message":"Created: Passion_Project.Models.Card" }
```

```
curl -X POST localhost:5065/api/card -H "Content-Type: application/json"  
-d '{"id":1000000,"name":"TEST","description":"TEST DESCRIPTION"}'  
{ "data":{"id":1000000,"name":"TEST","description":"TEST DESCRIPTION"},  
"message":"CARD ID 1000000 is being used, please choose a different ID" }
```

```
curl -X POST localhost:5065/api/card -H "Content-Type: application/json"  
-d '{"id":1000001,"name":"","description":"TEST DESCRIPTION"}'  
{ "data":{"id":1000001,"name":"","description":"TEST DESCRIPTION"},  
"message":"Name cannot be null or empty." }
```

```
curl -X POST localhost:5065/api/card -H "Content-Type: application/json"  
-d '{"id":1000001,"name":"sdfs","description":""}'  
{ "data":{"id":1000001,"name":"sdfs","description":""},  
"message":"Description cannot be null or empty." }
```

#READ

#

#

```
curl localhost:5065/api/card
```

```
curl localhost:5065/api/card/1000000  
{ "value":{"id":1000000,"name":"TEST","description":"TEST  
DESCRIPTION"},"formatters":[],"contentType":[],"declaredType":null,"statusCode":200}
```

```
curl localhost:5065/api/card/100000  
{ "value":{"success":false,"data":100000,  
"message":"ID not  
found","requestedId":100000},"formatters":[],"contentType":[],"declaredType":null,"statusCode":  
400}
```

#UPDATE

```
curl -X PUT localhost:5065/api/card -H "Content-Type: application/json"
-d '{"id":1000000,"name":"TEST","description":"TEST"}'
{"success":true,"data":{"id":1000000,"name":"TEST","description":"TEST"},
"message":"Updated: Passion_Project.Models.Card"}
```

```
curl -X PUT localhost:5065/api/card -H "Content-Type: application/json"
-d '{"id":1000000,"name":"","description":"TEST"}'
{"data":{"id":1000000,"name":"","description":"TEST"},
"message":"Name cannot be null or empty."}
```

```
curl -X PUT localhost:5065/api/card -H "Content-Type: application/json"
-d '{"id":1000000,"name":"TEST","description":""}'
{"data":{"id":1000000,"name":"TEST","description":""},
"message":"Description cannot be null or empty."}
```

```
curl -X PUT localhost:5065/api/card -H "Content-Type: application/json"
-d '{"id":1000001,"name":"TEST","description":"TEST"}'
{"data":{"id":1000001,"name":"TEST","description":"TEST"},
"message":"ID not found"}
```

#DELETE

```
curl -X DELETE localhost:5065/api/card/1000000
{"success":true,"data":1000000,
"message":"Deleted : 1000000","requestedId":1000000}
```

```
curl -X DELETE localhost:5065/api/card/1000000
{"success":false,"data":1000000,
"message":"ID not found","requestedId":1000000}
```

```
curl -X DELETE localhost:5065/api/card/-23
{"success":false,"data":-23,
"message":"Please Enter an ID greater than 0","requestedId":-23}
```

```
#####
#####
#####
#####
#####
#####
```

Deck API CALLs

#

#CREATE

#

```
curl -X POST localhost:5065/api/deck -H "Content-Type: application/json"
-d '{"id":10, "playerID":4, "name":"sdfs", "description":"TEST"}'
{"success":true, "data":{"id":10, "name":"sdfs", "description":"TEST", "playerID":4, "currentPlayer":null},
"message":"Created: Passion_Project.Models.Deck"}f
```

```
curl -X POST localhost:5065/api/deck -H "Content-Type: application/json"
-d '{"id":10, "playerID":4, "name":"sdfs", "description":"TEST"}'
{"data":{"id":10, "name":"sdfs", "description":"TEST", "playerID":4, "currentPlayer":null},
"message":"DECK ID 10 is being used, please choose a different ID"}
```

```
curl -X POST localhost:5065/api/deck -H "Content-Type: application/json"
-d '{"id":11, "name":"sdfs", "description":"TEST"}'
{"data":{"id":11, "name":"sdfs", "description":"TEST", "playerID":0, "currentPlayer":null},
"message":"Deck ID or Player ID cannot be 0"}
```

```
curl -X POST localhost:5065/api/deck -H "Content-Type: application/json"
-d '{"id":11, "playerID":4, "name":"","description":"TEST"}'
{"data":{"id":11, "name":"","description":"TEST", "playerID":4, "currentPlayer":null},
"message":"Name cannot be null or empty."}
```

```
curl -X POST localhost:5065/api/deck -H "Content-Type: application/json"
-d '{"id":11, "playerID":4, "name":"Test", "description":""}'
{"data":{"id":11, "name":"Test", "description":"","playerID":4, "currentPlayer":null},
"message":"Description cannot be null or empty."}
```

```
curl -X POST localhost:5065/api/deck/card -H "Content-Type: application/json"
-d '{"deckID":1, "cardID":4}'
{"deckID":1, "deck":{"id":1, "name":"New Deck", "description":"A brand new deck.", "playerID":2, "currentPlayer":null},
"cardID":4, "card":{"id":4, "name":"Kemba's Outfitter", "description":"When Kemba's Outfitter enters, choose one —\n• Choose an Equipment card in your hand. It perpetually gains equip {1}.\n• Target Equipment you control perpetually gains equip {1}."}}
```

```
curl -X POST localhost:5065/api/deck/card -H "Content-Type: application/json" -d '{"deckID":1, "cardID":4}'
{"message":"Card with ID 4 already exists in Deck with ID 1."}
```

```
curl -X POST localhost:5065/api/deck/card -H "Content-Type: application/json" -d '{"deckID":11, "cardID":4}'
```

Deck with ID 11 not found.

```
curl -X POST localhost:5065/api/deck/card -H "Content-Type: application/json" -d '{"deckID":1, "cardID":"42322222"}'
```

Card with ID 42322222 not found.

#READ

```
curl localhost:5065/api/deck
```

```
{ "value": [{"id":1, "name":"New Deck", "description":"A brand new deck.", "playerID":2, "currentPlayer":null}, {"id":2, "name":"Nahid Deck", "description":"Test DeckKKKK", "playerID":2, "currentPlayer":null}, {"id":3, "name":"Nahid Deck", "description":"Test DeckKKKK", "playerID":3, "currentPlayer":null}, {"id":4, "name":"New Deck", "description":"A brand new deck.", "playerID":2, "currentPlayer":null}, {"id":5, "name":"Nahid Deck", "description":"Test DeckKKKK", "playerID":4, "currentPlayer":null}, {"id":6, "name":"Nahid eck", "description":"Test DeckKKKK", "playerID":4, "currentPlayer":null}, {"id":8, "name":"New Deck", "description":"A brand new deck.", "playerID":2, "currentPlayer":null}, {"id":10, "name":"sdfs", "description":"TEST", "playerID":4, "currentPlayer":null}], "formatters": [], "contentTypes": [], "declaredType": null, "statusCode":200 }
```

```
curl localhost:5065/api/deck/10
```

```
{ "value": {"id":10, "name":"sdfs", "description":"TEST", "playerID":4, "currentPlayer":null}, "formatters": [], "contentTypes": [], "declaredType": null, "statusCode":200 }
```

```
curl localhost:5065/api/deck/11
```

```
{ "value": {"success":false, "data":11, "message":"ID not found", "requestedId":11}, "formatters": [], "contentTypes": [], "declaredType": null, "statusCode":400 }
```

```
curl localhost:5065/api/deck/1/allcards
```

```
[4]
```

#UPDATE

```
curl -X PUT localhost:5065/api/deck -H "Content-Type: application/json"
```

```
-d '{"id":10, "playerID":"4", "name":"Test", "description":"test description"}'
```

```
{ "success":true, "data":{"id":10, "name":"Test", "description":"test description", "playerID":4, "currentPlayer":null}, "message":"Updated: Passion_Project.Models.Deck" }
```

```
curl -X PUT localhost:5065/api/deck -H "Content-Type: application/json"
```

```
-d '{"id":11, "playerID":"4", "name":"Test", "description":"test description"}'
```

```
{ "data":{"id":11, "name":"Test", "description":"test description", "playerID":4, "currentPlayer":null}, "message":"ID not found" }
```

```
curl -X PUT localhost:5065/api/deck -H "Content-Type: application/json"
```

```
-d '{"id":10, "playerID":"4", "name":"","description":"test description"}'
{"data":{"id":10, "name":"","description":"test description", "playerID":4, "currentPlayer":null},
"message":"Name cannot be null or empty."}
```

```
curl -X PUT localhost:5065/api/deck -H "Content-Type: application/json"
-d '{"id":10, "playerID":"4", "name":"Test", "description":""}'
{"data":{"id":10, "name":"Test", "description":"","playerID":4, "currentPlayer":null},
"message":"Description cannot be null or empty."}
```

#DELETE

```
curl -X DELETE localhost:5065/api/deck/10
{"success":true, "data":10, "message":"Deleted : 10", "requestedId":10}
```

```
curl -X DELETE localhost:5065/api/deck/10
{"success":false, "data":10, "message":"ID not found", "requestedId":10}
```

```
curl -X DELETE localhost:5065/api/deck/0
{"success":false, "data":0, "message":"Please Enter an ID greater than 0", "requestedId":0}
```

```
#####
#####
#####
#####
#####
#####
```