```
devices {
  device CHN_CASR903_SRC_ACC_0 {
    config {
       ios:policy-map 4Mb {
       ios:interface {
          GigabitEthernet 0/0/4/8 {
            description "#FTTB#e2ecen-inter#CISCOG#RAJA-ANG004#6498#4#141117";
            media-type auto-select;
            negotiation {
               auto true;
            }
            service {
               instance 1 {
                 ethernet;
                 encapsulation {
                   default {
                   }
                 }
                 I2protocol {
                   forward {
                   }
                 }
                 service-policy {
                   input 4Mb;
                   output 4Mb;
                 }
                 xconnect {
                   address 180.2.2.1;
                   vcid 23;
                   encapsulation mpls;
                 }
               }
            mtu 9202;
       }
    }
  device CHN_CASR903_SRC_ACC_1 {
```

```
config {
       ios:policy-map 4Mb {
       ios:interface {
          TenGigabitEthernet 0/0/5/5 {
                            description "#FTTB#e2ecen-inter#CISCOG#RAJA-
ANG004#6498#4#141117";
             negotiation {
               auto true;
             }
             service {
               instance 1 {
                 ethernet;
                 encapsulation {
                    default {
                    }
                 I2protocol {
                    forward {
                    }
                 service-policy {
                    input 4Mb;
                    output 4Mb;
                 xconnect {
                    address 180.2.2.1;
                    vcid 23;
```

encapsulation mpls;

```
}
               }
            }
            mtu 9202;
            shutdown;
          }
       }
     }
  }
  device CHN_CASR9K_SRK_AGGR_0 {
     config {
       cisco-ios-xr:l2vpn {
         xconnect {
            group CISCOG-23 {
               p2p CISCOG-23 {
                 neighbor 180.2.2.1 23 {
                   ip-version ipv4;
                 }
              }
            }
         }
       }
     }
  device CHN_CASR9K_SRK_AGGR_1 {
     config {
       cisco-ios-xr:l2vpn {
         xconnect {
            group CISCOG-23 {
+
```

```
p2p CISCOG-23 {
                 neighbor 180.2.2.1 23 {
                   ip-version ipv4;
                 }
              }
            }
         }
       }
     }
  }
}
+mpls-l2vpn RAJA-ANG004 {
+ customer-name CISCOG;
+ order {
     date-of-provisioning 141117;
+
     ra 6498;
+ }
+ bandwidth 4000;
+ mtu {
+ }
+ primary-pwid 23;
+ src {
     access {
        device CHN_CASR903_SRC_ACC_0;
        interface {
+
          intf-id GigabitEthernet0/0/4/8;
          media-type auto-select;
        }
       evc {
```

```
I2protocol {
             all;
          }
        }
     }
     lagg {
        {\tt devices\ CHN\_CASR9K\_SRK\_AGGR\_0;}
     }
   }
   destn {
     access {
        type e2ecen-inter;
        device CHN_CASR903_SRC_ACC_1;
        interface {
          intf-id TenGigabitEthernet0/0/5/5;
        }
     }
     lagg {
        devices CHN_CASR9K_SRK_AGGR_1;
     }
+ }
+}
```