BIOS 102 Mock Lab Exam

Name: _____ Section: _____ Date: _____

Type 1 - Phylum comparisons | Questions 1-10

Write the single best phylum for each description. Compare the combination of features, rather than one familiar word. Choices may be used more than once.

Key: Annelida | Cnidaria | Nematoda | Platyhelminthes | Porifera

1. Unlike the group with definite organs, this phylum has loosely associated cells that do not form definite tissues.

Phylum: _____

2. Unlike tapeworms, members of this phylum have a cuticle described as resisting digestive enzymes and desiccation.

Phylum: _____

3. Compared with the roundworms, this phylum has repetitive segments separated internally by septa.

Phylum: _____

4. In contrast to adult sponges, this phylum includes a free-swimming body form and contractile cells in two body layers.

Phylum: _____

5. Unlike the group with a complete digestive tract, this phylum includes ribbon-like animals that absorb nutrients directly through the body wall.

Phylum: _____

6. This phylum includes animals whose dissociated cells can survive passage through a fine mesh and reassemble into an organism.

Phylum: _____

7. Compared with flatworms and roundworms, this phylum is described as having a spacious coelom and a closed circulatory system.

Phylum: _____

8. This phylum includes a colonial animal supported by a gas-filled sac with long suspended tentacles of polyps.

Phylum: _____

9. This phylum includes a parasite for which intestinal loss of iron and protein can produce anemia.

Phylum: _____

10. This phylum includes a miniature intestinal parasite of dogs and a long intestinal parasite of humans who ingest infested meat.

Phylum: _____

BIOS 102 Mock Lab Exam

Name: _____ Section: _____ Date: _____

Type 1 - Phylum comparisons | Questions 11-20

Write the single best phylum for each description. Compare the combination of features, rather than one familiar word. Choices may be used more than once.

Key: Annelida | Cnidaria | Nematoda | Platyhelminthes | Porifera

11. Unlike the attached adult, the larval stage described for this phylum swims about.

Phylum: _____

12. Within this phylum, one marine group has parapodia, whereas common earthworms lack them.

Phylum: _____

13. This phylum includes a colony with separate feeding and reproductive polyps, followed by a sexually reproducing swimming stage.

Phylum: _____

14. This phylum includes an intestinal parasite whose gravid females move to the rectum to release eggs requiring oxygen for maturation.

Phylum: _____

15. This phylum includes parasites that lack both a mouth and a digestive tract, unlike the complete tract of roundworms.

Phylum: _____

16. This phylum produces resistant gemmules made of clusters of amoebocytes enclosed in hard spicules.

Phylum: _____

17. In this phylum, a studied animal has male sperm ducts on segment XV and female oviducts on segment XIV.

Phylum: _____

18. Within this phylum, Scyphozoa primarily have one swimming body form, whereas Anthozoa lack that form.

Phylum: _____

19. This phylum includes cylindrical worms living in almost all environments, including soil containing millions of them.

Phylum: _____

20. This phylum includes a class with common swimming Dugesia and a separate class of long ribbon-like tapeworms.

Phylum: _____

BIOS 102 Mock Lab Exam

Name: _____ Section: _____ Date: _____

Type 1 - Phylum comparisons | Questions 21-30

Write the single best phylum for each description. Compare the combination of features, rather than one familiar word. Choices may be used more than once.

Key: Annelida | Cnidaria | Nematoda | Platyhelminthes | Porifera

21. This phylum includes organisms whose adult bodies have neither mouths nor a digestive tract, yet are filter-feeding heterotrophs.

Phylum: _____

22. This phylum includes animals with bristle-like setae that aid locomotion and sometimes feeding.

Phylum: _____

23. Unlike the loosely associated cells of sponges, this phylum has contractile cells in both epidermis and gastrodermis.

Phylum: _____

24. This phylum includes a human intestinal parasite with a sharply pointed adult female tail.

Phylum: _____

25. This phylum includes animals whose organs are packed in mesodermal cells between the digestive cavity and body wall.

Phylum: _____

26. This phylum includes hermaphroditic animals that produce eggs and sperm in the mesohyl.

Phylum: _____

27. This phylum includes a studied animal in which most body segments contain paired tubular excretory organs.

Phylum: _____

28. This phylum includes Obelia, Physalia, and Aurelia, representing colonial and jellyfish examples.

Phylum: _____

29. This phylum has a fluid-filled space between body wall and digestive tract, together with separate mouth and anus.

Phylum: _____

30. This phylum includes an animal with a branched gastrovascular cavity and a pharynx region examined on a whole-mount slide.

Phylum: _____

BIOS 102 Mock Lab Exam

Name: _____ Section: _____ Date: _____

Type 2 - True / False | Questions 31-40

Write T or F. For each false statement, replace the incorrect word or phrase to make the statement true. Do not simply add "not."

31. Adult sponges obtain food by photosynthesis.

T / F: _____ Correction: _____

32. Gemmules can withstand adverse conditions that would kill an adult sponge.

T / F: _____ Correction: _____

33. A sponge larva is described as motile.

T / F: _____ Correction: _____

34. The adult sponge is typically motile.

T / F: _____ Correction: _____

35. Sponge cells form definite tissues.

T / F: _____ Correction: _____

36. A monaxon spicule is described as Y-shaped.

T / F: _____ Correction: _____

37. Hexactinellida primarily use silica in their skeletons.

T / F: _____ Correction: _____

38. A sponge can reproduce sexually by producing eggs and sperm in the mesohyl.

T / F: _____ Correction: _____

39. The gastrovascular cavity provides hydrostatic support in cnidarians.

T / F: _____ Correction: _____

40. Contractile cells occur only in the epidermis of cnidarians.

T / F: _____ Correction: _____

BIOS 102 Mock Lab Exam

Name: _____ Section: _____ Date: _____

Type 2 - True / False | Questions 41-50

Write T or F. For each false statement, replace the incorrect word or phrase to make the statement true. Do not simply add "not."

41. Obelia feeding and reproductive polyps occur in the same colony.

T / F: _____ Correction: _____

42. The free-swimming Obelia medusae reproduce asexually.

T / F: _____ Correction: _____

43. An Obelia zygote develops into a planula larva.

T / F: _____ Correction: _____

44. Physalia is described as a solitary organism supported by a gas-filled sac.

T / F: _____ Correction: _____

45. Scyphozoa primarily exhibit the medusa form.

T / F: _____ Correction: _____

46. Anthozoa have only medusa forms.

T / F: _____ Correction: _____

47. Tapeworms absorb nutrients directly through their body wall.

T / F: _____ Correction: _____

48. Dugesia is placed in class Cestoda.

T / F: _____ Correction: _____

49. Echinococcus is described as an intestinal parasite of dogs.

T / F: _____ Correction: _____

50. The flatworm body wall and digestive cavity are separated by a spacious coelom.

T / F: _____ Correction: _____

BIOS 102 Mock Lab Exam

Name: _____ Section: _____ Date: _____

Type 2 - True / False | Questions 51-60

Write T or F. For each false statement, replace the incorrect word or phrase to make the statement true. Do not simply add "not."

51. The nematode cuticle resists desiccation.

T / F: _____ Correction: _____

52. The hookworms described live in the large intestine of their host.

T / F: _____ Correction: _____

53. Adult female Enterobius have sharply pointed tails.

T / F: _____ Correction: _____

54. The whipworm described feeds on blood.

T / F: _____ Correction: _____

55. Earthworms have parapodia on their body segments.

T / F: _____ Correction: _____

56. Earthworm setae are bristle-like structures.

T / F: _____ Correction: _____

57. An earthworm has a closed circulatory system.

T / F: _____ Correction: _____

58. The earthworm gizzard is described as grinding food.

T / F: _____ Correction: _____

59. Earthworm seminal receptacles store sperm received from another earthworm.

T / F: _____ Correction: _____

60. The earthworm ventral nerve cord lies above the intestine.

T / F: _____ Correction: _____