

7009-330-770-18-TER

# EGYPTIAN NATURAL GAS COMPANY (GASCO)

**PROJECT No 7009-330** 

## IMPLEMENTATION OF PHASE I DEEP CUT ETHANE RECOVERY

## INSPECTION AND FITNESS FOR SERVICE ASSESSMENT FOR PRESSURE VESSELS

770-18

(05/18)
P-0014
ET-I
0-GE
000-0000
≊

P-00]							
-TMP-							
GE1							
000							
0000	0	30-08-2023	ISSUED FOR APPROVAL	A.I.	Y.M	T.I.	N.E.
1	Rev.	Date	Revision Description	Ву	Checked	Approved	PEM/PEL



TER PAGE 2 OF 7

TER			PAGE 2 OF
GASCO	0	IMPLEMENTATION OF PHASE I DEEP CUT ETHANE RECOVERY	7009-330-770-18-TER
ALEX	ANDRIA, EGYPT	INSPECTION AND FITNESS FOR SERVICE ASSESSMENT FOR PRESSURE VESSELS	Rev. 0
REV		REVISION DESCRIPTION	
0	Issued for Approval		

10000-000- GE1-TMP-0014 (05/18)



GASCO	IMPLEMENTATION OF PHASE I DEEP CUT ETHANE RECOVERY	7009-330-770-18-TER
ALEXANDRIA, EGYPT	INSPECTION AND FITNESS FOR SERVICE ASSESSMENT FOR PRESSURE VESSELS	Rev. 0

## **CONTENTS**

		<b>PAGE</b>	
1.0	PURPOSE	4	
2.0	SCOPE OF SUPPLY	4	
3.0	BIDDERS	4	
4.0	BASIS OF TECHNICAL EVALUATION	4	
5.0	TECHNICAL ANALYSIS OF BIDS	5	
6.0	DEVIATIONS	6	
7.0	CONCLUSION	6	
8.0	HIGHLIGHTS FOR COMMERCIAL EVALUATIONS	6	
9.0	TECHNICAL RECOMMENDATION	6	
10.0	CORRESPONDENCES	7	
APPENDIX (A): BID TABULATION			

TER



IMPLEMENTATION OF PHASE I DEEP CUT ETHANE RECOVERY

7009-330-770-18-TER

ALEXANDRIA, EGYPT

GASCO

INSPECTION AND FITNESS FOR SERVICE ASSESSMENT FOR PRESSURE VESSELS

Rev. 0

### 1.0 PURPOSE

This report is technically evaluating the received offer for the inspection and fitness for service assessment for pressure vessels as per SRQ no. 7009-330-770-18-Q Rev.0 dated July 23<sup>rd</sup>, 2023 for GASCO, IMPLEMENTATION OF PHASE I DEEP CUT ETHANE RECOVERY project.

## 2.0 SCOPE OF SERVICE

Scope of service mentioned in SRQ is to perform all required inspection activities and fitness for service assessment according to international codes and standards that are necessary to change the service of the existing DE- Methanizer Preflash Vessel, tag no. (10-V-06) to fit in the new service in 5072-200 Train "D" project as New Fuel Gas Knock Out Drum, tag no. (583-V-002) considering that the vessel will be subjected to the same design conditions.

All preparatory work activities (e.g. cleaning, isolation, and insulation removal ...etc.) as detailed in clause 6 of application sheet no. 7009-330-000-MAS-770-18-01 will be performed by GASCO.

## 3.0 BIDDERS

Offers were received from the following bidders for the inspection and fitness for service assessment for pressure vessel.

- **3.1 TUV** RHEINLAND.
- **3.2 BVQI** BUREAU VERITAS.
- 3.3 DNV EGYPT LTD.

## 4.0 BASIS OF TECHNICAL EVALUATION

- **4.1** The rating resulting from the technical evaluation shall be one of the following categories:
  - 4.1.1 Technically Accepted.
  - 4.1.2 Technically Not Accepted.
- **4.2** Technical acceptance depends on meeting the limitations and requirements of the tender documents including:
  - 4.2.1 Completeness of scope of supply as detailed in the SRQ and its attachments.
  - 4.2.2 Compliance with technical requirements as specified in the SRQ & its attachments and those requirements highlighted via ENPPI correspondences and clarifications to the bidders during the evaluation phase.
  - 4.2.3 Consideration of all exceptions / deviations (if any) which may be reflected on the technical quality and /or the reliability of the equipment. Such deviations are analyzed and evaluated, but they are not necessarily rendering the bid as not accepted.
- **4.3** The offer shall not be accepted due to noncompliance with the points mentioned in item 4.2 above.



IMPLEMENTATION OF PHASE I DEEP CUT ETHANE RECOVERY

7009-330-770-18-TER

ALEXANDRIA, EGYPT

GASCO

INSPECTION AND FITNESS FOR SERVICE ASSESSMENT FOR PRESSURE VESSELS

Rev. 0

#### 5.0 **TECHNICAL ANALYSIS OF BIDS**

#### 5.1 **GENERAL**

- As per GASCO request, it was agreed with the three bidders that NDEs shall be 5.1.1 as follows:
  - 1- External 100% PT on all welds (nozzles, shell, and head), same for internal PT with usage of fluorescent PT.
  - 2- 100% PAUT on all longitudinal and circumferential welds of shells and head in case PAUT not applicable on head due to component configuration manual UT shall be used.
- It was agreed that bidders will send the full list of equipment and tools required for preparatory work with specifications along with durations to GASCO one month before commencing work.
- Bidders confirmed that specific method statement and detailed ITP shall be 5.1.3 submitted after awarding.

#### 5.2 **TUV RHEINLAND**

- TUV base offer ref. no. 254101061 dated 03/08/2023 quoted for performing all 5.2.1 required inspection activities and fitness for service assessment mentioned in section 2.0 of this report as per the requirements of service requisition and its attachments.
- 5.2.2 TUV offer has covered the required scope of supply as per section 2 of this report but missed some documents such as ITP, Schedule, and method statement, etc. Therefore, clarifications were deemed necessary to confirm the remaining scope.
- 5.2.3 Technical queries and clarifications raised by ENPPI had been satisfactorily responded by TUV.

#### 5.3 **BVQI BUREAU VERITAS**

- BVQI base offer ref. no. EGY.23.8.218.05E dated 03/08/2023 quoted for 5.3.1 performing all required inspection activities and fitness for service assessment mentioned in section 2.0 of this report as per the requirements of service requisition and its attachments.
- BVQI offer has covered the required scope of supply as per section 2 of this report 5.3.2 but missed some documents such as ITP, schedule, and method statement, etc. therefore, clarifications were deemed necessary to confirm the remaining scope.
- Technical queries and clarifications raised by Enppi had been satisfactorily 5.3.3 responded by BVQI.



IMPLEMENTATION OF PHASE I DEEP CUT GASCO ETHANE RECOVERY

7009-330-770-18-TER

ALEXANDRIA, EGYPT

INSPECTION AND FITNESS FOR SERVICE ASSESSMENT FOR PRESSURE VESSELS

Rev. 0

#### DNV EGYPT LTD 5.4

- DNV base offer ref. no. OPP-00316445 Rev.0 dated 03/08/2023 quoted for 5.4.1 performing all required inspection activities and fitness for service assessment mentioned in section 2.0 of this report as per the requirements of service requisition and its attachments.
- 5.4.2 DNV offer has covered the required scope of supply as per section 2 of this report but missed some documents such as ITP, schedule, and method statement, etc. therefore, clarifications were deemed necessary to confirm the remaining scope.
- Technical queries and clarifications raised by Enppi had been satisfactorily 5.4.3 responded by DNV.

#### 6.0 **DEVIATIONS**

No deviations.

All exclusions in the three offers -related to preparatory work- had been submitted to GASCO, and GASCO agreed to provide all the items during the execution phase, as per GASCO e-mail dated May 18th, 2023.

#### 7.0 **CONCLUSION**

TUV offer is **TECHNICALLY ACCEPTED**.

BV OFFER IS **TECHNICALLY ACCEPTED.** 

DNV OFFER IS **TECHNICALLY ACCEPTED.** 

#### 8.0 **HIGHLIGHTS FOR COMMERCIAL EVALUATIONS**

When obtaining the revised commercial offers, it should consider all requirements agreed upon during the clarifications phase.

#### 9.0 **TECHNICAL RECOMMENDATION**

Not applicable.

TER PAGE 7 OF 7

> IMPLEMENTATION OF PHASE I DEEP CUT ETHANE RECOVERY

INSPECTION AND FITNESS FOR SERVICE ASSESSMENT FOR PRESSURE VESSELS

Rev. 0

7009-330-770-18-TER

## ALEXANDRIA, EGYPT

GASCO

#### 10.0 **CORRESPONDENCES**

- The three technical offers submitted to Enppi job no.7009-330-770-18-Q dated July 2023 10.1 and technically opened by committee on August 3<sup>rd</sup>, 2023.
- 10.2 Enppi email to GASCO dated May 10th, 2023, related to exclusions.
- GASCO reply to Enppi email on May 18th, 2023, confirming exclusions agreement. 10.3
- Enppi 1<sup>st</sup> clarification to bidders issued on August 15<sup>th</sup>, 2023. 10.4
- BVQI reply to 1<sup>st</sup> clarification on August 17<sup>th</sup>, 2023. 10.5
- TUV reply to 1<sup>st</sup> clarification on August 20<sup>th</sup>, 2023. 10.6
- **10.7** DNV reply to 1<sup>st</sup> clarification on August 28<sup>th</sup>, 2023.

**APPENDIX (A): BID TABULATION**