

# AI Tools for R

Day 1 - Introduction to Data Analysis with R


Selina Baldauf

Freie Universität Berlin - Theoretical Ecology

September 20, 2024

# Motivation

- AI tools assist programmers with
  - Coding
  - Debugging
  - Learning
  - ...
- Higher productivity and efficiency
- More motivation
- But careful: You still need to understand what's going on!



# Overview of tools

- Browser-based chat bots ([ChatGPT](#), [Bard](#), ...)
  - General-purpose
- Data-analysis tools ([Julius AI](#), [RTutor](#), ...)
  - Upload data and ask questions about it
  - Can also execute code
  - Chat with your data
- Integrated AI tools ([GitHub Copilot](#), [Codium AI](#), ...)
  - Integrated directly in programming environment
  - Real-time suggestions, chat, debugging, ...

Find the tools that best fit your workflow!

# R Tutor


- <https://rtutor.ai/>
- Free browser tool
- Upload data and ask questions about it
- Use the demo data

The screenshot displays the R Tutor web interface. The top navigation bar includes 'RTutor', 'Home', 'EDA', 'Report', and 'More'. The main interface is divided into two panels. The left panel, titled '1. Select Dataset', '2. Modify Data Fields', and '3. Send Request', contains a dropdown menu for 'mpg (examples)', a 'Browse...' button, and a 'No file selected' status. Below this is a 'Data Types' button. The 'Send Request' section has a text area for asking questions and a 'Submit' button. The right panel, titled 'Selected Dataset', shows '234 rows X 11 columns' and a table of car data. The table has columns: maker, model, dis, year, cylinder, transmission, drive, city, highway, fuel, and type. The data is sorted by city in descending order. A search bar is located above the table. The bottom of the table shows pagination: 'Previous', '1', '2', '3', '4', '5', '...', '24', 'Next'.

| maker | model      | dis | year | cylinder | transmission | drive | city | highway | fuel | type    |
|-------|------------|-----|------|----------|--------------|-------|------|---------|------|---------|
| audi  | a4         | 1.8 | 1999 | 4        | auto(l5)     | f     | 18   | 29      | p    | compact |
| audi  | a4         | 1.8 | 1999 | 4        | manual(m5)   | f     | 21   | 29      | p    | compact |
| audi  | a4         | 2   | 2008 | 4        | manual(m6)   | f     | 20   | 31      | p    | compact |
| audi  | a4         | 2   | 2008 | 4        | auto(av)     | f     | 21   | 30      | p    | compact |
| audi  | a4         | 2.8 | 1999 | 6        | auto(l5)     | f     | 16   | 26      | p    | compact |
| audi  | a4         | 2.8 | 1999 | 6        | manual(m5)   | f     | 18   | 26      | p    | compact |
| audi  | a4         | 3.1 | 2008 | 6        | auto(av)     | f     | 18   | 27      | p    | compact |
| audi  | a4 quattro | 1.8 | 1999 | 4        | manual(m5)   | 4     | 18   | 26      | p    | compact |
| audi  | a4 quattro | 1.8 | 1999 | 4        | auto(l5)     | 4     | 16   | 25      | p    | compact |
| audi  | a4 quattro | 2   | 2008 | 4        | manual(m6)   | 4     | 20   | 28      | p    | compact |

# Julius AI

- <https://julius.ai/>
- Try for free
- Basic plan ~20€ per months (-50% academic discount)
- Upload data and ask questions about it



# Github Copilot

- <https://github.com/features/copilot>
- Model based on GPT-4 and OpenAI's Codex
  - Specifically trained on source code
- Basic idea: Integrate directly into R Studio (or other IDEs)
- Works best for well-represented languages (Python, JS, ...)

# How to get GitHub Copilot

See [this website](#) for step-by-step guide and more information.

It's really easy, but you need:

- GitHub Account
- Active GH Copilot subscription (10\$ per month)
  - Get it for free as an academic with an educational account
- IDE that supports Copilot
  - Full support: Visual Studio (Code), Vim, Neovim, JetBrains IDEs (e.g. PyCharm)
  - Limited support: RStudio, ?

# GH Copilot: Inline code suggestions

- Copilot tries to predict what you want to do next
- Suggestions are based on the context
  - Previous code
  - Comments
  - Variable and function names
  - ...

```
fibonacci.R > fibonacci
1  fibonacci <- function(n) {
2    if (n == 0) {
3      return(0)
4    } else if (n == 1) {
5      return(1)
6    } else {
7      return(fibonacci(n - 1) + fibonacci(n - 2))
8    }
9  }
```



# Get better suggestions

- **Provide context**
  - Open other files
  - Add top level comments explaining the purpose of the script
  - Name variables and functions properly
  - Copy-paste sample code and delete it later
- **Be consistent**
  - “Garbage in, garbage out”
  - Have a nice and consistent coding style

Nice side effect of using Copilot: More good-practice coding

# Chat with GH copilot in R Studio

- Available through the `chattr` package
- Chat with Copilot in the sidebar
- Also supports other LLMs (e.g. GPT4o, ...)

# Concerns to consider

- Privacy
  - Chose whether your prompts and suggestions will be used by Github (**Github -> Seetings -> Copilot -> Policies**)
  - Check privacy guidelines before you upload data
- Plagiarism
  - Block suggestions matching public code (**Github -> Seetings -> Copilot -> Policies**)
- Ethical concerns
  - For-profit tool trained on open-source
- Environmental concerns
  - Water and energy usage

# Usage guidelines

- No definite guidelines, but see examples [listed here](#)
- **Responsibility**
  - You are responsible for your scientific output
  - Stay critical, double-check
- **Transparency**
  - Make clear for which tasks you used which AI
- **Know relevant guidelines**
  - Journals
  - Your university
- **Still understand what is happening!**

