Penguin Report

Selina Baldauf

2026-10-19

Table of contents

1 Introduction **1**

2 Data overview **2**

3 Analysis **2**

1 Introduction

This is a short report about the **Palmer Penguins** dataset. The data contains measurements for three penguin species:

- *Adelie*
- *Chinstrap*
- *Gentoo*

You can find more information about the data on the palmerpenguins website.[1]

> **Note**
>
> The `penguins` data is included in R since version 4.5.0, so you don't need to install a package to use it.

[1]The data was collected by Dr. Kristen Gorman at Palmer Station, Antarctica.

2 Data overview

The dataset contains 344 penguins from 3 species. Table 1 shows the mean body mass and flipper length of each species.

```
penguins |>
  summarize(
    n = n(),
    body_mass = mean(body_mass, na.rm = TRUE),
    flipper_len = mean(flipper_len, na.rm = TRUE),
    .by = species
  ) |>
  knitr::kable(
    digits = 1,
    col.names = c("Species", "n", "Body mass (g)", "Flipper length (mm)")
  )
```

Table 1: Mean body mass and flipper length of the three penguin species.

Species	n	Body mass (g)	Flipper length (mm)
Adelie	152	3700.7	190.0
Gentoo	124	5076.0	217.2
Chinstrap	68	3733.1	195.8

3 Analysis

Figure 1 shows the relationship between bill length and bill depth.

```
ggplot(penguins, aes(x = bill_len, y = bill_dep, color = species)) +
  geom_point() +
  labs(
    x = "Bill length (mm)",
    y = "Bill depth (mm)",
    color = "Species"
  ) +
  theme_minimal()
```




Figure 1: Bill length and bill depth of the three penguin species.