


MAKER SOIL MOISTURE SENSOR

Datasheet



Rev 1.0 January 2022

Information in this publication regarding device applications and the like is intended through suggestion only and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications. No representation or warranty is given and no liability is assumed by Cytron Technologies Incorporated with respect to the accuracy or use of such information or infringement of patents or other intellectual property rights arising from such use or otherwise. Use of Cytron Technologies's products as critical components in life support system is not authorized except with express written approval by Cytron Technologies. No licenses are conveyed, implicitly or otherwise, under any intellectual property rights.

1. BOARD LAYOUT & FUNCTION




Figure 1: MAKER-SOIL-MOISTURE Board Functions

| Function | Description | | |
|----------------|---|--|--|
| Grove Port | GND: Ground. VCC: Power input for the sensor. DIS: Disable pin. HIGH signal disables the sensor. OUT: Analog Output. Higher voltage = less moisture. | | |
| LED Indicators | Turns on depending on the value of the output. (See Table 2) | | |
| Probe | Capacitive probe used to detect the presence of water in soil. | | |

Table 1: MAKER-SOIL-MOISTURE Board Functions

2. SPECIFICATIONS

| No | Parameters | Min | Max | Unit | |
|----|--|---------------|-----------|------|-----|
| 1 | VCC Voltage (VCC) | | 2.5 | 7.0 | VDC |
| 2 | Analog Output Voltage (OUT) | | 1.0 | 5.2 | V |
| 3 | Disable Pin Threshold Voltage (DIS) | | VCC - 0.8 | - | V |
| 4 | | Blue (WET) | 1.4 | 1.8 | V |
| | LED Turn On Output Voltage @VCC = 3.3V | Green (MOIST) | 1.8 | 2.1 | V |
| | | Red (DRY) | 2.1 | 2.3 | V |
| 5 | | Blue (WET) | 2.3 | 2.7 | V |
| | LED Turn On Output Voltage @VCC = 5.0V | Green (MOIST) | 2.7 | 3.1 | V |
| | | Red (DRY) | 3.1 | 3.6 | V |
| 6 | | VCC = 3.3V | 5.4 | 5.6 | mA |
| | Current Consumption | VCC = 5.0V | 3.6 | 3.7 | mA |
| 7 | | VCC = 3.3V | 80 | 140 | μА |
| | Current Consumption (when Disabled) | VCC = 5.0V | 140 | 180 | μА |

Table 2: MAKER-SOIL-MOISTURE Absolute Ratings

3. DIMENSION




Figure 2: MAKER-SOIL-MOISTURE Dimension

Prepared by:

Cytron Technologies Sdn Bhd

www.cytron.io

No. 1, Lorong Industri Impian 1, Taman Industri Impian, 14000 Bukit Mertajam, Penang, Malaysia.

> *Tel:* +604 - 548 0668 *Fax:* +604 - 548 0669

> > Email: support@cytron.io sales@cytron.io