## THE LOWER EXTREMITY FUNCTIONAL SCALE

We are interested in knowing whether you are having any difficulty at all with the activities listed below because of your lower limb Problem for which you are currently seeking attention. Please provide an answer for each activity.

## Today, do you or would you have any difficulty at all with:

	20	19	18	17	16	15	14	13	12	1	10	9	œ	7	တ	51	4	ω	2	_				
Column Totals:	Rolling over in bed.	Hopping.	Making sharp turns while running fast.	Running on uneven ground.	Running on even ground.	Sitting for 1 hour.	Standing for 1 hour.	Going up or down 10 stairs (about 1 flight of stairs).	Walking a mile.	Walking 2 blocks.	Getting into or out of a car.	Performing heavy activities around your home.	Performing light activities around your home.	Lifting an object, like a bag of groceries from the floor.	Squatting.	Putting on your shoes or socks.	Walking between rooms.	Getting into or out of the bath.	Your usual hobbies, re creational or sporting activities.	Any of your usual work, housework, or school activities.		Activities		
	0	0	0	0	0	0	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	Perform Activity	Unable to	Difficulty or	Extreme
	1	_	_	_	_	_	_	_		1		_	1	1	1	1	_	_	1	_		of Difficulty	Quite a Bit	
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		Difficulty	Moderate	
	ω	ω	ω	ω	ω	ω	ω	3	3	3	З	ω	3	з	ω	3	ω	ω	3	ω	Difficulty	of	A Little Bit	
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4		Difficulty	No	

3
Ξ.
=
₹
_
6
~
<u>e</u>
0
_
Ď
te
č
ta
5
е
0
Š
2
ang
evel of Detectable Change
-
-
-
-
-
-
-
-
-
-
ange (90% Confidence):
(90% Confidence): 9
-
(90% Confidence): 9
(90% Confidence): 9

≤

SCORE:

Please submit the sum of responses.
Reprinted from Binkley, J., Stratford, P., Lott, S., Riddle, D., & The North American Orthopaedic Rehabilitation Research Network, The Lower Extremity Functional Scale: Scale development, measurement properties, and clinical application, Physical Therapy, 1999, 79, 4371-383, with permission of the American Physical Therapy Association American Physical Therapy Association.