

August 03, 2021



Dear Editors:

Please consider this revised version of article ERL-111271, “Ecosystem carbon balance in the Hawaiian Islands under different scenarios of climate and land use change”, for publication in *Environmental Research Letters*. We have fully addressed each of the referees’ comments in detail below. Our point-by-point replies immediately follow each referee comment, and we include line numbers of the revised manuscript at the end of each response to identify where we made changes to the text.

Long-term model projections such as ours will be critical to understanding how future land use and climate change may interact to influence the achievement of climate mitigation goals, and so we expect our paper to be of immediate interest to a wide audience of carbon cycle scientists, ecosystem modelers, land managers, and policy makers. We hope you find our revisions and responses to referees’ comments sufficient to merit publication of our manuscript.

Best regards,

Paul C. Selman, Ph.D.
Research Ecologist
U.S. Geological Survey

Referee 1, comments to the author:

The manuscript describes an impressive effort projecting ecosystem carbon balance in the Hawaiian Islands under climate change and land use change scenarios. This assessment of future regional terrestrial carbon dynamics can provide a support to local planning of climate mitigation strategies through ecosystem carbon sequestration. The manuscript is well written and organized. However, more clarification and justification are needed for methodology and assumptions about how future NPP and land cover change is modelled. And also, more details are needed such as maps illustrating how projected change in carbon flux (e.g., NPP and NBP) and carbon pools (live biomass, soil organic soil) is spatially distributed. I have provided detailed comments below.

L109, why need to assign each cell a state type? What is consideration for it?

L114, transitions between ‘state type’? Is it ‘land cover classes’? According to the definition of state type as unique combination of moisture zones, islands and land cover classes at L110, is there transition from dry forest and mesic forest in the same island?

L123-126, high land use scenario samples historical rate between median and maximum, but why not low land use scenario sample rates between minimum and median? What is the justification

that low land use scenario will have rate lower than historical records?

L126, missing description for urbanization rate for high land use scenario.

L133, what transitions can increase forest area such as low land use scenario shown in figure S5? Does tree plantation refer to reforestation or afforestation? If afforestation, what is the source land cover class for this plantation?

L136, it will be helpful to add average rotation cycle corresponding to the 75% and 40% historical harvest rate? Like how soon planted trees will be harvested in low and high land use scenarios.

L137, will wildfire take place only in forests? If so, what is the resulting land cover class? Would it still recover back to forest after a certain time?

L140, is state type land cover classes? Since 'state type' is defined as combination of moisture zone, island, and land cover type at line 110, how can 'state type' be re-combined with moisture zone and island here?

L158, moisture zone is included in state type as defined at line L110, isn't it?

L162, how litter and dead wood pools were initialized?

L161, what is 30-year climate normal come from? Does it have consistent temperature and rainfall distribution with RCP projections during 2010 and 2020? Or is there any bias between 30-year climate normal and RCP projections?

L163, figure 2 shows total live biomass in 2010 is about 68 Tg C, but total forest aboveground biomass is estimated as 36 Tg C in Asner et al 2016 which is used for initialization here. Where is the additional 32 Tg C from? What is ratio of aboveground biomass to total live biomass in IBIS?

L163, what is calibrated GPP NPP rate? It will be helpful to list out the mean or the range.

L166-168, is similar multiplier also applied to living biomass? If not, will this single NPP multiplier break the equilibrium between NPP and biomass? For example, for a simulation cell, NPP and biomass should reach dynamic equilibrium in IBIS simulation, a given NPP could only support carbon turnover of a certain number of trees. External decrease NPP by a multiplier will in turn reduce biomass in order to match it, causing artificial reduction in biomass.

Line 173, why assume R_h as ratio of NPP? Is the ratio constant over time and across climate change scenarios? Why not to estimate R_h based on soil moisture, temperature and soil carbon stocks? Because of lack of soil temperature in RCP 4.5 and 8.5? Need more justification for this flux ratio method.

L177-179, are the growth and decay multipliers varied at annual basis? How are multipliers derived for time periods CMIP5 projections do not cover? Such as period between 2020-2049? It is very necessary to include the distribution of these multipliers, are they enhancing or weakening NPP over time at two RCPs?

L182, the empirical model used here to relate NPP to temperature and rainfall is core to projections of carbon balance. It is necessary to present this empirical relationship in the paper,

such as what the optimal temperature of NPP is and how it changes with rainfall. For example, figure S4 shows projections of temperature and rain, there should be corresponding projections of NPP change.

L184, what is the temporal coverage and resolution of these climate projections? Do they only cover the period of mid-century (2049-2069) and end-of-century (2070-2099) as described in L179?

L239: is the NPP decrease during 2010-2020 evident in satellite observations? To what extent of this decrease is caused by climate conditions change rather than by forest area changes?

L242. It is misleading to state ‘climate change led to increased Rh over time’ as figure 3 shows decreasing trend of Rh under high land use scenario and two RCP climate change scenarios. It should be revised as something like ‘switching from RCP 4.5 to 8.5 led to increased Rh’.

L244, why the increase in total soil carbon stock (figure 2) will not enhance Rh? Is it due to the assumption made by this work that Rh is only ratio of NPP and latter decrease over time? What are drivers of Rh decrease?

L244, why Rh shows very sharp decrease before 2020 under all land use scenarios with all RCPs, such decrease rate seems to be higher than the rest period. Are these decreases supported by observations?

Line 341, what is the source of ‘Hawai’i-specific climate data’?

Referee 2, comments to the author:

The manuscript entitled “Ecosystem carbon balance in the Hawaiian Islands under different scenarios of future climate and land use change” is interesting and suitable for publication but several mistakes in the manuscript should be corrected before acceptance.

Specific comments

Authors should carefully recheck the manuscript for the typos and also write the meaning of all acronyms because there are some which are not presented.

All the figures are clearly presented but authors must check all the figure pixels again. Some of them are not very clear.

I suggest that authors check the bibliographic references in the main text and revise the format of documents to meet the requirement of the Journal.

In the abstract, please add more information about the methods of the experiment.

In the abstract, please don’t write the same conclusion lines as they were written in the main conclusion section.

Hypothesis should be given. How this work is different from the available literature?

Objectives should be rewritten in detail and comprehensively.

How did the authors perform the calibration and validation process?

How did they select the sensitive parameters of the model that they used?

Discussion, the discussion part is not related to the results part. Why you discuss these? What does it have to do with the result?