

The beamer-rl package

Salim Bou

Repository: <https://github.com/seloumi/beamer-rl>
Bug tracker: <https://github.com/seloumi/beamer-rl/issues>

October 3, 2019

1 Introduction

2 How to use beamer-rl

3 Examples

- Blocks
- Lists
- Hyperlinks
- Theorems
- Zooming

4 Some notes

Introduction

Creating beamer presentation for right to left language (like arabic) using pdf \LaTeX or X \LaTeX still poses many problems due to bugs not currently resolved especially for colors and hyperlinks

The Lua \LaTeX team set solutions for these issues thanks to them and to *Javier Bezos* for his works on the package `babel` and `bidir` writing

This package provides patches of some beamer templates and commands for right to left presentation, this package call `babel` with `bidir=basic-r` option and require `lualatex` engine

How to use beamer-rl

```
\documentclass{beamer}  
\usepackage{beamer-rl}  
\babelprovide[import=ar-DZ, main]{arabic}  
\babelfont{sf}{Amiri}  
  
\mode<presentation>{\usetheme{Warsaw}}  
\begin{document}  
...  
\end{document}
```

```
\setbeamertemplate{blocks}[default]
```

Lorem

On 21 April 1820, during a lecture, Ørsted noticed a compass needle deflected from magnetic north when an electric current from a battery was switched on and off.

```
\setbeamertemplate{blocks}[rounded] [shadow=true]
```

Lorem

On 21 April 1820, during a lecture, Ørsted noticed a compass needle deflected from magnetic north when an electric current from a battery was switched on and off.

- 1 first item
- 2 second item
- 3 third item

```
\setbeamertemplate{itemize item}[triangle]
```

- ▶ first item
 - ▶ second item
 - ▶ third item
-
- ▶ first item
 - ▶ second item
 - ▶ third item

- First item.
- Second item.
- Third item.

▶ [return to second slide](#)

- First item.
- Second item.
- Third item.

▶ [return to second slide](#)

- First item.
- Second item.
- Third item.

▶ [return to second slide](#)

Theorems

The proof uses *reductio ad absurdum*.

Theorem

There is no largest prime number.

Proof

- ❶ *Suppose p were the largest prime number.*
- ❷ *Let q be the product of the first p numbers.*
- ❸ *Then $q + 1$ is not divisible by any of them.*
- ❹ *But $q + 1$ is greater than 1, thus divisible by some prime number not in the first p numbers.*

Theorems

The proof uses *reductio ad absurdum*.

Theorem

There is no largest prime number.

Proof

- ① *Suppose p were the largest prime number.*
- ② *Let q be the product of the first p numbers.*
- ③ *Then $q + 1$ is not divisible by any of them.*
- ④ *But $q + 1$ is greater than 1, thus divisible by some prime number not in the first p numbers.*

Theorems

The proof uses *reductio ad absurdum*.

Theorem

There is no largest prime number.

Proof

- ① *Suppose p were the largest prime number.*
- ② *Let q be the product of the first p numbers.*
- ③ *Then $q + 1$ is not divisible by any of them.*
- ④ *But $q + 1$ is greater than 1, thus divisible by some prime number not in the first p numbers.*

Theorems


The proof uses *reductio ad absurdum*.

Theorem

There is no largest prime number.

Proof

- ① *Suppose p were the largest prime number.*
- ② *Let q be the product of the first p numbers.*
- ③ *Then $q + 1$ is not divisible by any of them.*
- ④ *But $q + 1$ is greater than 1, thus divisible by some prime number not in the first p numbers.*



```
\framezoom<1><2>[border=2](2cm,2cm)(2cm,2cm)  
\pgfimage[height=5cm]{example-image}
```



m a g e

- The `beamer-rl` package swap the definition of `\blacktriangleright` with `\blacktriangleleft` in RTL context.

	<code>\blacktriangleright</code>	<code>\blacktriangleleft</code>
LTR context	▶	◀
RTL context	◀	▶

- In some cases you need to use `\babelsublr` command from `babel` package to insert a left to right text within your right to left text, e.g if you need to insert a `pspicture` drawing in RTL context