## Dataset: Flight Data

# What do we want to serve (Value + API):


#### Use Case 1:

User obtains statistics about flights according to certain criteria.

• Endpoint: /flights/statistics

REST Type: GET

• Use Case Diagram:




#### Use Case 2:

User obtains flight information by flight number.

• Endpoint: /flights/{:flight-number}

REST Type: GET

• Use Case Diagram:




#### Use Case 3:

User provides a future flight details and obtains a forecast on the probability of the flight being cancelled, diverted and delayed.

• Endpoint: /flights/forecast

REST Type: GET

• Use Case Diagram:




#### Use Case 4:

User obtains the ranking of airlines and their reliability

• Endpoint: /airline/rank

REST Type: GET

• Use Case Diagram:




#### Use Case 5:

User obtains airline information by airline code.

• Endpoint: /airline/{airline-code}

REST Type: GET

• Use Case Diagram:




## Use Case 6:

Admin adds information about a flight to the database.

• Endpoint: /admin/flight

• REST Type: POST


• Use Case Diagram:



## Use Case 7:

Admin updates the information of a flight on the database by flight number.

- Endpoint: /admin/flight/{:flight-number}
- Use Case Diagram:



#### Use Case 8:

Admin deletes the information of a flight from the database

• Endpoint: /admin/flight/{flight-number}

REST Type: DELETE

• Use Case Diagram:

