

DECEMBER 1994

SPHECOS 28

A FORUM FOR ACULEATE WASP RESEARCHERS

EDITORIAL FRAGMENTA FROM THE MUD D'AUB

Donations of money have continued to come in for the *Sphecos* reproduction fund. This kind of support is very much appreciated. The names of recent donors are listed below. If I have omitted the names of any donors please let me know, because they are unintentional, and I want to acknowledge all contributors.

Franco Strumia	Celso Azevedo
George Else	Gabriel R. de Melo
Chris Thompson	Albert Finnimore
Oistein Berg	Mike Sharkey
Sérvio Amarante	Eric Eaton
M. A. Burleigh	Fernando Fernandez
Tony Raw	Niels Peder Kristensen
Robert Parks	Alessandro Mochi
Bob Wharton	Andreas von der Heide
Arkady Lelej	Harry Empey
N. V. Kurzenko	Rob Tuckerman
Larry Bezark	Hans-Urich Thomas
Laurel Hansen	
Severiano	
Gayubo	
Jeremy Field	
Gerald Legg	


In this issue we are listing the addresses of all recipients of the newsletter. It has been quite a few years since we have had such a list. When known to us, we have included e-mail addresses, FAX and telephone numbers. Museum's and libraries receiving *Sphecos* are listed separately.

Those of you that read my trip report (pp. 20-22) will learn that I am planning to retire in about two years (sometime in the Fall of 1996). Nancy and I have

ARNOLD S. MENKE, Editor
TERRY NUHN, Assistant Editor
Systematic Entomology Laboratory
Agricultural Research Service, USDA
c/o National Museum of Natural History
Smithsonian Institution, Washington, DC 20560
FAX: (202) 786-9422 Phone: (202) 382-1803
E-MAIL (Internet): TNUHN@asrr.arsusda.gov

bought a retirement home near Bisbee, Arizona, and will move there after I retire. Continuation of *Sphecos* by me at that point may become difficult for several reasons. No longer will I have access to current literature (aside from what my colleagues may send me). Nancy and I plan to do a lot of exploring in the southwest, collecting wasps, and, yes, leading the "good life". I hope to continue my wasp research and also my railroad history writing. This scenario may not leave much time for *Sphecos*. It might be possible for me to continue to assemble and organize material sent to me for the newsletter, just as I do now, but entering all that data into a computer, arranging for reproduction of *Sphecos*, and then mailing it, will probably not be feasible after I retire. All this leads up to one conclusion: someone else may have to assume editorial control. The obvious question is, why can't Terry Nuhn just take over? Well he is employed by the USDA as a support person for scientific staff. With me gone, it is doubtful that the laboratory will permit him to take on the job of producing *Sphecos*. I am not happy about the prospect of *Sphecos* expiring. Surely among the readership of some 600 individuals there is someone willing and able to take over the production and mailing of *Sphecos*. I would like to

hear from anyone who wants to volunteer. I also hope that in two years I won't have to say that *Sphecos* is coming to an end because no one has come forward to replace this editor.



The Mud D'aub

SPHECOS ONLINE

The National Museum of Natural History of the Smithsonian Institution recently instituted a Gopher service, and the Department of Entomology asked the editors of *Sphecos* to provide a plain text copy of No. 27 to include in the service. We have made available a version of *Sphecos* 27 that includes the original text of most of the articles as well as timely announcements and the Recent Literature. Unfortunately, we were unable to include any illustrations or non-English articles due to the nature of the medium. The results look good on a Test Gopher, and it is hoped that *Sphecos* will be available to the general public sometime in December, 1994. New issues of *Sphecos* will be added when they are published. (Issue 28 should also be available by the time readers receive it in the mail.) We do not intend for the online version to replace the printed copies. Rather, we hope to reach a wider audience beyond our core of aculeate researchers, and to provide timely access for those of our readers who must wait months for delivery of their printed copy.

If you have access to the Internet and Gopher capabilities, you can reach the Natural History Gopher at:

`nmnhgopher.si.edu port 70`

There is a menuing system to navigate around the offerings from the various natural history departments. Choose "Entomology at the Smithsonian Institution" and then "Entomology Newsletters" to find *Sphecos*.

E-MAIL ON THE INTERNET

by
Terry Nuhn

A new tool for communication is E-MAIL (electronic mail) on the INTERNET. Increasingly, scientists are depending on E-MAIL to send messages quickly and safely to one another, and among aculeate wasp workers, a small but growing number have found E-MAIL to be important in their work. *Sphecos* regularly publishes E-MAIL addresses, and in the mailing list (p. 35), we have included all such addresses that have come to our attention. It seems appropriate, then, to include a discussion of the INTERNET in this issue.

The INTERNET is a world-wide computer network connecting thousands of local networks, including governments, corporations and educational institutions. Millions of people on every continent have access to the INTERNET, which they use for E-MAIL, public distribution of documents, databases and computer programs, discussion groups, game playing, and even business. Local computer networks can have a direct connection to the INTERNET, becoming a node in the system. Individuals usually have to make a connection using a third party provider, like Compu-Serve or MCI Mail. BITNET is a separate network of mostly IBM mainframe computers. Many of these computers also have an INTERNET address. Those that don't, can send and receive E-MAIL through a BITNET gateway.

E-MAIL is the most basic service on the INTERNET. A message typed on a computer can be sent to anyone in the world who is connected to the INTERNET. The message is passed from node to node until it reaches the local network of the recipient, and can travel any of a number of different paths to get there. The rules governing how a message travels (the TCP/IP network protocol) is the same for all the node computers, but the software that the individual uses to send and receive mail may differ from computer to computer. If your network has E-MAIL, you must see your system administrator to learn how to use this software.

When you send an E-MAIL message, you must have an E-MAIL address to send it to. This cryptic string of letters consists of two parts: the person's name before the "@" and the computer's address after the "@". My address is `TNUHN@asrr.arsusda.gov` (case is not important). There are 3 parts to my computer's address, separated by periods. The first part is the computer's name. We call ours "asn" for Agricultural Systems Research Resource, reflecting the government's love for impressive sounding names. There are few restrictions on what you can call your computer. Fred Gess is on a computer named "giraffe", while Sarah Gess is on another called "warthog". With some networks there may be more than one computer name in the address, while in others the computer name is unnecessary. The second part is the company or organization. Here it's "arsusda" for Agricultural Research

Service, U.S. Dept. of Agriculture. The last part is the zone, in this case "gov" for government, a three-letter organizational name. Other organizational names include "com" for commercial, "edu" for educational, and "mil" for military, among others. Some zone names are two-letter geographical names, which are mostly country names, like "au" for Australia, "ca" for Canada, "fr" for France, and "uk" for the United Kingdom.

Other ways to use the INTERNET include logging onto a distant computer and browsing (telnet and Gopher), transferring files to your own computer (FTP), or searching for addresses (finger) and files (Archie). These require special software on your network. Check with your system administrator to see what's available. You can also subscribe to newsgroups like Mark O'Brien's ENT-LIST (see *Sphecos* 19:35) or Entomol-L. (You can join the latter by sending an e-mail message to `LISTERV@uoguelph.ca`. In the message, say "subscribe ENTOMOL-L [your name]".)



RESEARCH NEWS

Gabriel Augusto R. de Melo (Snow Entomological Museum, Snow Hall, University of Kansas, Lawrence, KS 66045) writes: "Since August 1993, I have been in the Ph.D. program of the Department of Entomology at the University of Kansas studying the phylogenetic relationships among the genera of the tribe Pemphredonini, under **Byron Alexander**. I am just beginning my research and am trying to select appropriate taxa and borrow material necessary for my work. Nonetheless, I hope I will be finished by July, 1997. I would really appreciate receiving any specimens of Pemphredonini, either male or female, preserved in fixative (Kahle's, Dietrich, Bouin, etc.)."

Arkady Lelej (Institute of Biology and Pedology, Vladivostik-22, 690022, Russia) reports: "We just finished the galley proof of the book 'Key to the insects of Far East Russia', vol. 4, pt 1 (wasps and bees) and we hope that copies will be printed early next year."

Arnold Menke and Fernando Fernandez (Apartado Aero 77038, Santa Fé de Bogotá 2 D.E., Colombia) have nearly completed their manuscript containing keys to genera and higher taxa of Neotropical Sphecidae. This MS is aimed at Latin American workers and will be in Spanish. The keys will be illustrated using many figures from Sphecid Wasps of the World. Arnold Menke and Woj Paliawski are working on a manuscript in which the correct scientific names and status of European species in the *Sphex flavipennis* group are clarified. Meanwhile, Arnold has plunged into his revision of New World *Ammophila*, and is threatening to lock his office door and not answer the telephone for the next 2 years.

Gabriela Pérez-Lachaud (CIES, Carretera Antiguo aeropuerto Km. 2.5, Apdo. Postal No. 36, 30700, Tapachula, Chiapas, México) writes: "Some 10 years ago I attended the IV Hymenoptera Parasitica Training Session at the University of Maryland. Since then I have worked on chalcidoid wasps and moved to France where I got my Ph. D. at the Université Paul Sabatier de Toulouse. My dissertation was on mating behavior and reproductive strategies of *Chryseida bennetti* Burks, a parasitoid of the bean weevil. Recently, my husband and I moved back to Mexico and now I am beginning to work on the sexual and host selection behavior of two exotic bethylids (*Cephalonomia stephanoderis* and *Prorops nasuta*) introduced to Mexico to control the coffee berry borer (*Hypothenemus hampei*)."


Rob Tuckerman (82 Dublin St., Peterborough, Ontario K9H 3A9 Canada) has recently moved from Toronto. He writes: "Although my 'official' studies at the University of Toronto concerned bees (ground nesting Halictidae - *Selandonia confusa*), 4 years of haunting dry sandy places introduced me to the local wasp fauna. I'm currently earning my keep as an illustrator and despite the protests of my fellow bee types, the wasps really are much more elegant and artistic creatures than their hairy relatives. The move from Toronto has also moved me further north and away from the sandy areas and abandoned sand pits of the Oak Ridges moraine (wasp and bee heaven), but the shield area here is proving to be equally interesting as I try and become familiar with some new species and different habitats."

RESEARCH MATERIAL REQUESTED

After my short review of the Asiatic species of the oxybeline genus *Belomicrodes* was published, I began to gather material for a world revision. I have already received some North African specimens from Dr. A. Mochi (Rome, Italy), but I hope to study all available material of this genus as well as material of the Old World *Belomicrus*. I have been working on the latter genus for five years and my list of just the Palearctic representatives has already exceeded 75 species (including 14 in press and 10 undescribed). I would be very grateful if any of my colleagues who possess any available specimens of these genera would lend them to me (including all American representatives).

This autumn I visited the USA for a month and a half and had the opportunity to study K. Tsuneki's collection in the USNM (Washington, DC) and in particular to study a lot of North American material of the nominative subgenus *Trypoxyton* (Sphecidae: Crabroninae) for my Holarctic revision of the group (The Palearctic part was finished two years ago but has not been published). I have had a very useful time in Washington, San Francisco, Lawrence, Kansas, and New York, and now I have solved almost all the difficult problems in the North American fauna. I also discovered some species which are not known from the USA. Unfortunately, they are represented by unique specimens from Texas and Florida. For this reason I would be very grateful if any of my colleagues could allow me to borrow any available specimens of *Trypoxyton* (s.str.) collected in the southern states of the USA and in Mexico (any other material of the subgenus from the Holarctic region would also be appreciated)."

Alexander Antropov
Zoological Museum of
Moscow Lomonosov State Univ.
Herzon Street 6, Moscow K-9
103009, Russia.
E-mail:
entomol@zoomus.bio.msu.su



HELP NEEDED

Schrottky Type's Mystery: Any Clues?

by
Fernando A. Silveira
Snow Entomological Museum, Snow Hall
The University of Kansas
Lawrence, KS 66045 - USA
beeman@ukanvm.bitnet or
beeman@ukanvm.cc.ukans.edu

Trying to recognize the identity of the plethora of South American names in the genus *Exomalopsis*, I got stuck with a problem: where are the types of the species described by Schrottky? Well, this is not surprising to anyone who has ever worked with taxonomy of Neotropical Hymenoptera. Kurt Schrottky (who frequently signed his papers as C. Schrottky) was a German (?) entomologist who worked for many years in Brazil, Argentina and Paraguay. Between 1901 and 1921 he published some 50 papers describing many genera and hundreds of species. He kept a large Hymenoptera collection at Puerto Bertoni, which was partially destroyed when revolutionary soldiers invaded his home.

The types of the species described by him while he was working in São Paulo are, for the most part, in the collection of the Museu de Zoologia da Universidade de São Paulo. I found some specimens of *Exomalopsis* identified by him among the bees of the Museu de La Plata, and insects collected by him are said to be at the Instituto Oswaldo Cruz, in Rio de Janeiro. Holotypes of *Exomalopsis fulvipennis*, *E. elephantopodis minor* and *E. ypirangensis* are at São Paulo; the types of *E. hiberna*, *E. melochiae*, *E. paraguayensis*, *E. rufipes* and *E. vernonae*, however, are lost. There are specimens identified by Schrottky of *E. hiberna*, *E. elephantopodis* and *E. vernonae*, from or from near their type localities, that are good potential neotypes. However, there is some information suggesting that types of Schrottky may still be recovered.

It is interesting that, although Townes & Townes (1966) and Grissell (1979) have cited an obituary, published in 1938 by Sachtleben, none of them commented explicitly on an important piece of information given there: according to Sachtleben, the remaining bees of Schrottky's collection were acquired by someone called Hans Jacob, who lived in Hohenau, near Concepción, Paraguay.

Recently, I heard that part of Schrottky's collection has been kept in a Paraguayan bank and that it was recently transferred to a Paraguayan University or Museum.

It is extremely important that the collection maintained by Schrottky in Paraguay is found and studied, if any part of it still exists. I am, thus, trying to find people in that country who could give me any clue about it. Any information leading to such a person or to Schrottky's collection will be most welcomed!

Literature cited

- Grissell, E. E. 1979. The Schrottky collection. Sphecos (1):18.
 Sachtleben, H. 1938. Aus der entomologischen Welt. Arbeiten über morphologische und taxonomische entomologie aus Berlin-Dahlem 5(3): 295.
 Townes, H. and M. Townes 1966. A catalogue and reclassification of the Neotropical Ichneumonidae. Memoirs of the American Entomological Institute 8:1-367

Polistes enemies

New Zealand has two introduced *Polistes* species: *P. humilis* and *P. chinensis*. *P. chinensis* in particular obtains high densities in warmer northern regions. In Auckland (New Zealand's largest city) many people are stung by paper wasps and densities of 150 nests per hectare have been recorded in a lowland swamp habitat. We are considering introducing some biological control agents in an attempt to reduce *Polistes* densities. If you have any thoughts as to ideal candidates or are interested in collecting parasitized nests to send to us once an importation permit has been obtained I would like to hear from you. Initial importation will probably be from North America.

My address and contact:

Richard Harris
 Manaaki Whenua-Landcare Research
 P O Box 69
 Lincoln
 New Zealand
 E-mail: HarrisR@Landcare.CRI.NZ

SPHECID BIBLIOGRAPHY

I have compiled a bibliography of Sphecidae that includes nearly 6000 titles in a computer text file. Although the bibliography is still incomplete (it does not even include some papers listed in *Sphecid Wasps of the World* by Bohart and Menke), it is a powerful resource even in its present form. Also, it is being constantly corrected, updated and developed, probably averaging one new record a day. Upon request, I am willing to send a copy to any interested person, preferably through Internet. In some cases, I would be willing to send diskettes or printed copies.

I would ask a favor from any user: to send information about errors and omitted papers.

Wojciech J. Pulawski
 Department of Entomology
 California Academy of Sciences
 Golden Gate Park
 San Francisco, California 94118
 phone: (415) 750-7236
 Fax: (415) 750-7228
 e-mail: WPulawski@calacad.org



NEW ADDRESSES

- Øistein Berg:** Jørnstadveien 39, N-1360 Nesbru, Norway.
H. N. Empey: P.O. Box 900253, Kibler Park, 2053 South Africa.
Don Horning: "Wyllie", RMB 902, Loomberah via Tamworth 2340, New South Wales, Australia.
Gerald Legg: Booth Museum of Natural History, 194 Dyke Road, Brighton BN1 5AA, United Kingdom.
Monica Raveret-Richter: Dept. of Biology, Skidmore College, Saratoga Springs, NY 12866-0851.
Nico Schneider: Centre Universitaire de Luxembourg, Département des Sciences, 162a, avenue de la Faïencerie, L-1511 Luxembourg.
Rob Tuckerman: 82 Dublin St., Peterborough, Ontario, Canada K9H 3A9.



MISSING PERSONS

- Kenneth A. Bloem** of Davis, California.
Barbara J. Hager of Albuquerque, New Mexico.
Li Qiang of Beijing, China.
Wolfgang Schlaefle of Magden, Switzerland.
Dr. A. Steiner of Edmonton, Canada.
Joachim R. Walther of Berlin, Germany.



PEOPLE IN THE NEWS

Don Horning's Narrow Escape

Don Horning retired October 7, 1994 from the Macleay Museum, University of Sydney, Australia, and he and his wife Darien, moved to a cattle station 25 km out of town. To celebrate the occasion, Don arranged a flight for Darien and himself to Lord Howe Island for a period of relaxation. Don wrote as follows: "We had 4 bags - 95 lbs. - all my research gear for 3 projects, cameras, books, clothing, collecting gear, etc. I helped the pilot load our gear on the Aero Commander, and we were about to board when the chief pilot came out and said that there was a last minute cancellation and that he could take two passengers. We were closest to him so we went on the other plane. The first plane, with our luggage and 9 people on board, blew up at 27,000 feet half-way to Lord Howe Island. The only positively identified bit recovered from the wreckage was one of our daughter's teddy bears that she had given her mother as a good luck charm. We will put that bear in a gold box when we get it back from the coroner next August! Needless to say, it was a most sobering 'exercise', believe me. We ended up with only the clothes on our backs, but at least we are alive. I now have cancelled the three research projects on Lord Howe and Norfolk Islands (pseudoscorpions, pselaphids and tertiigrades)."

OBITUARY

Roger D. Akre
(1937-1994)

Roger D. Akre, professor of entomology at Washington State University, died on 16 August 1994. He was born 27 March 1937 in northern Minnesota and was the youngest of 11 children. Working at the Blandin Paper Company, he financed his college education and graduated from the University of Minnesota at Duluth in 1960. Roger attended graduate school at Kansas State University where he was a National Education Defense Act Fellow. He worked with Carl W. Rettenmeyer, earning an M.S. in 1962 and Ph.D. in 1964. Research on his dissertation topic, myrmecophiles associated with Neotropical army ants, was continued at WSU until 1970.

In 1964 Roger joined the faculty at Washington State University where he served until his death. Early in his career he was a visiting scientist with the Organization of Tropical Studies at San Jose and Cerro de la Muerte, Costa Rica and Barro Colorado Island and Tropical Test Center, Panama.

Roger was an outstanding teacher and prolific researcher. During his career at WSU he taught General Entomology, Agricultural Entomology, Urban Entomology, Insect Morphology, Insect Behavior, Insect Photography, and Insects and People. He was awarded the University's R. M. Wade Award for Excellence in Teaching in 1969 and was the ESA Pacific Branch nominee for the Society's teaching award in 1986.

Roger had a special interest in teaching at all educational levels. He served as a member and chair (1988) of the Educational and Training Committee of the ESA. He also participated in a number of workshops for teachers including numerous presentations at the Washington State Science Teachers Association and the National Science Teachers Association. Roger was also a much sought after speaker by several Pest Control Operator organizations. He also made presentations to local school groups, science camps, and scouting organizations.

Throughout his career, Roger was involved in numerous research pursuits which centered around social insects and urban entomology. His current projects included studies of yellowjackets,

Microdon (Diptera: Syrphidae), carpenter ants, and pestiferous spiders, including *Tegenaria agrestis*. Roger had recently been selected for two awards in urban entomology: the Orkin University Recognition Program Award and the National Conference on Urban Entomology Distinguished Achievement Award. He was also a regular reviewer for several governmental and private granting organizations.

Roger was a supporter of entomology at all levels. He served for many years as the Secretary-Treasurer of the Washington State Entomological Society. He also edited the Society's journal, *Melanderia*. He was a member of the Entomological Society of America, Florida Entomological Society, Kansas Entomological Society, International Union for the Study of Social Insects (IUSSI), Entomological Society of British Columbia, International Society of Hymenopterists, Cambridge Entomological Society, and Sigma Xi. He served as President and Vice-President of the WSU chapter of Sigma Xi and President of the North American Section of the IUSSI.

Roger was a prolific writer. He authored over 80 refereed, 23 semitechnical, and 36 Cooperative Extension publications. Additionally, he wrote 11 book chapters and 32 articles for the popular press including trade journals. Because of his work with yellowjackets, carpenter ants, and spiders, he was the subject of numerous newspaper and magazine articles. In 1993, Roger co-authored the book *Insects Did It 1st*, with E. Paul Catts and Greg Paulson. Roger was also a regular reviewer for several scientific journals.

A hobby in photography, begun in high school, bore fruit in literally thousands of slides and photographs, many of which were used as covers for magazines. Roger's slides were used by many students and colleagues for presentations, classes, and publications. In recent years, he used video technology to enhance his teaching and research activities.

Roger loved the out-of-doors and enjoyed hunting and fishing. Among his proudest accomplishments was a 22 lb. steelhead. He always included students and colleagues in his plans and loved to guide the novice or less proficient to his favorite fishing or hunting spot. More recent hobbies included leather tooling and making wooden toys for his grandchildren.

Given all of his accomplishments, Roger's greatest legacy will be the students that he helped. He worked very closely with his graduate students and continued close associations with almost all of them after graduation. Roger, however, went well beyond helping his own students. He never wavered in his support for any student in need. Be it a few packs of insect pins, help with travel to a scientific meeting, or co-signing a loan for a vehicle, Roger was always there to help. Roger encouraged everyone in their scientific pursuits, a fact that is borne out by the number of papers he co-authored with students. He reviewed hundreds of manuscripts, for colleagues, usually within 24 hours.

Roger is survived by his wife, Edith, two daughters, four grandchildren, three brothers, and a sister.

Memorial contributions may be made, in Roger's name, to the C.A. Johansen Scholarship Fund in care of the Department of Entomology, Washington State University, Pullman, WA 99164-6382.

Laurel Hansen
Richard Zack
Department of Entomology
Washington State University
Pullman, WA 99164-6382



THE AUTOBIOGRAPHY OF KATSUJI TSUNEKI

We announced in *Sphecos* 27 that we hoped to obtain an English translation of Tsuneki's autobiography. Thanks to the considerable efforts of Eiji Ikeda we have one. Eiji's translation was edited by me to improve English and simplify some of the syntax, but much of the quaint awkwardness remains. Material in brackets [] was added by the translator or your editor. We owe a great debt of thanks to Eiji for translating this piece, because it probably was a time consuming and difficult task.

This story was originally published in 1987 in the last issue of the *Hymenopterists Communication*, number 27, pages 152-163. Tsuneki regarded this essay as only a collection of excerpts from a book that he wanted to publish.

The book still remains unpublished, but at least we have the following story about Tsuneki's life and work. Unfortunately, he omitted mention of dates for various significant events but I have inserted them in brackets when known. Much of the following story, unfortunately, dwells on things other than his work with insects, but our Tsuneki obituary in *Sphecos* 27:5-6 covers some of his research and other items (editor).

Recollections of my life (extracts)
by
Tsuneki Katsuji

(Translated from Japanese by
Ikeda Eiji, Entomological Institute,
Faculty of Agriculture
Hokkaido University, Kita 9 Nisi,
Kita-Ku, Sapporo 060 Japan)

I intended to publish a book of the recollections of my life at my own expense, and add it to the last issue of this journal [*Hymenopterists Communication*]. However, I knew that this would be impossible because too many things happened in my life; therefore I decided to publish extracts of my recollections here, and want to say good-by to my friends of this journal.

The book "Souvenirs Entomologiques" by Jean Henri Casimir Fabre led me to the study of the habits of wasps, just as it did for many other scientists who study them. Moreover, judging from Fabre's biography by G. V. Legros ["Fabre, Poet of Science"] and Fabre's own recollections, my personality and childhood environment were also similar to those of Fabre.

My family was too poor to send me to high school. (At that time, only very rich people could attend. The entrance examination was very difficult, so only half succeeded.) However, an old and noble widow in my neighborhood who loved me, provided the financial support in order to allow me go to the school with her grandchild. (Indeed, she told me to take the examination only a few days before it was held. In those days this was possible.) I also entered a higher normal school because I could study there free, and even get a scholarship with good grades (Fabre also studied in a normal school free). I chose biology not only because I liked living things, but because I thought that I tried to study lives them-

selves after I suffered from problems of the human life [took a pessimistic view of life (alternative view by translator)] when I was a high school student. At first I intended to study cytology. I enthusiastically studied protozoa and plants after the school permitted me to borrow a microscope.

When Osugi Sakae's translation of "Souvenirs Entomologiques" into Japanese was published, this book completely changed my interest from cytology to insects. I studied the habits of wasps enthusiastically every summer vacation, and contributed the results to the Journal of Natural History, Tokyo. The reason why I was attracted to the book was not only that it described the interesting lives of insects, but also because Fabre tried to look into the depths of the minds of insects, especially wasps, by his skillful techniques. Here I differ from Dr. Iwata Kunio, who was similarly motivated and began to study wasps, because I was poor. So, even now I think that Lubbock was the founder of animal psychology in the laboratory and Fabre was the founder of animal psychology in the field.

I was also a serious student. I thought that it was necessary to get a solid and elementary knowledge in biology in order to become a good teacher of natural history in a high school, and to tell the truth, I just liked to observe nature. Thus I participated in the meetings about collecting plants by Dr. Makino Tomitaro, and the meetings on collecting insects by Dr. Yano Sotan. (I think that the Japanese society of insects stemmed from this meeting.) The trip to collect alpine plants in Okunikko in the summer of my first degree in high school was especially impressive. (At that time the place was not damaged, and scientists could freely collect plants.) I lived in lodgings for two years after living in the dormitory of the high school. I worried housemothers of the lodgings because my room became a house of insects. I bred many caterpillars of butterflies, and many species of ants in artificial ant nests. I was also eager to observe spiders outdoors at that time. However, this was not all that I did.

One group of my classmates in high school studied communism, and they lent me a red book of Yamakawa Hitoshi. This was a very important event for me. In those days it was natural that people who had red books were regarded as unpatriotic and were often

arrested by the special political police. However, the book amazed me because it made me understand the sins of the capitalistic society for the first time. I immediately joined the seminar of the group. We always had a watchman to protect us from the special political police during our seminar discussions. I read all the red books I could get. I also took interest in ethics and philosophy, and read books about these subjects. I frequently went to the library of higher normal school's dormitory which was open all night, and where there were many philosophical books. The words and phrases of philosophical books were difficult. With a philosophical dictionary I read books of Kant, Descartes, Schopenhauer, and Spinoza. There was a ethical lecture in my school. I often asked the teacher questions, and embarrassed him. Sometimes I continued arguing with him in his room after lessons. In those days ethical teachers were regarded as great scholars. Although I studied communism very much, I could not become a pure communist because communism often ignores humanity, and controls people as in feudalism. (The first translator of "Souvenirs Entomologiques" into Japanese, Osugi Sakae, was an anarchist. He translated it in prison.)

As soon as I graduated from the higher normal school, I joined a balloon corps in Chiba Prefecture as a supplementary recruit. Supplementary recruits were not able to apply to be military cadets; only graduates of high school or the university could become military cadets. So, I was an enlisted man in the corps for two years [1931-1932]. (Military cadets could become a second lieutenant after one year.) This situation seems to have been caused by an ill-natured army surgeon. During my physical examination for conscription, I said honestly that my left ear was deaf. I suffered from otitis media in my childhood. A probation doctor ruptured the tympanum by mistake, and it did not vibrate after its regeneration. Everyone around me knew this fact, but I was regarded as a draft evader. After I was tortured, what I had said was regarded as a lie. I passed the examination as the third degree. At that time, men who passed the exam as the first degree had to serve in the army, but almost all who did as the second and third degree did not have to serve in the army. The military cadet was a volunteer who paid

money, and after one year, he "bought" the position of a second lieutenant. I never volunteered for the army because I studied communism and European philosophy; moreover I was poor. However, I received notice of supplementary enlistment just before my graduation: I had to join the army on the following day. I knew later that the army surgeon of the balloon corps was in the same class of the same school of the surgeon who had examined me for conscription, and knew me very well.

I was resigned to my fate. I decided to faithfully serve in the army, thinking that it was for the Japanese people, not for the Tenno [Emperor]. The captain was probably informed of my draft evasion, and told the group leader to be cautious of me. However, he immediately knew that my ear did not work, and that I was honest. One day he told me to make an effort to be a model soldier because the experience of the army was not wasteful. I was deeply moved. I served more seriously in the army because he recognized that I was truthful.

After I finished the basic training in the balloon corps (military drills, battle practices, operation of balloons), the captain kindly made me a meteorological soldier who was not so busy (and a little difficult for ordinary soldiers). My work included regular meteorological observations, observation of wind direction and wind velocity at height intervals of 100m, making weather charts, and weather forecasts. I had already studied meteorology in school, but I studied it more because I was interested in it. In particular, every week I made observations even in the upper atmosphere on the international wind observation day. During this period in the corps I also observed the habits of Sphecinae and Philanthinae. Every Sunday I observed habits of Nyssoninae and other wasps in sandy areas, forests, and waste lands, and identified plants. Just before my discharge from military service I made charts of wind direction and wind velocity over four seasons, 12 months, and two times a day (morning and afternoon) at every height interval of 100m over Chiba, in order to repay the captain's and my direct meteorological higher officer's kindness (The last allowed me to read German and French entomological books in the observation room and to study wasps during my off time, maybe be-

cause my reports on international wind observation days were outstanding.) This was pretty hard work because I had to modify all records. (He bought a Tiger Calculator for me which was rare in those days). For my meteorological work [at Chiba] I received a letter of commendation from the chief of the Imperial Guard Division [1932]. You probably cannot imagine how ostentatious the ceremony was.

After being discharged from the army [circa 1932], I got a post in the second women's high school of Utsunomiya [Tochigi Pref.]. I researched the habits of various wasps there too. I also started studying the taxonomy of Crabroninae because I could not identify many species that I collected in Okunkko with Mr. Tanaka Eiichi. While I was in Utsunomiya, I was recruited for the Japan-China incident, and stayed in Northern China and Mongolia for three years [1937-1939]. (I already had a premonition of the impending defeat of Japan; read my book "One year in Mongolia" [1942: A Naturalist's Year in Inner Mongolia, Osaka].) Incidentally, I met the meteorological higher officer when I was at the war front in Sanlang. Sad to say, he did not come back from the bombing in Lanzhug.

When I came back to Japan [1939], materials were already scarce. I borrowed the book on the Palaearctic Crabroninae by Kohl [1915] from Dr. Yano Sōkan, and copied it by hand as everybody did at that time (428 pages of German). I sometimes transcribed it all night long in order not to be late in returning the book, and to maintain my reputation. I also copied all the figures in the book with tracing paper. To repay his favor I gave him food and materials that he liked by evading the control of materials. (I had already known the difficulty of getting rare books. Nowadays many people request book loans because it is easy to copy them. However, I cannot help feeling some resistance when I am asked by only a post card to lend the books which I got with great effort, as for example, sending letters to many European secondhand book stores, sending money and so on.)

I moved to Keijo [= Seoul], Korea [in 1942], after I had studied the taxonomy of a few species of Crabroninae in Utsunomiya. The reasons why I decided to move to Korea were that I could earn a higher salary there because of over-

seas service, and that many wasps seemed to live in Korean nature, judging from the scenery from the train when I had gone to the war front. In Keijo high school, another person there had one year seniority over me at the higher normal school. Although I was only 34 years old, I had been recommended for a principal candidate of the women's high school in Tochigi Prefecture [Japan] (of course I declined the offer), and received my salary as a higher commissioner. However, the principal of Keijo high school asked me to accept a lower rank because the senior man was not yet a higher commissioner, and the principal could not treat me as a higher commissioner. (Nevertheless, I received a much higher salary than in Utsunomiya). So, I offered him two conditions which were good for my research of wasps. They were that I would not take charge of a class, and that I had one off day besides Sunday. Fortunately he accepted them. I observed and collected wasps on Sunday and Thursday; therefore, my three years in Keijo was equivalent to six years for other people. I collected and studied wasps mainly in the northern part of Korea, but also in every place in the southern part where I could make a one-day trip from Seoul. I always went to the northern part for collecting during every long summer vacation because there were many species of trees, and I could collect many species of wasps, including species in the Ussuri area [now Russia]. I also joined the party investigating Mt. Hakuto, planned by the government house of Korea. It was very impressive.

Just before leaving Utsunomiya [for Korea], my book "A naturalist at a war front" [A Naturalist at the Front, Osaka, 1942] was published, which my teacher, Dr. Fukui Tamao, had recommended that I write. Dr. Komai Taku, the professor of Kyoto University, read the book, and praised me in a long letter. I still remember how happy I was as if it had happened yesterday.

[Later] Dr. Komai recommended me to Dr. Uchida Toru (not Dr. Uchida Toichi) of Hokkaido University [Sapporo], who was looking for a good man to employ; I decided to study in Hokkaido University [1944]. Many students had gone to the war, so they were short-handed at Hokkaido University. However, my income was greatly reduced. I had lived very well in Keijo, because of

another promotion, and I earned more than 1.7 times of that of people of the same rank in Japan because of my overseas service. The assistant position at Hokkaido University was at a much lower rank than the one I had in Keijo, and my income decreased by two-thirds. People in Hokkaido University felt sorry for me, and they made me an instructor of an extra training school for teachers, and also a teacher in a nurses' training school. However, the income from them was very little.

Japan was defeated the year after I moved to Hokkaido. Rich men had to live in the same way as poor men because materials were extremely short in those days. So our poor life was not so conspicuous. Fortunately, I was able to bring all of my collection and my observation records made in Korea, to Japan, because I moved before the defeat.

I was a clerical assistant of the Zoological Laboratory in the Faculty of Science, Hokkaido University, not a formal scientist. However, Dr. Uchida planned to bring up a scientist from the position. He was tolerant of my study, and even recommended it. Since I had an assistant who did miscellaneous business, I could go collecting and researching in the field after I finished important works and told Dr. Uchida about it.

I wrote a book "Hunting wasps" when I was in Keijo. I handed it to Dr. Yano, and he sent it to a publishing company. I heard that it had been burned in the conflagration of the Tokyo air raids. However, someone sent the manuscript back to me in Hokkaido University after the defeat. Of course, the publishing company had not been able to publish it. Dr. Uchida helped me to get it published through the Hoppo Publishing Company in Hokkaido. Since I had all negatives at hand, I could add frontispieces to the book, but the book was made of coarse paper due to the shortage of materials. It was sold out soon after the publication. It was reprinted, and 5000 copies were sold [The Japanese Hunting Wasps, Their Ecology and Psychology, Sapporo, 1946], but it was impossible to continue reprinting it also because of the shortage of paper.

The defeat of Japan was six years after I came back to Utsunomiya from northern China. Most soldiers I worked with in northern China were sent to southern islands [of the Pacific], and died. I heard later that the reasons why

I was not called up again were that I belonged to reserves of the Kanto Army when I was in Korea, and that I was one of the commanders of the bamboo spear corps of students, which was going to defend Hokkaido to the death, in Sapporo. After the defeat of Japan, the U. S. forces were stationed in Sapporo too. American soldiers often came into the university, and looked around restlessly, but never disturbed us or did mischief. We (teachers and students) cultivated potatoes in the playground of the university, and pumpkins and beets on the edges of an airport. Nevertheless I often went collecting wasps at Jozankei on fine days. It was an extraordinarily attractive place for hymenopterists.

Although I don't recall the beginning of the following event, one day a master sergeant of the U. S. forces came to my office, and asked me to mediate between him and a proper teacher of parasitology. He told me that he was a graduate of Ohio State University, and wanted to continue studying parasitology. Dr. Uchida introduced to me Dr. O., who was an assistant professor of the zootechnical laboratory in the Faculty of Agriculture. Dr. O told me that he could not teach the sergeant by himself, and asked me to serve as a intermediary between them, because the sergeant was not able to come to the University regularly during the day. He came to my place every night, noted down homework and hints given by Dr. O., and reported his results. At first it was difficult for me to talk with him, but my ability to speak English improved after talking with him every night. Sometimes I let him correct my papers. He was a frank guy, and sometimes gave me white bread, which was a very rare food for Japanese people at that time. However, only three months later he was transferred from Sapporo before he finished his first subject.

Dr. Remington, a lepidopterist (butterflies) [Charles L. Remington?], also came to Sapporo as a sergeant. When he left Sapporo, he invited entomologists in Sapporo over for a party. It was impressive. He treated us to white bread, butter, ham, coffee, and so on. Since we ate mostly potatoes, very little rice, and wild herbs every day, we were surprised and exchanged glances at each other at the table.

My studies were diverse, i.e., taxonomy of Crabroninae, Chrysidae, and *Pemphredon*, and observations on the

nests of Crabroninae, *Pemphredon*, and *Polemistus*, which were numerous in dead trees on the campus of the Faculty of Agriculture. However, these were all side projects. My main theme was the study of the sensory physiology of ants. Some of my results contradicted the ideas of a famous European scientist, but Dr. Uchida would not allow me to publish it so easily. He probably thought that it was necessary to gain unquestionable proof before challenging famous studies. I repeated the experiments using many species of ants. I still doubt, for example, the "ants' time consciousness hypothesis".

I found a huge colony of *Bembix* in a sand dune along the Taru river, 10 km north of Sapporo. I was absorbed in its study. As for general habits, I had already studied them intensively when I was in Chiba and Utsunomiya; therefore I concentrated on the psychological study of behavior in nests. After securing Dr. Uchida's permission, I went there by bicycle over bumpy roads on every fine day. (At that time bicycles were very rare. When a tire or tube was damaged, there was no way to replace them. I had a used, imported bicycle which was the only thing my father left.) I ate only potatoes with salt, and drank water at lunch, but later a farmer near the field sometimes gave me pumpkins and water.

I dug a hole to expose the larval cell in the nest from behind, and replaced the cell with a glass tube or glass box, and moved the larva and fly prey into it, or removed them. After that I observed the behavior of the female parent. I also let the wasps learn mazes using many kinds of glass implements made in the glass factory of the Faculty of Science. I tested the discriminative ability of the larvae too.

My study field was also the battle practice field of the U. S. infantry corps. The soldiers often came to me, and asked many questions. I showed them my instruments for experiments, and explained my study in order not to be disturbed by them. Most of them regarded me as a university scholar, gave me respectful looks, and went away, regardless of whether they were black or white soldiers. They never behaved arrogantly in spite of their victory. I could guess how scientists were thought of in the U. S. A.

I also observed the habits of *Oxybelus bipunctatus*, and many species of

Cerceris and *Tiphia*, because they were abundant in the field.

I often went to the Daisetsu mountains during summer vacations. By chance I got acquainted with Mr. Oka on a train. Mr. Oka, who was the master of a large farm in Kiyokawa at the foot of the Daisetsu mountains, kindly helped my long-term collecting tour. I also cannot forget the master of the hut on the top of Mt. Kurodake. He gave me many facilities. Although I met brown bears two times in the mountains, I successfully avoided their attacks. There were many species of Crabroninae and *Gorytes* at the foot and on the path into mountains.

Nine years passed since I came to Sapporo, and three years passed since I got my Ph.D. [1950]. I did not hope to get a post in Hokkaido University, and Dr. Uchida also did not intend to give it to me. I grew older, and was becoming a burden to the laboratory. At that time [1953] the Department of Education of Fukui University, which was a new system university, offered me a post. Although I had wanted to get into an old system university because that would have provided me with many conveniences for my studies, I decided to move to Fukui. The reason I moved to Fukui was that it was impossible for me to get a post in a old system university because Japanese society was based on academic careers. Fukui University offered to make me a professor immediately, and promised to raise my salary by three grades. I wanted a good living for my wife. She had long endured our poor life, and had had a hard time of it.

We sent our belongings from Sapporo to Fukui, and I, my wife and three children carrying rucksacks containing precious things went to Fukui. In the Tokyo station, an awful thing happened to us. Our rucksacks were stolen. My favorite coat which I had used since I was in northern China and Mongolia, and nests of many species of ants which I had kept in Sapporo for five to eight years were in them. The life span for an ant queen was believed to be 15 years for a species kept by Lubbock. Since I planned to publish a new record, I was totally distraught. I reported our loss to the police via the station, but of course they could not find them.

In Fukui, they gave us lodging, and welcomed us. However, they committed two inexcusable outrages. The dean

told me that it was impossible to make me a professor immediately, and asked me to tolerate becoming an assistant professor. In a fury, I told him that he was not an educator. He was taken aback, and canceled it. However, the head official said that it was illegal to raise my salary by three grades at once. I asked him why he proposed an illegal thing. He replied that he did not know. Someone said that merchants in Fukui and Eshu were great impostors since long time ago, but I never thought that university men were impostors. In the end, they raised my salary by only two grades, and I lost money for a few years.

The reason they hired me, I found out soon after I came to Fukui, was that although no one had a Ph.D. in the Department of Education, two men in the Department of Engineering had them (There were only two departments in Fukui University); therefore they could not confront the Department of Engineering.

At Fukui University I studied birds mostly, but also wasps. I reported these results in the *Journal of Fukui Seibutu Kenkyukai*, *Seibutu Kenkyu*, *Etizenia*, and so on. Since I had already copied all the important taxonomic literature in the Entomological Institute of the Faculty of Agriculture at Hokkaido University, I could continue studying wasps. I started the journal *Etizenia* in order to obtain new literature [via exchange]. I used almost all my budget to keep it going. The Laboratories of Natural Science in Fukui University also had a journal. I edited it because I had some experience at Hokkaido University, and used it to make my reprints. I sent these two journals to famous foreign universities, institutes, and museums, and exchanged them for their journals. I also exchanged my reprints with specialists of birds and wasps. I studied mainly sensory physiology, behavioral psychology, and social ecology, so I sent my reprints to the scientists of Frisch's school, Bilens, Tinbergen, Heinz, and many ornithologists. Both Heinz and I studied canaries, so we were familiar with each other. (I gave all of the journals that I had received through exchange to the library of Fukui University when I left Fukui, though *Etizenia*, excluding a few issues by Dr. Sasaji, were published at my own expense which I could have used to buy articles of consumption.) However, these jour-

nals and reprints were insufficient to continue taxonomic work. It was necessary for me to see *Zoological Record*, published every year, but I could not afford to buy this expensive journal because I used all my budget to publish *Etizenia*. Of course I could not buy it at my own expense. At this time the coleopterist Dr. Nakane Takehiko helped me. Every year he allowed me to take photographs of parts of journals he had that I needed. I greatly appreciate that favor even now.

A few universities offered me positions while I was in Fukui, but I did not leave Fukui in spite of my initial bad experience there, because nature in this prefecture was excellent. I could find new species everywhere, in mountains, villages, dry river beds, and houses. Most of them were abundant. There were untouched treasure mountains around me. Is there any place where you can study the microdistributions of Chrysidae in Japan now? Of course not. The major reason why I could revise many groups of wasps was that I could collect many species in Fukui. While the words and actions many people in Fukui city, including administrative officials of the University, were unreliable, people in the mountains were very simple and kind. They put me up, helped me to collect wasps and to set bamboo traps, and were pleased to hear my results. Thanks to them I was able to obtain many results in the mountains of Fukui. I always thank them. I do not look important, and I am plainly dressed; therefore I am always treated as a third-class man in hotels. One time I was shown a lumber room under the stairs in a hotel in Kagoshima. However, since I seem to be sociable to countrymen, people of hotels where I had stayed welcomed me at once when I visited again, and sometimes invited me over for a meal. Most people who I met in Amami Oshima Is. and Taiwan were also very kind to me. I made friends also in Jozankei and the Daisetsu mountains. I still have correspondence with them with New Year's cards. Even in Korea where many people had anti-Japanese sentiments, I made friends of priests and employees of the temple in Mt. Soyo where I often went.

I also made many Chinese friends when I went to China as a soldier. One Sunday, I took a walk and dined in the Hokkai (Beihai) Park with a young teach-

er of Mandarin, to whom my corps introduced me. My corps occupied the Art University, and stayed there, but officially we borrowed the buildings; therefore, the building manager lived in a small house on the campus. When I was free I went to his place and talked with him every night in order to learn Mandarin as soon as possible. I had memorized many Chinese poems and writings, which are very eloquent, because I liked them when I was a high school student. He was pleased to know that I appreciated Chinese culture when I wrote these poems on sheets. He sang them for me in the Chinese original style with his sonorous voice. He seemed to be very surprised when I wrote the long writings of "Kikyoraiji (Gui qu lai ci)" and "Sekihekifu (Chi bi fu)". He gazed at me, and smiled. I sometimes recite these beautiful passages even now.

At the time of my retirement [1973], I moved to [Mishima,] Shizuoka [Prefecture], where it is warm, because I knew that in the very cold city, Fukui, the devil snow is a very strong enemy against the old.

My wife had already bought 330m of land and a one-story house on loan. My retirement allowance, excluding the payment of the loan, was shared between the two of us. My share represents the main capital for publication of the SPJHA [*Special Publications of the Japan Hymenopterists Association*]. The reason why I have continued publishing the journal until now, the end of 1986, is that I render all figures by myself. I did not make regulations for members of the Japan Hymenopterists Association so that anyone could join the association easily (I do not like such a formal thing). However, regulations are necessary to have the journal approved as scientific printed matter, so that postage is reduced. So, the trouble is the postage on it. I am trying to condense papers and save pages, but I usually spend more than a hundred thousand yen on each mailing.

Many reprints and journals come to me in exchange. I thankfully receive these reprints because most of them are from Hymenopterists, but the journals are unmanageable. The floor of my room is almost collapsing. When I was at Fukui University I arranged reprints in three kinds of card files in cooperation with Dr. Sasaji and Mrs. Nakamura. Recently I stopped arranging

them because it was too time-consuming. Now I am just piling them by authors. It is very troublesome to find even my own reprints because there are so many. The height of them piled up is about 55 cm. Most of them are about Hymenoptera, and some are about birds. I am sometimes asked by foreign and native scientists to send all my reprints, but it is too annoying. The price of my reprints published up to the middle of my stay at Fukui University in a catalogue of a Dutch second-hand book store was more than a hundred thousand yen. Printing is the only expense of producing the SPJHA (my labor of typing is free.) The price for membership in the association is half the SPJHA price in principle, so that anyone can get it, but the sum of the price of all volumes is sixty five thousand yen. Of course second-hand stores will not sell such rare journals at the fixed price. I send 250 copies of the journal to research institutes around the world, 25 copies to Japanese members, and only 7 copies to domestic institutes.

I also have many reminiscences as a teacher. I tutored twice. The first time was when I was in the higher normal school and needed to buy expensive foreign books. The other was the period after I was discharged from military service until I got the job in Utsunomiya. Most students were dull upper-class ones in the old system junior high school, and they were preparing for the senior high school examination. I was good at mathematics (I read many mathematical books while in junior high school) and English. I think that I could always give them some hints to the questions they brought from their school, and show them how to solve questions by themselves. I once made a boy, who was an assistant leader of a bad boys group, to leave the group and reform himself (I was mistreated by the boys), and enter a senior high school. Anyway, I am convinced that my tutoring gave considerable satisfaction to the parents.

My time in Utsunomiya was the most joyful in my life, though I was in tight circumstances because I wore very good clothes on loan, sent money to my parents, and was getting out of debt. Although I am short, I was a better player of sports than most people. I was especially good at ball games. I was a soccer and tennis player in my

junior high school (though my teams were not so strong); therefore I became a coach of basketball and ping-pong clubs when I started for my position in the Second Women's High School. The schoolgirls and I promised not to call each other mister and miss. I was also a player in a card-playing party [a Japanese traditional game] in my higher normal school. By using this technique I called the schoolgirls by their first names at the second class, and surprised them. I taught them how to take notes from my lectures in my first class, because I treated textbooks as only supplementary readers or reference books as I did anywhere and anytime. I gave them summer vacation homework: the observation of plants and animals, not collecting them. However, I appreciated their collecting if they did it voluntarily. It seems that I was their object of adoration because I was single, promising, and good at many kinds of sports. This is when I was suddenly called up and sent to the war front in northern China [1937]. I had a flood of their letters at the front, which made the soldiers of my corps envious.

In the corps, I worked with a wireless operator in the same room. He monitored cryptograms of meteorological signals transmitted by the enemy. My work was recording cryptograms and presenting them to the officer in charge, who decoded them and drew weather charts. I was a much better illustrator of the chart than him because I had much experience with it in the balloon corps, though he had a little experience. However, because I was only a corporal, I could not do it. The enemy sometimes changed the way of making cryptograms. Sometimes they were made so difficult that no one, including the officer, could decode them. He had been annoyed by them for a week, but I was not permitted to help decode them. However, I was given some cryptograms by the wireless operator secretly, and analyzed them. I had already known changing patterns of the meteorological factors from my experience in the balloon corps. It was not so difficult for me to decode them from my knowledge. Soon I presented my results and proofs to the officer. He immediately showed them to the commander. They became the basis of making weather charts throughout the flying corps. (Later I heard that the officer was conferred a decoration. Nevertheless, I was only used as a de-

coder by him in emergencies. I decoded them two times after that.)

I was very busy in the corps sometimes, but completely free other times. I observed wasps on my free days. On my free nights or in winter time I practiced typing (The wireless operator taught me), and read western literature carefully. I read more than twenty books in this period. (Teachers of literature in every school in which I had a post told me that I did not look like a natural science teacher. That was because I loved the poetry of Heine, Wordsworth, and Robert Burns, sang them using the original words in order to preserve their meters, and also learned Chinese writings and Haiku [a Japanese poem].)

I went to Mongolia voluntarily, but a few soldiers who went with me were sent as punishment. Before I left Peking [Beijing], I left the sheet which showed the way to decode cryptographies in the office room of the corps. When I came back to Peking in order to secure the supply of goods, an office sergeant of the corps told me that Mr. K, a young meteorological sergeant, had stolen it, and presented it to the commander as his own work, and had been promoted to a master sergeant, and that everyone in the corps had known the truth, and made it too hot for him. The office sergeant asked me to see his captain and to ask him to punish the master sergeant. However, I decided not to do it because he had already been punished by his colleagues.

In Keijo [= Seoul] high school, I took charge of a class of general sciences for first degree students. I had to study physics and chemistry again. I usually used discovery methods in experiments. The students who wanted to take examinations in physics and chemistry were much more numerous than those who wanted biology, because this school was an all-boys school. In this school, surprisingly, there were more than ten Leitz microscopes which were very good ones. I used the same microscope in the higher normal school. I made groups of four students to use them. There was probably equipment for making slides. In my class I proposed a competition to the students in which each group tried to make the most slides with the least breakage of coverglasses because they must have both large-minds and minute-minds in every field of life. My plans for my classes and homework for summer va-

cation were the same as when I was in Utsunomiya. This school had many teachers who were graduates of universities, and it was the best school in Korea. All students were Japanese except for one Korean. One of the teachers, Mr. S who was a teacher of the Japanese language, was an amateur butterfly collector. (He was also an expert of the game "go" and a mountain climber). He presided at many meetings on collecting insects, and even produced a journal; therefore, many students were insect collectors. They came with me on my Sunday collecting trips. Most of them were collectors of butterflies and beetles. Some of them were almost specialists. Since many Korean species were not in Japan, I instinctively collected many beetles and butterflies, which collectors probably covet, when I collected or observed wasps. I donated them to Osaka Museum of Natural History. So, I did not have to teach students in this school about insects, except for the way to observe their habits. (Since this school was closed, the number of graduates has decreased. However, among the graduates are many eminent persons in many fields of life. Some students in my classes also became university professors or biologists.)

I was elected councilor the year I went to Fukui University. It was very troublesome to me, but inevitable because no one in the university laboratory had experience. Drafting university regulations was started, but it was immediately interrupted when the regulation for election of a president was considered. This was because councilors of the Department of Education wanted direct election [by all faculty], but councilors of the Department of Engineering wanted election by councilors only. Fukui University consisted of the Fukui Technical High School and the Fukui Higher Normal School. People of the Technical High School looked down on the Higher Normal School because it had been combined from men's and women's normal schools. People of the normal school also had an inferiority complex. I thought that they were plotting to monopolize the position of president in order to overcome the complex. (The number of teachers of the Department of Education was much more than that of the Engineering Department.) If everyone votes honestly, the direct election is better. However, there are

many people who want to hold an executive position everywhere, even in Hokkaido University, and they start a movement informally. So, I claimed that both departments must have equal opportunity in the election, and opposed the people of the Department of Education. The then president, who was a native of Fukui and a retired professor of the Department of Medicine of Tokyo University, supported my opinion. Eventually indirect voting was adopted. I maintained an unbiased policy, and hated to join a clique. Graduates of higher normal schools formed Tokyo and Hiroshima cliques. Each clique had its own territory, and they quarreled. In Utsunomiya I made a social gathering of young people from both cliques, and told them not to quarrel with each other. There was also a Kyoto University clique and a Bunri University clique in Fukui University. I was not part of any clique. Once the Japan teacher's union asked me to join it, but I gave a flat refusal. I believed that teachers are in a sacred profession in communication activities via the contact of personalities. A higher salary is of course better than a lower one for my life and study, but I believed that sit-down strikes and demonstration parades must not be the activities of teachers. I thought that if I joined the union, I must obey the rules. (I am not too dishonest to break them), and I would have degenerated into a mere wage worker. Sometimes members of the union ironically told me that increase in my salary was due to their activities, but I never yielded to them. I told them to leave my salary low. I believe that the reasons for the ruin of Japanese education are the imperialistic policies of politicians in conspiracy with capitalists, and the activity of the Japan teacher's union.

In Fukui University, I was absent from most meetings except for necessary ones, but usually attended faculties because I was responsible for them. What I claimed at first was establishing the system of chairs. Professors, assistant professors, and assistants were randomly distributed among chairs in the Department of Education at that time. Some chairs had two professors, and some chairs had no professor. Some people made furious efforts to get the post of professor in spite of professors already occupying the chairs. Some professors had written only their graduation theses, and fell behind as-

sistant professors in their chairs. However, it was impossible to lower their rank; therefore, I claimed to maintain the system of chairs in order not to confuse the system any more, and made efforts to provide the post of professor for chairs which had no professor. I recommended assistant professors, assistants and students to write papers, because I had claimed that the examination for professor and assistant professors must be strict.

The attitude of the faculty of the Department of Education was totally uncertain. When trouble occurred, members of the faculty always asked some universities in the neighborhood how to deal with them. I asked them where was the self-governing of the university, and forced the dean to do many things. I am a good controversialist, and seldom lost in debates in spite of my unreliable looks. Maybe he did not like me because I was unmanageable. One year later I stopped being a councilor. Moreover, I never tried to be dean of the department.

Since I was in the Department of Education, I did not try to make students in my laboratory specialists (the other reason was the lack of literature), and selected easy themes for them, which could be continued as their hobbies in the future. I also enthusiastically lectured on biology in general. A dull-headed student who was not promoted several times said to me that my lectures were always interesting because they changed every year. It is probably not just a compliment. I was not a famous professor. I did not give a special lecture when I left from the university. My last lecture on general subjects, which I gave as a special lecture, was about the ruin of human beings based on evolution. I said that the intelligence which made human beings successful would also lead to their extinction. Judging from the nuclear problem and molecular biology, I am sure it will.

When I left Fukui University, I declined to be a professor emeritus, though I satisfied every requirement. Honor is given to a professor emeritus when he reaches the age of 70, and his death is noted in a newspaper obituary. I do not need either of them. The members of the council were puzzled because it was unprecedented, but they finally accepted it.

I want to write a little about languages. Dr. [Keizo] Yasumatsu was an ex-

pert of several languages. He was unusual as a Japanese entomologist who is a graduate of the faculty of agriculture. Perhaps he was influenced by Dr. Esaki. However, some famous Japanese entomologists cannot even read French in spite of many French papers in their field. I wonder how they understood them. A German friend of mine told me that he had written a letter in German to another Japanese entomologist, but received no answer from him. He asked me whether the Japanese scientist could read German or not. I answered that every Japanese scientist could read German because they must have learned it in their universities.


When I was a first degree in the higher normal school, I knew that I could learn only German there. I and my friends, who were ardent to learn, and poor, asked a research student in the school of foreign languages to teach us beginning French. After that I learned French by myself, but since I could learn French and German in the meteorological room of the corps, I could read them easily when I went to Utsunomiya. I knew that it is necessary to learn Latin, Italian, and Spanish languages in order to study the taxonomy of ants and wasps. All older European literature was written in Latin, and Latin and Greek are often used in scientific names. When I started the taxonomy of wasps in Taiwan and middle Asia, I had to read papers written by Portuguese and Russian workers. If I neglected them, my papers would be useless. So, I learned them by myself. I also learned Dutch which is like a half-blood between German and English, because I had already been interested in languages themselves. Scientists in most countries seem to like foreign men who can understand their own languages, and sent many reprints written in their languages to me. However, I often forget Russian because it is pretty different from the other European languages. These are my experiences for men who are going to study taxonomy.

I was born in the same year as Dr. Yasumatsu [1908] (His early death is very regrettable.) Now [1986] I am 78 years old. I am just an old man in Mishima [in Shizuoka]. Only a printer and mail clerks know me well (more than 100 letters come to me every year from around the world). My clothes are always poor, and my shoes are canvas ones. I wear a hat to protect my head

when I fall down. One day in last summer, on the way back home from a hospital, I was eating Japanese noodles in a railway station at night. A young man with a big rucksack who looked like an American came to the station, and began to eat noodles next to me. I asked him whether he was going to Mt. Fuji, because he looked like a veteran mountain climber. People in the station were very surprised and looked at me because a poor old country man spoke English. He was glad to know that I could speak English, and asked me which bus he should take to go to the Hakone mountains. After I asked him to speak slowly, I guided him to the bus stop, talking with him, told him the time of departure and the time required for the trip, and said good-bye. Everyone on the street we walked along looked at us with surprise. This was the first time that the people of Mishima paid much attention to me.

My recollections are already fairly long. I omitted all my sad childhood memories from these recollections. My mother raised me under awful difficulties. (She was trained in the manner of "Oshin" [the title and heroine's name of a famous Japanese TV drama] when she was a child.) My sisters were apprenticed before they finished their elementary school. My brother died because of malnutrition. My father continued mistreating my poor mother. I swore that I would never become a man like my father. I was disgraced numerous times in my elementary school because I was poor. I am sure that I can write a literary work about these memories, but I omitted them because the readers of this journal would have nothing to do with them.

Now I am putting my pen on the desk, and this manuscript is finished.



Celonites octoannulatus Kuzn., female
(Vespidae), Turkestan


**DATE OF PUBLICATION:
JOURNAL OF
HYMENOPTERA
RESEARCH**

Volume 3 was received from the printer Nov. 16, 1994, and the first copies were distributed on that date. The Oct. 15 mailing date inside the cover is erroneous.

NEW NEWSLETTER

Cocuyo is a new newsletter for the study of the invertebrate fauna of Cuba. Issue #1 containing 10 pages, was issued in November of 1994. *Cocuyo* is edited by J. A. Genaro and J. L. Fontenla, both hymenopterists, and it is a very nicely produced newsletter. Format and contents are similar to *Sphecos*. Apparently the newsletter is distributed through the RARE Center for Tropical Conservation, 1529 Walnut Street, Philadelphia, Pennsylvania 19102.

Russo'94



Polistes dominulus (Christ)
(Vespidae) from Tunisia,
illustration by Monica Russo.

SCIENTIFIC NOTES

Xystromutilla asperiventris André, 1905 (Mutillidae) reared from sphecid wasps in trap-nests, Manaus, Amazonas, Brazil
by
Elder F. Morato
Departamento de Ciências Agrárias,
Universidade Federal do Acre, Rio Branco,
AC, Brazil, 69915-900

Abstract. This is the first report of parasitism by the genus *Xystromutilla*. Males and females of *Xystromutilla asperiventris* André were reared from trap-nests provisioned by four different species of sphecid wasps. Nine parasitized nests were collected from June 1988 to June 1990 in isolated forest fragments of Manaus, Brazil.

Solitary wasps and bees nesting in preexisting holes were collected by means of trap-nests from June 1988 to June 1990 in an area of Central Amazonas situated approximately 70km North of Manaus (2°30'S and 60°W) (Morato, 1993). The area has a vegetation typical of tropical rain forests ("terra firme" forests), with a canopy height averaging 30–37m. The understory is fairly open and possesses a great number of stemless palms. The 30 year annual precipitation average is 2186mm, with a dry season between July and September when the monthly precipitation is less than 100mm.

Trap-nests were made out of wood pieces each measuring 25 x 35 x 120 mm, and a having drilled hole of one of three different diameters: 4.8, 9.5 and 12.7mm, with an 8cm depth. These wood pieces were tied in blocks of 9 units, having the three hole diameters arranged in a random fashion, and they were placed in close contact with the stems of trees at 1.5, 8 and 15m heights above the ground. The trees were part of isolated forest fragments, with nearby continuous, undisturbed forests and small gaps. A total of 1692 trap-nests were placed in the field and monitored on a 15 day basis. Those trap-nests found occupied were carried to the laboratory to await for the emergence of adults and parasitoids, and immediately substituted in the field by empty trap-nests.

Seventeen adults (12 males and 5 females) of a species of parasitoid wasp emerged from 9 trap-nests and were

identified as *Xystromutilla asperiventris* André, 1905. After two years of field collections, from a total of 2149 trap-nests found provisioned by wasps and bees and brought to the laboratory, only 9 (0.4%) were parasitized by this mutillid. From a total of 489 parasitized cells recorded in that period, 3.5% were parasitized by *X. asperiventris*. Seven of the sphecid nests were found parasitized between August 1988 and January 1989; the parasitism of the others occurred in November 1989.

The hosts of the reared *X. asperiventris* were four different species of sphecid wasps: *Trypoxyylon* (*Trypoxyylon*) *nitidum* (provisioned four nests), *T. (Trypargilum)* *lacitarse* (three nests), *T. (Trypoxyylon)* aff. *ungicorne* (one nest), and *Podium rufipes* (one nest). All the *Trypoxyylon* cells were constructed of mud. The nest of *Podium rufipes* had a single cell closed with a plug made with a silvery material plus an outer terminal plug of a resinous material. Adults of *X. asperiventris* emerged through a hole they made in the host cocoon, dorsally and anterior to the normal exit point of the host.

One of the parasitized sphecid nests was collected in a deforested area; another, in a gap situated in the interior of a continuous forest. The rest were collected in the periphery of continuous forests and isolated forest fragments.

Five parasitized sphecid nests were provisioned in trap-nests with a hole diameter of 4.8mm; three in 9.5 and one in 12.7mm. Five of the nests were from trap-nests positioned at 15m height, and four at 1.5m.

The results indicate that the parasitism rate by this species of mutillid wasp is rather low. It is very interesting the highly skewed sex ratio found of the reared adults of *X. asperiventris*, 2.4: 1, males:females. No measurements were taken from the pupae and adults of the hosts nor from the adult mutillids reared. These measurements might have been useful to try to explain the higher investment in males by the female mutillids that parasitized the sphecid nests. The present report is the first record of parasitism for the genus *Xystromutilla*. Cambra and Quintero (1992) observed an attempt of parasitism by a female of *Xystromutilla turrialba* Casal, 1969, at Madden Dam, Republic of Panama in June 1989. The female was found "half-way through an opening made with her mandibles in the middle of a nest of

Sceliphron sp." built on a cement wall.

Many thanks to D. Brothers, South Africa, for the identification of the reared miltillids (apparently the males I mailed him were received damaged in the mail from Brazil to South Africa; all the miltillid specimens reared were retained in his collection). My appreciation to D. Quintero A. for much encouragement, during his September 1994 visit to Acre, to write the present note and for revising, preparing, and mailing the final draft for publication.

Literature cited


- Morato, E. F., 1993. Efeitos da fragmentação florestal sobre vespas e abelhas solitárias em uma área da Amazônia Central. Dissertação (Thesis) Masters, Universidade Federal Viçosa, Viçosa, 105 pp.
- Cabral T., R. and D. Quintero A., 1992. Velvet ants of Panama: Distribution and systematics (Hymenoptera: Miltillidae), pp. 459–478. In: Quintero, D. & A. Aiello (eds.), Insects of Panama and Mesoamerica: Selected studies. Oxford University Press.

A Parasitoid of *Trigonopsis richardsi* Vandy (Sphecidae)

by
Martin Cooper

"Hillcrest", Ware Lane, Lyme Regis, Dorset,
D7 3EL, UK

I found a nest of *Trigonopsis richardsi* Vandy in Ecuador (Morona-Santiago, Rio Upano near Sucua, 700m) attached to the leaf of a plant growing on a rock face. It consisted of six mud cells from which I reared a female *T. richardsi* and two females of a pteromalid which Dr. Z. Boucek has kindly identified as an *Epistenia* sp. The parasitoid is 7mm long and quite robust: at first sight it looks like a chrysidid.



Scolia vittifrons Sichel, female
(Scoliidae), Thailand.

Corrections to

"Phylogenetic Implications of the Mesofurca and Mesopostnotum in Hymenoptera"

(Heraty, Woolley and Darling, Journal of Hymenoptera Research 3: 241–277).

I need to humble myself and point out an error in this recent manuscript, which involves synapomorphies of Apiformes and Apiformes + Spheciformes. The text is correct but the illustration is wrong. On page 277, figure 56: Character 2:6 and 11:1 for Spheciformes and Apiformes should be switched (2:6 [separation of the axillary lever from the mesopostnotum] is a synapomorphy of Apiformes and 11:1 [fusion of the meso- and metafurca] is a synapomorphy of Apiformes + Spheciformes). Other minor errors: in Appendix 2 and figure 46, Larridae should read Crabronidae, *sensu* Finnimore (1993, Hymenoptera of the World); and in Table 2 and Appendix 2, Alloxystidae should be replaced by Charipidae.

A copy of the revised cladogram for Ichneumonoidea and Aculeata is given in Figure 1. Characters are discussed in the paper, but for quick reference the numbers refer to the axillary lever [2:1, present and inflected medially; 2:4, reduced and broad; 2:5, inflected and apressed against second phragma; 2:6, lever separated as an independent sclerite], the second dorsal diagonal muscle and associated laterophragmal lobe [4:1, absent], the pseudophragma [6:0, absent; 6:1, present], the furcal-basale muscle [9:0, absent; 9:1, present], the lateral arms of the meso- and metafurca [11:0, separated and connected by interfurcal muscle; 11:1, fused and muscle absent], and the extension for the furcal depressor of the trochanter [12:0, absent; 12:1, present and arising from lateral arms; 12:2, present and arising from furcal bridge]. Solid circles are unique apomorphies; shaded circles indicate convergence; open circle indicates possible reversal. Species representing 30 genera and 25 families of Aculeata were examined.

The axillary lever is fused with the mesopostnotum in most Hymenoptera and was found to be an independent, articulating sclerite [2:6] only in the six families of Apiformes sampled. This character state was not a new discovery, as it was first pointed out by Snodgrass (1942) in his figure depicting the

evolutionary history of the axillary lever in Apoidea. An elongate and appressed axillary lever is found in almost all Vespoidea and Apoidea; a similar state in some Ichneumonidae is probably convergent. Among the other characters, 2:4 and 12:1 support a closer relationship between Cleptinae and Chrysidinae, Amiseginae retains the plesiomorphic state for both characters. Extensions of the furcal bridge [12:2] are found in Sapygidae, Sierolomorphidae, Pompilidae, Scoliidae and Vespidae. Unless it is an ancestral state, Rasnitsyn's 1988 hypothesis for Vespoidea requires five independent derivations; hypotheses presented by Königsmann (1977) or Brothers and Carpenter (1993) require at least four independent derivations of this character (both decreases are based on accepting Scoliidae + Vespidae). Other changes within Vespoidea (2:1, 2:4 and 9:1) are probably autapomorphic. Although the number of aculeates sampled were relatively few, I hope these characters systems and their suggested distribution among taxa are interesting enough to warrant more intensive exploration.

John Heraty

National Museum of Natural History
NHB-168
Washington, DC 20560





Figure 1

SANTÉ TRAPS

Makers of quality Malaise traps, insect nets and other arthropod collecting equipment.

MALAISE TRAP FEATURES

- Double stitched for extra strength.
- Various mesh sizes available.
- Adjustable roof that eliminates sagging.
- Redesigned head that eliminates stress (and tears) near the collecting head.
- Weight: less than .5kg including the collecting bottles.
- Black and white design for optimum phototactic effect.
- Specialized heads that allow for live capture are available.
- References from some of the worlds foremost insect collectors available upon request.



Our Malaise traps are made of 100% polyester material to withstand ultraviolet light. We offer a variety of mesh sizes to capture the smallest Parasitica to the largest and most visually adept Aculeata. Also available is a redesigned Malaise trap that captures insects from all 4 quadrants, unlike the Townes variety which intercepts insects from two quadrants.

Custom traps made to order.

Prices start from \$150.00 American for our standard fine meshed Malaise trap.

For more information or to place orders:

Santé Traps
28 Kenora St.
Ottawa, Ontario
K1Y 3K8 Canada
Tel. (613) 724-6476

TECHNIQUES


Vardy's Chloroform Gun Revisited

by

Colin R. Vardy

Yarina, Springwell Land, Harefield,
Middlesex UB9 6PG, England

How can Amarante (*Sphecos* 27:15) justify publishing comments on the "Chloroform Gun" technique at all, when he admits that he didn't try it properly? It is a great pity that his remarks may well discourage other collectors from trying it. In the original article (*Sphecos* 1988, no. 17: 17-18) it is clearly stated that "there is no good substitute for chloroform" and "even when using a coarse needle, it is surprising how little chloroform is used up". The first statement is based on trials with quite a number of more-or-less volatile organic liquids, including ethyl acetate. As for Amarante's complaint about not being able to hit very fast-flying insects with it, two points arise: firstly whether it is possible to hit a fast-moving object depends also on the speed and accuracy of the operator (in fact it is possible to attain a high degree of skill in a short time); secondly, the fact that the range of the technique is up to 6 metres enables one to use it effectively in cases where a closer approach would cause the target to fly away (fast or otherwise) – insects simply don't anticipate being hit from that range. I hope that a fair and reasonably comprehensive trial will form the basis of any future comments.



Masaris carli von Schulthess, male
(Vespidae), Turkestan.

COLLECTING REPORTS

VISITING MADAGASCAR

by

Wojciech J. Pulawski

Dept. of Entomology, California Academy of Sciences, Golden Gate Park, San Francisco, CA 94118

My visit to Madagascar in March and April 1994 was made possible through a grant from the National Science Foundation for a revision of the Afro-tropical *Tachysphex*, my next major research project. I had the privilege of being accompanied by Sandro Mochi (in March) and Marius Wasbauer (for the whole time). Alain Pauly kindly offered to guide us throughout the island and provided his four wheel drive Toyota pickup for rent. For those who do not know him, Alain is a Belgian apidologist, now a resident of Madagascar and owner of a beach resort in Foulpointe, on the Indian Ocean coast. He knows the country well and is familiar with the Malagasy Hymenoptera and good collecting sites. Unfortunately, he was forced to abandon the expedition just after 3 weeks, but his driver Theodore and the technician Realen stayed with us to the end.

The expedition had a difficult beginning. The cyclone Geraida that hit the island in January destroyed the railroad connection between the capital and Tamatave, the country's main port. Severe fuel shortages resulted, with immense lines of cars waiting at the gas stations. Alain had to spend many hours at various offices in Antananarivo for several consecutive days in order to get a permit to buy extra diesel fuel. The permit indicated that the fuel could be purchased at the Tamatave refinery, 300km away, but fortunately close to Alain's hotel and his car. We went to Foulpointe (the hotel's location) in a rented car, and were hit by another cyclone on the way. I was sitting on the open truck's platform and it was like taking a shower in my own bathroom (although I usually undress for a shower). A lot of water per square meter per second, indeed. Well, we finally arrived at Tamatave, and Alain drove to the refinery at 4 AM, in order to beat the lines. When they opened at 8, he learned that he was waiting at the wrong gate because the guard on duty had misinformed him. When he finally reached the right gate, they refused to let him in because he had no fire extin-

guisher (after all, you do not enter a refinery without one). He had to run back, borrow one from another waiting driver (for money, of course) and finally we had two barrels of diesel and our trip began.

Madagascar is a country where habitat destruction has reached astronomical proportions. While driving from Antananarivo to Tamatave, we saw *Eucalyptus* plantations almost exclusively at first, and later areas covered with *Ravinala*. Although a native plant, this fan-shaped tree invades deforested areas and prohibits regeneration of the original forest. The road from Antananarivo to Mahajanga (on the west coast), the expedition's last part, was even more depressing: mile after mile of wasteland with meager grasses and intense erosion. Reforestation programs, implemented during the first 10 years or so after independence (in 1960), were abandoned subsequently. Grass fires, started systematically every year, do not help the situation. By thoughtlessly converting its natural habitats into a wasteland, the nation is certainly jeopardizing its own future (just like Haiti did).

In spite of this grim general outlook, nature has survived in many areas. First, there is a system of national parks, natural reserves, and privately owned reserves. Second, the destruction is less severe in the south, with its unique xerophilous vegetation (some 95% of plant species in southern Madagascar are endemic to that area). With some guidance, some effort, or a share of good luck, a wasp collector can find excellent sites there (fortunately, no rice paddies in the south).

Madagascar is a poor country and suffering from a deep economic and hence political crisis. Begging is common in the cities, especially around hotels and restaurants frequented by the *vazaha* (people of European descent). The government is blaming the foreigners for the economic disaster, with newspaper articles accusing foreigners of all possible misdeeds ("watch for suspect activities"). We learned that some resident whites were arrested, apparently as scapegoats. The capital and larger cities are reported as not being safe at night (but what big city is?). We did not encounter any security problem, but we followed Alain's advice and used taxis when going to and from restaurants after the sunset.

Collecting in national parks and na-

ture reserves requires permits (currently, \$25 per person per park), and export permits are also mandatory for any plant or animal material. We obtained ours via the Xerces Society, which has its headquarter in Portland, Oregon, has a cooperative nature protection program with Madagascar, and a local office in Antananarivo (the Oregon phone number is (503) 222-2788). They charged \$40 per person for their services, and it was worth every penny of it. Their local administrator, Mr. Cesaire Ramilison, efficiently dealt with the Eaux et Forêts officials and provided all the necessary documents. He met us at the airport (with a car) and helped with customs during our departure. He deserves our gratitude.

Roads are quite a problem. Some are good, e.g., the Antananarivo-Tamatave road, or the Antananarivo-Fianarantsoa, or a good portion of the Antananarivo-Mahajanga road. Others were disastrous. Particularly infamous is the Tulear-Fort Dauphin road. The distance is about 600km, and it normally takes 2 days from one end to the other. The road is used by heavy trucks, buses, and other vehicles, and consists mainly of potholes. When we arrived to Ampanihy, I was thinking of Hemingway's "For whom the bells toll" and the scene in which fascists are being killed with flails. I felt like I had been flailed myself.

After Alain's and Sandro's departures, Marius and I heroically decided to go back to Tulear. The reason was a flowering *Zizyphus* tree there, on which we previously collected *Tachysphex flavofimbriatus*, including the undescribed female. The way back turned out to be even more difficult. First, at Belohy we mistakenly continued straight on after Belohy rather than turning right into a small, unmarked street. Two hours later, Realen remarked that we might be on a wrong road. We returned to Belohy, but it was already night and we had a hard time finding somebody to give us directions. Finally we were on the right road to Ampanihy. An hour later, our car stalled out in the middle of a big pothole full of water, and we discovered that the battery was dead. It was pitch black, no traffic, and we prepared to spend the night in the car, which was leaning strongly to the left (sitting was not quite comfortable). An hour later, fortunately, a car came from the opposite direction and pulled us out. Theodore and the other driver then

removed our dead battery, replaced it with their battery, started the engine, removed their battery, placed it back into their car, then put our dead battery back into place (obviously a diesel engine requires a battery for starting but not for running). We made it to Ampanihy about midnight. The next morning we borrowed a battery from a local store (not for free, either), put it in our car, started the engine, replaced the batteries, and went on. Because Theodore was completely exhausted, and suffering from bad dysentery, Marius volunteered to drive. Five kilometers further, the engine died again. Realen walked back to Ampanihy and brought helpers from the same local store. They offered to sell us a new battery (in fact a badly used one) at an exorbitant price, or to repair our old one. We chose the second option. The repair was done, but we were some 5 hours late. The night caught us a long way from Tulear. Twice we took wrong turns into the bush, since the road branched in a maze of secondary roads, and seeing in the dark with only one headlamp working was not easy. Realen helped us both times. At around 11:30 PM, our left front wheel fell into a deep hole (a collapsed water drainage pipe) up to the axle. Marius and I looked at it rather helplessly, but Realen acted again. Using the jack and rocks, he gradually raised the wheel to the road level and finally we backed up. We reached the paved road at the long last and came to Tulear at 5 AM. After some 18 hours at the wheel, Marius was driving like a zombie (I did not dare to replace him), but good luck was with us. We took a shower, slept a few hours, and went to see the tree. Alas, no *flavofimbriatus*. However, back in San Francisco I found a series of another *Tachysphex*, one with a flattened thorax, that was collected that day. This beast may be undescribed and made coming back to Tulear worthwhile.

Our collecting areas were all within driving distance of hotels, and we did not need to camp. One advantage that compensated many hardships was the fabulous French cuisine. I never ate so well as in Madagascar. Never before had I tried the French style *foi de canard* (duck liver) that costs a fortune in Europe. Other outstanding dishes included *soupe à l'oignon*, *canard à l'orange* (duck in orange sauce), *avocat à la crème* (avocado filled with shrimp), *le marcassin* (baby wild boar), *ecrevisses*

(crayfish), *poisson à l'oseille* (fish in duck sauce), and a great selection of seafood. Wines were also excellent, of which *Betsileo gris* was perhaps the best (remember the endemic *Larra betsilea* de Saussure?).

The following localities visited are worth mentioning:

1. beaches north of Tamatave, on the east coast, with many flowers and many Hymenoptera. I found my first *Tachysphex* there.
2. Mandraka. A primeval mountain forest area on the Antananarivo-Tamatave road, a small remainder of the once impenetrable forests that extended from the coast to the capital and efficiently stopped all invaders.
3. A forest 33km south of Ambositra (on the Antananarivo-Fianarantsoa road), on rolling hills and literally swarming with Pompilidae, *Dolichurus*, and various Ichneumonidae. It will probably not last long because of human pressure, and I wish it could attract more naturalists.
4. Ranomafana National Park (northeast of Fianarantsoa) is one of the best known in Madagascar. Although established only a few years ago, it is well protected and includes a wealth of plants and animals. It is a montane forest, hence no good for my project.
5. Ranomafana. A sandy area just behind the Hotel Thermal, on the left river bank, is excellent for a wasp collector. Many species collected by Andre Seyrig and reported in Arnold's 1945 book on the Madagascan Sphecidae must have been collected there.
6. The mainly sandy Ihosy-Ranohira road, bordered by flowers, is also recommended, especially the area 40km W of Ihosy.
7. Isalo National Park (between Fianarantsoa and Tulear). We tried several places, but a dry river bed at 22°36'S 45°09'E was especially good. We collected both on flowering bushes and on the ground. We also visited La Piscine Naturelle, a natural pool highly recommended by tourist guides. Entomologically, it was a disaster, because the area is surrounded by an artificial grassland that is burned every year.
8. A forest 38km E of Sakaraha, about 1 km to the south from the road. The forest itself was rather sterile, but the edge was excellent for *Tachysphex* and other wasps.
9. Tulear area (southwestern Madagascar). We found good collecting sites a few kilometers north of the town, north

of the Fiherenana River, on the way to Ifaty. Ifaty itself was very dry, although it was excellent for other collectors. The best place, however, was a private arboretum some 12km SE of Toliara, owned by Mr. Petignat, a Swiss expatriate who describes himself as an anarchist. He says he comes from the Swiss Jura, an area with a tradition of anarchism ("you know, Bakunin lived there, and he was the only one to oppose Marx at the London Congress"). An unexpected topic for the tropics.

10. Berenty Nature Reserve (southern tip of the island), owned by Monsieur Jean de Holme, a proprietor of extensive sisal plantations and several hotels. He generously allowed us to use the science lodge on the reserve free of charge. We collected at the river bank and also on the unused roads in the sisal plantations. Overgrown with flowering plants, they were teaming with insects, whereas the nearby remnants of the natural dry forest looked rather lifeless, paradoxically.

11. Amborovy, some 12km north of Mahajanga, a sandy area close at the Mozambique Channel (northwestern coast). Most of the sand was rather sterile, but a few areas were excellent, and we also found another *Zizyphus* tree in flower.

A hint on our airplane fare may be useful. A regular round trip ticket from San Francisco to Antananarivo is close to \$4,000, but we found two agencies that were charging about \$2,000. One is Avia Travel in San Francisco (415-668-0964), the other is Cortez Travel near Los Angeles (619-755-5136).

Also, for the first time in my life I was using a Global Positioning System to determine each locality's longitude and latitude. My instrument, a product of the Magellan company worked very well, and the company offered an unsolicited free upgrade after I returned. The accuracy is indeed amazing, up to thirty or so meters. The travel guide on Madagascar that is a part of the Lonely Planet series, is a must for visitors.

The collections were very satisfactory, in spite of all the hardships, and all three of us went home with plenty of wasps. I brought back some 2,500 specimens, of which over 500 are *Tachysphex* (but Marius caught some 65,000 insects using his ten Malaise traps). I already understand most of the species of *Tachysphex* described from Madagascar by de Saussure (1892)

and Arnold (1945). The most unpleasant was a discovery of a new *Gastrosericus*. My revision of that genus was accepted for publication as a CAS Memoir more than two years ago, but it has been sitting and waiting all that time. Now I have to add one more species description, complete new illustrations, redo the key and the cladistic analysis, upgrade several species diagnoses, update the English and the French abstract, and add a new name to the Index. Damn it.

A wasp collector working in Madagascar must sooner or later come across Andre Seyrig's name. We met people who knew him or of him. According to what we heard, he started his career in Madagascar as a simple mine worker and ended as the mine director, all the way to the top. He was a dedicated naturalist, published a well known monograph of Madagascan Ichneumonidae and collected the sphecids that became the basis of George Arnold's (1945) monograph. He also was a keen plant collector, and the endemic plant genus *Seyrigia* (a member of Cucurbitaceae with five species) is named after him. He was arrested by the French colonial authorities in 1942 and died in prison in Antananarivo under mysterious circumstances. Some of our sources told us that he had been accused of spying for Germans (he was of Alsatian origin, just like Marius). Others supposed that he paid with his life for being de Gaulle's supporter and against the Vichy government. In any case, he was an unusual, very able individual, one of those who built la grandeur de la France. What a pity that no biography of him has ever been published. Couldn't one of our French colleagues fill that gap?

Collecting in China and Hong Kong

by
Justin Schmidt

Southwestern Biological Institute, 1961 W.
Brichta, Tucson, AZ 85745

This June and July I went as a visitor to P.R. China and Hong Kong and tried to do some wasp collecting. China has lots of potential faunas but the infrastructural and societal constraints make collecting difficult. If one is to go officially, the paper trail will almost kill you (not to mention the budgetary constraints of often having to take along an

official entourage). Even then the local bureaucracy can often kill an expedition (if one does not believe this, then read "Living Treasures, An Odyssey Through China's Extraordinary Nature Reserves" by Tang Xiyang, Bantam Books [1987]). It is of course possible with solid local collaborator support to have a great expedition to one or a few local areas, but for most of us who are generalist collectors surveying an area this might not fit our goals. Hong Kong, on the other hand, is just the opposite. There are no bureaucratic rules whatsoever. I heartily recommend making Hong Kong a highlight of one's adventures in Asia. Although it is small, it is extraordinarily diverse and has vast (yes vast) areas of undeveloped and empty (devoid of people) reserves. Hong Kong people are the ultimate urbanites and squatting simply is not a viable lifestyle and is unknown. One can easily get to these wild areas by bus or taxi and then get around by foot, later to return to a well stocked air conditioned lab to examine the collected material. This convenience is especially appreciated by molecular hymenopterists who need freezers, dry ice, dependable electricity, etc.

That said, I went to China and Hong Kong without an official permit and just collected as was possible. Collecting in such a fashion in China is also difficult as the infrastructure makes it hard to get to collecting locations. One cannot rent a car in China, and busses and local transport are restricted mainly to the larger cities and towns. Taxis can get expensive. And, then again, you must know where to go and be able to communicate with the driver. My preferred mode of transport was the bicycle, a vehicle which allows immense freedom on a micro scale. My favorite collecting place was Yunxi bamboo forest, an area famous for immense bamboos and located 20 km from Hangzhou, Zhejiang Province. There I collected several miliid wasps, *Bombus*, *Pachycondyla*, and two of what appeared at a distance of 50m to be hummingbirds cruising humus heaps. After snaring these with my trusty 12' collapsible net, they turned out to be female *Vespa mandarinia*, both taken June 22. Believe it or not, another fine collecting place is the Great Wall north of Beijing. This structure goes through mountainous and wild areas that can be accessed easily by bus and then simply

walking off the wall to explore the surrounding area. There were lots of insects in general, including an abundance of sphecids. *Ammophila* was taken there.

Hong Kong was the best area for collecting. I stayed with Mike Crosland, Biology, Chinese University of Hong Kong, N. T. Hong Kong. Mike is a fabulous host, is knowledgeable about Hymenoptera (esp. ants and bees) and termites, and welcomes visitors. Although my short visit there was primarily concerned with ants (*Harpegnathos*, *Diacamma*, and *Pachycondyla*), I did observe some *Vespa basilaris*. The intriguing thing about these wasps was that they routinely foraged on our porch located 8 stories (high ones, I might add) above ground and double the canopy height.

An Aculeate Wasp Collecting Trip Through the Black River Valley of Upstate New York

by

Frank E. Kurczewski

Environmental and Forest Biology, State University of New York College of Environmental Science and Forestry, Syracuse, New York 13210-2771.

The geographic distributions of many aculeate wasp species in upstate New York remain poorly known despite the fact that the College of Agriculture at Cornell University has housed a large Entomology Department for nearly a century and a half. Only three areas of upstate New York have been rather thoroughly collected for aculeate wasps: (1) the environs of Ithaca where Cornell University is located; (2) the greater Syracuse area in the vicinity of the S.U.N.Y. College of E.S. & F.; and, (3) the Pinebush of Albany County in connection with extensive malaise trapping being carried on by Tim McCabe, New York State Museum. The Black River Valley of northwestern upstate New York is one area whose aculeate wasp fauna remains virtually unknown. To my knowledge the only wasp specimens from this region in existence are those collected by R.C. Miller in the early 1970s from Penny Settlement Road, Lewis County between Port Leyden and Lyonsdale, and housed in the S.U.N.Y. College of E.S. & F. insect museum. Miller's collections focused on crabronine wasps. The purpose of the present paper is to investigate and

report on the extent of this regional aculeate wasp fauna and complement Miller's collections.

The Black River Valley is a region that runs for nearly 150km from the foothills of the southwestern Adirondack Mountains in Herkimer County to Sackets Harbor in Lake Ontario in Jefferson County. The valley and bordering hillsides are extensively sandy from just east of Watertown in the north to below Forestport to the south. They represent the ex-shoreline and bottom of a Late-Pleistocene glacial lake. This sandy band, interspersed with peripheral patches of glacial till and bedrock outcropping, ranges in width from 4km just north of Naumberg in Lewis County to nearly 20km at the latitude of Lowville in the same county. A sizeable sand plain north of the Black River remains in Jefferson County from deltaic and near deltaic littoral deposits of an ancestral Black River and perhaps ice marginal drainage from the nearby Adirondacks deposited in glacial Lake Iroquois, the predecessor of present-day Lake Ontario (Muller pers. comm.). This lacustrine delta exceeds 15 x 25 km in width and length, respectively, and is now occupied by the Fort Drum Military Reservation. Except for this area, which is partly open and contains abundant white pine-grassland-sweet fern savannas, the valley is mostly heavily forested and shaded. The natural vegetation of the region probably consisted of a dense sugar maple-American beech-yellow poplar forest containing white pine on the uplands with hemlock growing in the ravines. Open areas where soil-dwelling aculeate wasps could have nested would have been scarce in the region except where fire, erosion, wind-thrown and tree disease had produced barren patches of land. Today, aside from an easily accessible area along Route 3 running adjacent to Fort Drum between the villages of Black River and Natural Bridge (Jefferson County), the only moderately open areas of sandy soil lie alongside Number Four Road between Watson and Crystal Dale (Lewis County), along Penny Settlement and Fowlerville Roads between Lyonsdale and Port Leyden (Lewis County) and along Millers Woods Road from Hawkinsville to Forestport (Herkimer County). Consequently, I made my collections and/or observations in these four areas.

The collections and/or observations were made on July 3 and 4, 1994.

Weather conditions were ideal during these two days: clear blue skies, bright sunshine and temperatures approximating 32°C (90°F) at mid-day and as high as 23°C (74°F) as early as 0730 h. Early July was selected as the period of study because many of the late spring sphecids such as *Crabro monticola* (Packard) and first generations of *Crabro advena* Smith, *Tachysphex terminatus* (Smith) and *Oxybelus bipunctatus* Oliver are finishing nesting and early to mid-summer species such as *Lyroda subita* (Say), *Oxybelus subulatus* Robertson and *Anacrabro ocellatus* Packard are just beginning to nest. Thus, there is an overlap in late spring and mid-summer-nesting species.

A total of 54 species of Tiphiidae, Mutillidae, Pompilidae and Sphecidae were collected and/or observed during this two day-long study period. This number included common northeastern species belonging to the genera *Tiphi* and *Paratiphiia* (Tiphiidae), *Timulla* (Mutillidae), *Priocnemis*, *Calicurgus*, *Evagetes*, *Episyron*, *Anoplus*, *Ammosphex*, *Arachnospila* and *Aporinellus* (Pompilidae) and *Chalybion*, *Sceliphron*, *Podalonia*, *Ammophila*, *Mimesa*, *Tachysphex*, *Lyroda*, *Plenoculus*, *Miscophus*, *Trypargilum*, *Oxybelus*, *Anacrabro*, *Lindenius*, *Crossocerus*, *Crabro*, *Alysson*, *Nysson*, *Ochleroptera*, *Gorytes*, *Microbembex*, *Bembix*, *Philanthus* and *Cerceris* (Sphecidae). Noteworthy and/or unusual observations included:

(1) *Evagetes crassicornis* (Shuckard) females slowly searching in open areas and antennating the ground surface where *Anoplus marginatus* (Say) and *A. subcylindricus* (Banks) were nesting (see Evans and Yoshimoto 1962, Lane et al. 1988);

(2) *Anoplus relativus* (Fox) females investigating burrows and turrets of *Geolycosa* (Lycosidae) spiders while being constantly pursued and disrupted in their activities by conspecific males (see Kurczewski and Kurczewski 1973);

(3) *Anoplus ithaca* (Banks) females searching for *Pardosa* (Lycosidae) spiders on and under pebbles and stones in small, dry stream beds (see Evans and Yoshimoto 1962, Kurczewski 1962);

(4) *Ammosphex michiganensis* (Dreisbach) and *Aporinellus completus* Banks provisioning with *Xysticus* (Thomisidae) and *Phidippus* (Salticidae) spiders, respectively (see Evans and Yoshimoto

1962, Kurczewski and Snyder 1964); (5) *Ammophila harti* (Fernald) and *Bembix pruinosa* Fox nesting in small dunes within large, artificially produced sand blowouts (see Evans 1957, 1959, Hager and Kurczewski 1986);

(6) *Tachysphex pomphiliformis* (Panzer) and *T. tarsatus* (Say), both in the *Pomphiliformis* Species Group (Pulawski 1988), occurring in the same region and exhibiting similar nesting behavior (see Kurczewski and O'Brien 1988, Kurczewski 1991). *Tachysphex tarsatus* was common at lower elevations in the Fort Drum area while *T. pomphiliformis* was found in the more forested Adirondack foothills. However, I have collected and observed *T. tarsatus* in the Adirondacks near Raquette Lake (Hamilton County). In Michigan, *T. pomphiliformis* is more abundant in the Upper Peninsula while *T. tarsatus* is more widespread in the Lower Peninsula (Pulawski 1988, personal observation);

(7) Only one species in the *Terminatus* Species Group (Pulawski 1988), *T. terminatus*, occurring in the Black River Valley south of Fort Drum. *Tachysphex similis* Rohwer, also in the group, was not found in this region. Both species are common and widespread in the United States and southern Canada east of the Rocky Mountains (Pulawski 1988). In my opinion, *T. similis* is a more lowland species while *T. terminatus*, abundant also at low elevations, inhabits highlands and submontane areas as well. This generalization is, more or less, borne out by examining the collection localities of the two species as given by Pulawski (1988). In New York State *T. similis* is strictly psammophilous occurring along the Lake Ontario Plain, on Long Island, in the Lower Hudson Valley and in low elevational areas near Oneida Lake and north of the Finger Lakes. *Tachysphex terminatus* is found in these areas as well as in coarse-textured glacial till at the edges of kames and drumlins, sometimes at higher elevations (personal observation);

(8) *Plenoculus davisi* Fox females provisioning with mostly immature, small green mirids (see Evans 1961, Kurczewski 1968); and,

(9) *Nysson daeckei* Viereck females searching for and remaining near temporarily closed nests of *Gorytes canaliculatus* Packard, then digging into the closures when the latter females are absent from the nesting area (see Evans 1966).

Literature Cited

- Evans, H.E. 1957. Studies on the Comparative Ethology of Digger Wasps of the Genus *Bembix*. Comstock Pub. Assoc., Cornell Univ. Press, Ithaca, N.Y., 248 pp.
- Evans, H.E. 1959. Observations on the nesting behavior of digger wasps of the genus *Ammophila*. Amer. Midl. Nat. 62:449-473.
- Evans, H.E. 1961. Notes on the nesting behavior of *Plenoculus davisi* Fox (Hymenoptera: Sphecidae). Entomol. News 72:225-228.
- Evans, H.E. 1966. The Comparative Ethology and Evolution of the Sand Wasps. Harvard Univ. Press, Cambridge, Mass., 526 pp.
- Evans, H.E. and C.M. Yoshimoto. 1962. The ecology and nesting behavior of the Pompilidae (Hymenoptera) of the northeastern United States. Misc. Pub. Entomol. Soc. Amer. 3:67-119.
- Hager, B.J. and F.E. Kurczewski. 1986. Nesting behavior of *Ammophila harti* (Fernald) (Hymenoptera: Sphecidae). Amer. Midl. Nat. 116:7-24.
- Kurczewski, F.E. 1962. Observations, including new prey records, of some Nearctic Pompilidae (Hymenoptera). Bull. Brooklyn Entomol. Soc. 57:85-90.
- Kurczewski, F.E. 1968. Nesting behavior of *Plenoculus davisi* (Hymenoptera: Sphecidae, Larrinae). J. Kansas Entomol. Soc. 41:179-207.
- Kurczewski, F.E. 1991. Nesting behavior of *Tachysphex tarsatus* (Hymenoptera: Sphecidae). J. Kansas Entomol. Soc. 64:300-323.
- Kurczewski, F.E. and E.J. Kurczewski. 1973. Host records for some North American Pompilidae (Hymenoptera). Third Supplement. Tribe Pompiliini. J. Kansas Entomol. Soc. 46:65-81.
- Kurczewski, F.E. and M.F. O'Brien. 1988. A review of the nesting behavior and observations on *Tachysphex pomphiliformis* in North America (Hymenoptera: Sphecidae). Entomol. News 99:173-180.
- Kurczewski, F.E. and N.F.R. Snyder. 1964. Observations on the nesting of *Pompilus (Ammosphecodes) michiganensis* (Dreisbach) (Hymenoptera; Pompilidae). Proc. Biol. Soc. Washington 77: 215-222.
- Lane, M.A., F.E. Kurczewski, and R.B. Hanna. 1988. Antennal sensilla and setae of *Evegates parvus* (Hymenoptera: Pompilidae). Proc. Entomol. Soc. Washington 90:428-439.
- Muller, E. 1994. Personal Communication.
- Pulawski, W.J. 1988. Revision of North American *Tachysphex* wasps including Central American and Caribbean species (Hymenoptera: Sphecidae). Mem. Calif. Acad. Sci. 10:1-211.

New Mexico, Arizona, and Utah

by
Arnold S. Menke

Nancy and I took a 3 week vacation in August. I wanted to show her some of the wonders of the southwest, we wanted to examine areas in the southwest for possible retirement living, and of course, we wanted to collect wasps, particularly *Ammophila*. We flew to Albuquerque, New Mexico, rented a car, and drove west to Acoma Pueblo where we toured this old "sky city". We camped that afternoon at El Morro National Monument. El Morro is famous for all the inscriptions carved into the bluff by early explorers, many of whom were Spaniards. We visited nearby Zuni and then the next day headed south toward Silver City through the Mogollon Rim country of New Mexico. A few miles south of Quemado we collected on flowering *Clematis*, a plant that we would see in bloom commonly throughout our trip. We then took a side road up to the ghost town of Mogollon. *Amophila zanthoptera* and *procera* were taken on *Clematis* which grew weed-like at the edge of the parking lot. We managed to get only two *zanthoptera* before a hellacious thunderstorm unleashed torrents of rain. This large, showy species of *Ammophila* has a disjunct distribution. It occurs in Mexico and Guatemala, and is recorded also from the Mogollon Rim country of Arizona. Our Mogollon collection represents the first record of *zanthoptera* from New Mexico. We arrived in Silver City late in the afternoon and spent the night there in the old hotel. We had an excellent dinner at the Black Cactus, possibly the best eatery in town. The next day we headed southwest to Lordsburg and then west on interstate 10 until we reached the turnoff to Animas, road 338.

Road 338 goes south almost to the Mexican border, and some miles south of Animas it becomes a dirt road. I

wanted to reach Douglas, Arizona via this road. A southwest fork in the road leads through the Guadalupe Mountains and past Slaughter Ranch (sometimes known San Bernardino Ranch), ultimately bringing you to Douglas. I asked a border patrol officer that we met south of Animas for directions (I was uncertain if the road fork would be well marked). He looked at our Ford Probe and told me that he would not advise trying to drive it to Douglas via that road on account of high road centers, many stream bed crossings, etc. His remarks simply bolstered my confidence that I could make it (over the years various people have given me similar warnings, most of which proved unwarranted). Nancy seemed unperturbed; she recalled my driving prowess in a Ford Escort on the dirt road from Darwin to Darwin Falls in Inyo Co., California last year. We found the turnoff, but it was many miles farther south than the border patrol officer told us it was. As we entered the mountains the vegetation got denser and lusher, but it was very dry. We tried collecting but nothing much was flying. In a good year, however, I imagine that collecting here would be terrific. We will return someday. The road did cross the dry stream bed numerous times, but careful driving resulted in no problems, and we finally reached the pass and looked down into Arizona. On the way down we passed side roads to Sycamore and Guadalupe Canyons, both of which are worth exploring and collecting because of their closeness to Mexico. When we reached the Slaughter Ranch turnoff, we drove in and spent a few hours there. I was last here over 30 years ago with Lionel Stange and much has changed. The ranch has been restored and there are picnic tables by the lake under the shade of cottonwood trees. The exit channel from the lake in which I collected aquatic bugs many years ago, was bone dry, and it was hard to believe that it once was full of water, water cress, and belostomatids!

Nancy's father, who passed away early this year, had never been west of the Mississippi River or traveled to Mexico. She had saved some of his ashes in a tiny urn, and we carried them with us with the idea of burying them in Mexico. Slaughter Ranch provided the perfect opportunity to carry out this plan because the border fence is but a short hike from the ranch. Part of Nancy's

dad now resides, forever, in Mexico just across the fence from Slaughter Ranch.

That night we arrived in Bisbee, Arizona, an old mining town. The famous Lavender Pit which produced huge amounts of copper, has been inactive for 20 years. However, Bisbee is recovering from this loss of income and is being discovered by more and more people seeking a quiet retirement area. Bisbee has about 7,000 inhabitants representing a broad mixture of people of all ages: artistic types, hippies, naturalists, retirees, and others. The town seems to have been "discovered" and is starting to grow, but right now it has considerable small town charm. Nancy and I liked the area and unexpectedly found our retirement dreamhouse outside of Bisbee. After two days of deliberating the pros and cons of the wisdom of buying a house two years before my retirement, we decided to make the owner an offer. The owner accepted it and we now own four acres of high desert (5500') with a beautiful home that overlooks Mexico to the south, and is backed up by the Mule Mountains to the north: "Menke's Tarantula Ranch." We will be able to collect *Ammophila* right in our yard! Maybe we will call it Menke's *Ammophila* Research Station. During our two day deliberations over the house, we camped in Madera Canyon in the Santa Rita Mountains. Nancy bagged a specimen of *A. strenua*, but it was very dry and collecting was slow.

After finalizing matters relating to the house, we left Bisbee, heading north to Benson/Pomerene. We then followed the dirt road that leads up the San Pedro River Valley, eventually reaching Globe. This was a scenic drive, but we did not attempt collecting. The next day we headed up highway 60 to Show Low and Snowflake. We collected west of the latter town and caught *Ammophila mescalero*, *varipes*, and *wrightii*. We then reached Holbrook and continued north into Navajo land finally reaching Chinle where we camped in Canyon de Chelly Nat. Monument. The next day we hiked down into the canyon and visited the White House ruin. Then we drove northwest to Kayenta and Monument Valley, finally stopping at Muley Point Overlook in Utah. Muley Point, at 6000 feet, offers one of the finest views I have seen anywhere, and Nancy and I camped there. To the south you see the various buttes of Monument Valley and directly beneath the cliffs of Muley

Point is the San Juan River and its famous goosenecks. Off to the southwest is brooding Navajo Mountain. The sunset from Muley Point was fantastic. As darkness fell, it began to rain so we put up a tent. The rain stopped and a heck of a wind came up that practically blew us away. What a wild night!

The next day we headed north on Utah 261 to 95, eventually reaching Hanksville, Utah. Hanksville has grown since Frank Parker and I last visited the place in 1986. It now has several motels and eateries. Nancy and I drove north on road 24 into the San Rafael Desert and parked the car opposite Gil-sen Butte. We hiked over to the Butte collecting along the way. We took more specimens of *Ammophila moenki* and other sphecids, as well as a bunch of ant lions for my friend Lionel Stange. This area is always fun collecting and when Nancy and I move to Bisbee, we will doubtless come here every so often. The nearby Henry Mountains are home to the only truly wild population of American Buffalo. We would have liked to experience them, but this trip did not contain enough days. The next day we drove west from Hanksville to Capitol Reef Nat. Park, and then south from Torrey to Boulder, crossing scenic Boulder Mt. enroute. We headed toward Calf Creek Falls State Park, parked the car and began the several mile hike to the very pretty falls. Along the way we captured 5 species of *Ammophila*: *aberti*, *breviceps*, *cleopatra*, *moenki* and *unita*. A thunderstorm hit us as we reached the falls but we waited it out under a protective ledge. When the rain stopped we began the return hike and eventually retraced our drive back to Hanksville.


The next day we headed north on road 24 to interstate 70, then east on 70 to 163 and Arches National Park. Nancy and I hiked to Delicate Arch and spent quite a bit of time enjoying the view. We then hit the road south toward Monticello, stopping to take in the vista of Canyonlands Nat. Park from Needles Overlook. We collected a fair amount of wasps on the Overlook road, and at Wind Whistle Campground, Nancy caught specimens of *Ammophila juncea*. We also drove down route 211 that takes you to Canyonlands Nat. Park, stopping at Newspaper Rock, so named because it is covered with hundreds of very well preserved petroglyphs, some of which are very old

(2000 years). It is well worth seeing if you are in the area. Nancy found *Ammophila* here and managed to outcollect the master! Species taken included *azteca*, *breviceps*, *cleopatra*, *juncea* and *unita*. That night we camped at Buckboard campground in the Abajo Mountains west of Monticello. We were fairly high because quaking aspen were common. In the meadows we took *Ammophila azteca* and *procera*. It is well known that *Ammophila* females cannot sting a person, and I normally remove them from my net with my fingers. Apparently the sting is not sharp enough to pierce human skin. But I was stung by one of the *procera* females, these being among the largest members of the genus. The pain was minimal and of short duration, but I will handle *procera* females more cautiously in the future. The *procera* were noteworthy because of the very noticeable odor emitted when handled. These chemicals are secreted by mandibular glands (see Duffield, Shamim, Wheeler and Menke, 1981, Comp. Biochem. Physiol. 70B:317-318).

From Monticello we headed eastward toward Durango, Colorado so that we could take in the narrow gauge railroad and its steam locomotives. After an hour or so of locomotive watching, we headed south to Aztec, New Mexico where my son Kurt lives. He had just completed hiking the Pacific Crest Trail in Oregon, roughly 500 miles, and we wanted to hear about his trip. Kurt lives on the bank of the Animas River, a really pretty and out of the way place. It is a short walk from his house to Aztec Ruins Nat. Mon., so we examined them. We also collected *Ammophila azteca* in Kurt's backyard, a species whose name compliments the locality. We continued on our way back to Albuquerque by traveling eastward toward Chama, New Mexico, home of the other remaining segment of the former Denver and Rio Grande narrow gauge railroad. In Chama we spent a couple of hours wandering about the locomotive shop and yards before heading south. When we reached the Los Alamos area, we headed west toward Jemez Springs, spending a very enjoyable night at a new inn that had a hot tub, the Jemez River Bed and Breakfast Inn. It's a great place to relax. The next day we were back in Albuquerque. We again visited Old Town and discovered the American International Rattlesnake Museum. The owner has living

examples of all rattlesnake species plus a few look-a-likes. Quite a display. Finally we had an early morning preflight breakfast at Albuquerque's famous *Frontier Restaurant*; nothing quite like their breakfast burritos with eggs, green chile, etc! All in all, we had a great trip, and with a great house awaiting us in Bisbee, it is going to be a long two years until my retirement.

Postscript: Nancy spent a week at our new Bisbee home in October. She collected *Ammophila hermosa* and *breviceps* in our own yard. Whoopie!



MUSEUM/COLLECTION NEWS

The Sphecidae in the Collection of Hymenoptera of the Museu de Zoologia da Universidade de São Paulo
by
Sérvio Túlio Pires Amarante
Museu de Zoologia, Universidade de São Paulo, São Paulo - SP Brazil, Caixa Postal 7172, CEP 01064-970

The Hymenoptera collection of the Museu de Zoologia contains an estimated 300,000 specimens, with approximately 7,200 examples of Sphecidae. The collection, established Sept. 15, 1894, is housed in the Museu Paulista. Formerly the Museu Paulista was a natural history and historical museum, containing biological, anthropological and historical collections. In this initial period much of the insect material was composed of collections made by Hermann Lüderwaldt, Ernst Garbe, Curt Schrottky, Adolfo Hempel, J. Pinto da Fonseca and Hermann von Ihering. It was in those nascent times that the Hymenoptera collection had one of its most productive phases. Hermann von Ihering and Hermann Lüderwaldt conducted and managed many transactions with other institutions and collectors, involving exchanges, loans, and the acquisition of specimens. These transactions were very important and resulted in the addition of specimens identified by specialists such as A. Ducke, W. J. Fox, A. Handlirsch, F. F. Kohl, S. A. Rohwer, and R. E. Turner.

After von Ihering and Lüderwaldt, the Hymenoptera collection passed into a somewhat latent phase. In 1939 the collections of the Museu Paulista were split and the Departamento de Zoologia of the Secretary of Agriculture of the State of São Paulo was created to receive the zoological material. A new building was constructed to house the collections, and 30 years later the Departamento de Zoologia was incorporated into the University of São Paulo and was renamed the Museu de Zoologia. Except for some scanty efforts, the Sphecidae collection received little attention in these years, with no specialists engaged in its curation. However, the collection continued to receive additions from various sources, with Karol Lenko being an important contributor in the 1960s.

In the late 1970s, Carlos Roberto Brandão began a new phase in the study and curation of the Hymenoptera collection. During this period, Abraham Willink visited the collection, sorting much of the Sphecidae and some other Aculeata at least to genus. Also it should be mentioned that some material was identified by Arnold Menke, Richard Bohart, Jean Leclercq and Wojciech Pulawski, mainly as a result of revisionary studies.

In the middle of 1986, I started to work in the reorganization of the collection, and since then I have been identifying the specimens and accumulating literature about the family. Following the classification of Bohart & Menke (1976) I have sorted the material to family, subfamily and tribe, arranging the genera into these categories in alphabetical order. More recently I have been identifying material to species and sorting to morphospecies those groups for which there are no published systematic studies. I have much of this work done, with only the Philanthinae left to sort.

Below is a list of genera that are represented in our collection. To show the geographical distribution of our collection, I have listed the countries and the Brazilian states where the specimens were collected, providing a useful source information for these genera. Some of the genera listed below have never been reported for some places in South America, having been considered to be restricted to smaller geographical areas or to have disjunct distributions. I have already mentioned some of these new

findings in a report of collection trips in *Sphecos* 25.

To give a better idea of the distribution reflected by the collection, I have listed the Brazilian states using the following abbreviations: Acre (AC), Alagoas (AL), Amapá (AP), Amazonas (AM), Bahia (BA), Ceará (CE), Distrito Federal (DF), Espírito Santo (ES), Goiás (GO), Mato Grosso (MT), Mato Grosso do Sul (MS), Maranhão (MA), Minas Gerais (MG), Paraíba (PB), Pará (PA), Paraná (PR), Pernambuco (PE), Piauí (PI), Rio Grande do Norte (RN), Rio Grande do Sul (RS), Rio de Janeiro (RJ), Roraima (RR), Rondonia (RO), Santa Catarina (SC), São Paulo (SP) and Tocantins (TO). Other South American countries are abbreviated as follows: Argentina (Arg), Paraguay (Par), Chile (Chi), Peru (Per), Bolivia (Bol), Venezuela (Ven), Colombia (Col), Ecuador (Equ), Guyana (Guy), Surinam (Sur).

Ampulicinae

Ampulicini

Ampulex, AM, PA, SP, India

Dolichurini

Dolichurus, MG, SP.

Paradolichurus, BA, MA, MT.

Sphecinae

Sceliphronini

Chalybion, USA.

Chlorion, MG, RS, SP, Arg, USA, India.

Dynatus, BA, PA.

Penepodium, AM, BA, DF, ES, GO, MG, PA, PR, RJ, RS, SC, SP.

Podium, AM, BA, ES, GO, MG, MS, MT, PR, RJ.

Sceliphron, AC, BA, CE, DF, ES, GO, MG, PA, PE, PI, PR, RJ, RN, RS, SC, SP, Arg, Par, Chi, USA, Syria, South Africa, Congo, Europe.

Stangeella, DF, Arg.

Trigonopsis, AP, ES, MT, PA.

Sphecini

Isodontia, AM, BA, GO, RJ, SC, SP, Arg, USA, Mex..

Prionyx, AP, BA, ES, PA, PI, Arg, Per, Chi, USA.

Sphex, AM, BA, CE, ES, GO, MA, MG, MT, PA, RJ, RR, RS, SC, SP, Arg, Par, Per, Chi, Gui, USA, Hungry, Spain.

Ammophilini

Ammophila, BA, ES, GO, MG, MS, MT, PA, RS, SC, SP, Arg, Chi, Ven.

Eremnophila, AM, BA, CE, ES, GO, MG, MT, PA, RJ, RO, RS, SC, SP, Ven, USA.

Podalonia, Mex., Sicily, Spain.

Pemphredoninae

Psenini

Pluto, AM, AP, BA, CE, ES, MG, MT, RR, SP, Arg, Par.

Pseneo, ES, GO, PR, RJ, SP.

Psenulus, AP.

Pemphredonini

Diodontus, USA.

Microstigmus, MG, SC, SP.

Passaloecus, SP.

Pemphredon, Europe.

Spilomena, DF, MG, MT, SP.

Stigmus, AP, BA, DF, MG, MT, SP.

Astatinae

Astatini

Astata, CE, ES, MG, MT, PI, PR, RJ, SC, SP, Bol, Per, Equ, Spain.

Larrinae

Larriini

Larra, AC, DF, ES, MG, PA, PI, PR, RJ, RS, SP.

Liris, AP, BA, CE, ES, GO, MG, MS, MT, PA, PI, PR, RR, RS, SC, SP, Arg, Bol, Ven, Sur, Spain.

Parapiagetia, Arg, Par.

Tachysphex, AM, BA, DF, ES, GO, MG, MS, MT, PA, PI, RR, SP, Arg, Spain.

Tachytes, AL, AM, AP, BA, DF, ES, GO, MG, MS, MT, PI, RJ, RR, RS, SP, Arg, Par, Ven, Sur, Europe.

Palarini

Palarus, Mauritania, Egypt.

Miscophini

Lyroda, BA, MG, PA, PT, Par, USA.

Misophus, AP.

Nitela, AM, AP, BA, MT, RO, SP.

Soliarella, BA, ES, GO, MG, PI, RR, Sur.

Trypoxylini

Aulacophilus, BA, MG, PI.

Pison, AC, AM, DF, GO, MG, MT, PA, PI, RJ, SC, SP, Chi, Mex.

Pisonopsis, USA.

Pisoxylon, AM, SC.

Trypoxylon, AC, AL, AM, AP, BA, CE, ES, GO, MA, MG, MS, MT, PA, PE, PI, PR, RJ, RO, RR, RS, SC, SP, Arg, Par, Col, Ven, Sur, USA, Costa Rica, Guatemala, Mex., Sri Lanka, Japan, India, Philippines, Formosa, Europe.

Scapheutini

Bohartella, SP.

Scapheutes, AP, MG, SP.

Bothynostethini

Bothynostethus, BA, ES, GO, MT, PA, PI, SP.

Crabroninae

Oxybelini

Oxybelus, AM, BA, ES, GO, MG, MT, PA, PI, RJ, SP, Par, Chi, Spain.

Crabronini

Anacrabro, MG, MT, PA, PI, SP.

Crabro, Europe.

Ectemnius, BA, ES, MG, MT, RJ, RO, RS, SC, SP, USA, Europe.

Enoplolindenius, AM, AP, BA, ES, MG, MT, PI, SP.

Entomocrabro, MG, SP.

Foxita, AP, PA, SP.

Lestica, SP, Europe.

Pae, AP, SP.

Podagratus, SP, Chi.

Quexua, AP, Per.

Rhopalum, SP, Chi, Ven.

Taruma, RJ.

Nyssoninae

Mellinini

Mellinus, Europe.

Heliocausini

Tigipa, MT, PI.

Alyssonini

Alysson, USA, Europe.

Nyssonini

Antomartinezius, BA, DF.

Cresson, SP, Chi.

Epinysson, MG, PI, RJ, SP.

Foxia, PA, SP.

Idonysson, SP.

Metanysson, PI.

Nysson, Europe.

Perisson, Arg.

Zanysson, DF, GO, MT, SP.

Gorytini

Argogorytes, MG, SP.

Clitemnestra, Chi.
Gorytes, Europe.
Hoplisoides, BA, MG, MT, PA, RJ,
 SP, Sur.
Lestiphorus, RJ.
Liogorytes, Arg.
Megistommum, SP.
Neoplilus, MG, MT, RJ, SP.
Pseudoplilus, USA.
Ochleroptera, AP, MG, PI, RJ, SP,
 Per, Mex.
Sagenista, AM, AP, CE, ES, MG,
 PA, SP, Bol.
Sphecius, PA, Sur, USA.

Stizini
Bembecinus, AM, CE, GO, MG, MT,
 PA, PE, PI, RJ, SP, Esp.
Stizoides, USA.

Bembicinae
Bembix, RR, SP, Arg, Chi, Sur, USA,
 Esp.
Bicyrtes, AC, AM, BA, CE, ES, GO,
 MA, MG, MT, PA, PE, RJ, RO, RS,
 SC, SP, Per, Sur, USA.
Editha, CE, ES, GO, MG, MT, SP.
Hemidula, Arg.
Microbembex, CE, ES, GO, MT, PA,
 PI, PR, RR, SP, Arg, Par, Sur,
 USA, Mex.
Rubrica, BA, CE, DF, ES, GO, MG,
 MS, MT, PA, PR, RJ, RR, RS, SC,
 SP.
Selman, ES.
Steniolia, USA.
Stictia, AM, GO, MG, MT, PA, RJ,
 RS, SP, Arg, Bol, Equ, Col, Sur,
 USA.
Trichostictia, RS, Per, Chi.
Zyzyx, Chi.

Philanthinae

Philanthini
Philanthus, USA, Spain.
Trachypus, AM, BA, DF, GO, MG,
 PA, PI, RJ, SC, SP, Arg, USA,
 Europe.

Aphilanthopsini
Aphilanthops, USA.

Cercerini
Cerceris, AM, BA, CE, ES, GO, MG,
 MT, PA, PR, RJ, RR, SC, SP, Arg,
 Chi, Col, Gui, USA.



Tsuneki Holotypes at the National Museum of Natural History, Smithsonian Institution, Washington DC by Terry Nuhn and Arnold Menke

As reported in *Sphecos* 17:15 and 20:30, the late Katsuji Tsuneki sent most of his collection to the Smithsonian Institution in 1985, 1987 and 1990. A final shipment was received in late 1992. The collection included many holotypes of his new species, some of which came to the Smithsonian. The list below includes all of the Tsuneki wasp holotypes now housed in Washington DC. It does not include types of his Japanese species; they remain in Japan. Most of the types are Sphecidae, but species of Pompilidae, Tiphiidae, Scoliidae and Mutillidae are also represented.

Some of Tsuneki's sphecid types that were listed in his publications as in the "Coll. Tsuneki" were never received, and their location or disposition is unknown at present. At the end of the USNM type list we have appended a list of them. These are from papers that Tsuneki published in 1983 and 1984, and although the holotypes are listed as "Coll. Tsuneki", we suspect that they were returned to their Japanese collectors: Miss C. Nozaka, Mr. T. Murota, Mr. H. Kurokawa, Mr. T. Tano, and Mr. K. Sabi. We hope to clarify the location of these types in the future. At least one holotype was reported by Krombein and Pulawski (1994:83) as apparently lost in transit to Washington DC: *Tachysphex lagunaensis* Tsuneki, 1983 (Sphecidae). However, since none of the other types published in that paper came to the Smithsonian, it may be that *lagunaensis* is in the collection of Mr. Tano, the collector.

Some Tsuneki holotypes were returned to museums that lent him material for study: the California Academy of Sciences, San Francisco; The Natural History Museum, London; the Rijksmuseum van Natuurlijke Historie, Leiden; the Bishop Museum, Honolulu; the Hungarian Natural History Museum, Budapest; the Zoological Museum, Copenhagen, and others. We have not attempted to compile a list of Tsuneki types deposited in these institutions, but Pulawski has provided a list of types at the California Academy of Sciences (see p. 26).

Tsuneki holotypes in NMNH

MUTILLIDAE

aborlana, *Smicromyrme*, 1993
aponis, *Smicromyrme*, 1993
bidentata, *Smicromyrme*, 1993
bidentata, *Squamulotilla*, 1972
calacuasana, *Smicromyrme*, 1993
cavicola, *Smicromyrme*, 1993
cebuensis, *Squamulotilla*, 1993
hombuceiana, *Smicromyrme*, 1982
ilanica, *Smicromyrme*, 1972
kuanfuana, *Smicromyrme*, 1972
leytensis, *Trogaspidia*, 1993
mindanaonis, *Smicromyrme*, 1993
mindanaonis, spp. of *Squamulotilla*
teuta, 1993
pacifica, *Trogaspidia*, 1972
palacala, *Smicromyrme*, 1993
puliensis, *Squamulotilla*, 1972
takasago, *Trogaspidia*, 1972
tridepressa, *Trogaspidia*, 1993
unidentata, *Squamulotilla*, 1972
yuliana, *Smicromyrme*, 1972
yuliensis, *Trogaspidia*, 1972
zamboangae, spp. of *Smicromyrme*
aborlana, 1993

SCOLIIDAE

apakaensis, *Scolia*, 1972
bnun, *Scolia*, 1972
ilanensis, *Campsomeris*, 1972
koreana, spp. of *Scolia wusheensis*,
 1972
taiwana, *Campsomeris*, 1972
taiwana, *Scolia*, 1972
wusheensis, *Scolia*, 1972

TIPHIIDAE

alishana, *Mesa*, 1986
ami, *Tiphia*, 1986
atayal, spp. of *Tiphia ordinaria*, 1986
changi, *Tiphia*, 1986
chihsienchia, *Tiphia*, 1986
fenchihuensis, *Tiphia*, 1986
formosana, spp. of *Tiphia brevilineata*,
 1986
formosensis, *Tiphia*, 1986
fortidentata, *Tiphia*, 1986
fukuii, *Tiphia*, 1986
hohrai, *Tiphia*, 1986
hokkien, *Tiphia*, 1986
honiana, *Tiphia*, 1986
ilanensis, *Tiphia*, 1986
komaili, *Tiphia*, 1986
lihyuehtana, *Tiphia*, 1986
pempuchiensis, *Tiphia*, 1986
puliensis, *Tiphia*, 1986
taipelana, spp. of *Tiphia*

rufomandibulata, 1986
taiwana, *Hylomesa*, 1986
taiwanica, *Methocha*, 1986
takasago, *Tiphia*, 1986
vallicola, *Tiphia*, 1986
yanoi, *Tiphia*, 1986

POMPILIDAE

alticola, *Minagenia*, 1989
ami, *Pompilus*, 1989
bunun, *Pompilus*, 1989
changi, *Hemipepsis*, 1989
checheng, *Anoplius*, 1989
daedalus, *Atopopompilus*, 1989
fenchihuensis, *Dipogon*, 1989
formosana, *Taiwania*, 1989
formosanus, *Anoplius*, 1989
formosanus, *Leptodialepis*, 1989
formosanus, *Minoctocyphus*, 1989
fuliginosus, *Anoplius*, 1989
granulosa, *Minagenia*, 1989
hengchunensis, *Anoplius*, 1989
hombukeanus, *Auplopus*, 1989
hoorai, *Auplopus*, 1989
ilanensis, *Ferreola*, 1989
kuanghanus, *Auplopus*, 1989
kuarensis, *Auplopus*, 1989
latifrons, *Anoplius*, 1989
latimarginatus, *Episyron*, 1989
longicornis, *Anoplius*, 1989
meridianus, *Anoplius*, 1989
murotai, *Auplopus*, 1989
nambiu, *Auplopus*, 1989
niger, *Lissocnemis*, 1989
nigripennis, *Morochares*, 1989
pempuchianus, *Dipogon*, 1989
pempuchiensis, *Aporinellus*, 1989
pempuchiensis, *Auplopus*, 1989
pempuchiensis, *Minagenia*, 1989
pygmaeus, *Ceropales*, 1989
quadridentata, *Meragenia*, 1988
rufiventris, *Phanagenia*, 1989
rufotibialis, *Episyron*, 1989
rufotibialis, *Taiwania*, 1989
surusumi, *Anoplius*, 1989
taiwana, *Ferreola*, 1989
taiwana, *Minagenia*, 1989
taiwana, *Phanagenia*, 1989
taiwana, *Taiwagenia*, 1989
taiwaneanus, *Malloscelis*, 1989
taiwanensis, *Hemipepsis*, 1989
taiwanianus, *Ceropales*, 1989
taiwanus, *Aporinellellus*, 1989
taiwanus, *Clistoderes*, 1989
taiwanus, *Evagetes*, 1989
taiwanus, *Homonotus*, 1990
taiwanus, *Pompilus*, 1989
taiwanus, *Temlepis*, 1989
takasago, *Phanagenia*, 1989
tsou, *Pompilus*, 1989
tsukengensis, *Anoplius*, 1989

SPHECIDAE

abnormis, *Odontocrabro*, 1971
abortana, *Cerceris*, 1992
albopilosa, *Liris*, 1967
alisana, *Ampulex*, 1967
alishanus, *Ectemnius*, 1968
alishanus, *Psen*, 1967
alishanus, ssp. of *Stigmus shirozui*, 1971
alticola, *Crossocerus*, 1968
amamiensis, *Dolichurus*, 1964 Tsuneki & Iida
amatatorium, *Trypoxyylon*, 1980
ami, ssp. of *Stigmus convergens*, 1971
angustipetiolatum, *Rhopalum*, 1971
antennatus, *Polemistus*, 1992
apakaensis, *Tachysphex*, 1971
apakensis, ssp. of *Cerceris arenaria*, 1961
apakensis, ssp. of *Sphex lividocinctus*, 1971
apiocinatus, *Dolichurus*, 1977
apoensis, *Nitela*, 1992
aponis, *Carinostigmus*, 1992
aposanus, *Dolichurus*, 1992
attenuatus, ssp. of *Psen seminitidus*, 1977
baguionis, *Dolichurus*, 1992
baguionis, ssp. of *Trypoxyylon fletcheri*, 1980
bakeri, *Trypoxyylon*, 1978
bakerianum, *Trypoxyylon*, 1979
bambosicola, ssp. of *Crossocerus fukuiensis*, 1971
banahao, *Trypoxyylon*, 1980
banoense, *Trypoxyylon*, 1980
basiflavum, *Trypoxyylon*, 1979
basilanense, *Trypoxyylon*, 1980
basilanum, *Trypoxyylon*, 1980
beidzmiao, *Tachysphex*, 1971
benten, *Trypoxyylon*, 1979
bidentatus, *Polemistus*, 1992
binghami, ssp. of *Liris deplanata*, 1967
bnun, *Crossocerus*, 1971
bnun, *Psen*, 1971
borneana, *Liris*, 1974
breve, ssp. of *Trypoxyylon flavipes*, 1980
capillatum, *Trypoxyylon*, 1979
cebuensis, *Polemistus*, 1992
chahariana, ssp. of *Ammophila gobiensis*, 1971
changi, *Cerceris*, 1972
changi, ssp. of *Ectemnius melanotarsis*, 1971
changi, *Rhopalum*, 1968
changi, *Tachysphex*, 1967
chihpense, *Trypoxyylon*, 1971
chingi, *Trypoxyylon*, 1971
chongar, ssp. of *Trypoxyylon frigidum*, 1956
cidicum, *Trypoxyylon*, 1980
clypealis, *Dolichurus*, 1992
clypeopunctata, *Liris*, 1974
compluvium, *Trypoxyylon*, 1980
coreensis, *Cerceris*, 1961
cornigena, *Cerceris*, 1992
crassicollis, *Cerceris*, 1968
curo, *Cerceris*, 1992
curvum, *Trypoxyylon*, 1980
davaonis, ssp. of *Dolichurus palawanensis*, 1992
denticollis, *Ampulex*, 1967 (= *bidenticollis* nom. nov., Tsuneki, 1976)
difficilis, *Liris*, 1983
domicola, *Crossocerus*, 1971
erraticum, *Rhopalum*, 1968
falcifera, *Cerceris*, 1961
fenchihuensis, *Larra*, 1967
fenchihuensis, *Trypoxyylon*, 1967
flagellatum, *Trypoxyylon*, 1980
flavitibialis, ssp. of *Oxybelus latidens*, 1971
formosana, *Ammophila*, 1967 (= *formosensis* nom. nov., Tsuneki, 1971)
formosana, *Leclercqia*, 1968
formosana, *Liris*, 1973
formosana, *Taialia*, 1971
formosanus, *Alysson*, 1968
formosanus, *Dasyproctus*, 1968
formosanus, *Tachysphex*, 1971
formosensis, ssp. of *Psen koreanus*, 1965
formosus, ssp. of *Oxybelus nipponicus*, 1968
fruiticicola, *Trypoxyylon*, 1981
fukuitori, *Polemistus*, 1992
fuliginosus, *Argogorytes*, 1968
fuscatus, *Liris*, 1971
gampahae, *Trypoxyylon*, 1981
gegan, *Cerceris*, 1961
giganteum, *Trypoxyylon*, 1980
hakusanus, *Psen*, 1959
hengchunensis, *Tachytes*, 1967
hokkonzana, *Cerceris*, 1961
hombceanum, *Rhopalum*, 1973
idzekii, *Tachysphex*, 1971
inondensis, *Crossocerus*, 1983
insulicola, *Cerceris*, 1968
insulicola, ssp. of *Ectemnius arreptus*, 1971
intermedius, *Pemphredon*, 1951
kalensis, ssp. of *Cerceris varia*, 1972
kamateensis, *Crossocerus*, 1971
kandylianum, *Trypoxyylon*, 1979
kansitakuanus, ssp. of *Crossocerus flavopictus*, 1971
kansitakuanus, *Stigmus*, 1971
kanistikum, *Trypoxyylon*, 1971
kawasei, ssp. of *Cerceris formosicola*, 1963

- kentinensis, ssp. of *Cerceris umbinifera*, 1977
kiashi, ssp. of *Trypoxyylon varipunctatum*, 1980
kitulgalaense, *Trypoxyylon*, 1981
kizanensis, ssp. of *Ectemnius cavifrons*, 1972
koala, *Cerceris*, 1968
kodairai, *Tachysphex*, 1971
kolambunganum, *Trypoxyylon*, 1980
koma, *Cerceris*, 1961
koreanum, *Trypoxyylon*, 1956
koreanus, *Psen*, 1959
koryo, *Cerceris*, 1961
krombeini, *Ectemnius*, 1983
krombeini, *Lestica*, 1983
krombeini, *Trypoxyylon*, 1979
kunzui, *Trypoxyylon*, 1981
lamellatum, *Trypoxyylon*, 1979
lanaonis, *Cerceris*, 1992
latiberbis, *Cerceris*, 1968
leytensis, *Cerceris*, 1992
licimum, *Trypoxyylon*, 1981
lihyuetanus, *Tachysphex*, 1971
longicornis, *Psen*, 1967 (= *shukuzanus* nom. nov., Tsuneki, 1972)
luteocollare, *Trypoxyylon*, 1980
luzonensis, *Carinostigmus*, 1992
maculicollis, *Dolichurus*, 1967
makiling, *Liris*, 1983
makiling, *Trypoxyylon*, 1980
mandibularis, *Psenulus*, 1959
maniflava, *Cerceris*, 1971
melanocorne, *Trypoxyylon*, 1979 (= *atricorne* nom. nov., Tsuneki, 1979)
membranaceum, *Trypoxyylon*, 1979
menkei, *Trypoxyylon*, 1979
mindanaonis, *Bembix*, 1992
mindanaonis, *Cerceris*, 1992
mindanaonis, *Dolichurus*, 1992
mindanaonis, *Ectemnius*, 1992
mindanaonis, *Polemistus*, 1992
mongolica, ssp. of *Cerceris pekingensis*, 1961
mongolicus, *Crabro*, 1958
mowchowense, *Trypoxyylon*, 1981
murotai, *Ampulex*, 1973
murotai, *Rhopalum*, 1973
murotai, *Trypoxyylon*, 1973
mushaenise, *Rhopalum*, 1971
nambui, *Trypoxyylon*, 1966
naranhun, *Tachysphex*, 1971
niger, *Polemistus*, 1992
nigricorne, *Trypoxyylon*, 1979
nitidicorpus, *Crossocerus*, 1968
nonakai, *Tachysphex*, 1971
novaguineae, *Trypoxyylon*, 1981
obliquum, ssp. of *Trypoxyylon fronticorne*, 1981
okeanskayanum, *Trypoxyylon*, 1981
outang, *Trypoxyylon*, 1980
pacificus, *Bembecinus*, 1968
palawanensis, *Dolichurus*, 1992
palawanensis, *Polemistus*, 1992
panayanum, ssp. of *Trypoxyylon compluvium*, 1980
pekingensis, *Cerceris*, 1961
pekingensis, *Tachysphex*, 1971
pempuchi, *Ectemnius*, 1971
pempuchi, *Sphex*, 1971
pempuchiensis, *Dolichurus*, 1972
pempuchiensis, ssp. of *Psenulus ornatus*, 1971
penpuchiensis, *Bembecinus*, 1968
philippinensis, *Bembecinus*, 1992
philippinensis, *Polemistus*, 1992
philippinica, ssp. of *Cerceris pictiventris*, 1992
philippinica, *Nitela*, 1992
philippinicus, *Hoplisoides*, 1992
philippinicus, *Lestiphorus*, 1992
planifrons, *Trypoxyylon*, 1977
pleuralis, *Cerceris*, 1968
puliense, *Trypoxyylon*, 1967
puliensis, *Dolichurus*, 1967
punctata, *Liris*, 1974
quadriceps, *Trypoxyylon*, 1971
quadridentatus, *Polemistus*, 1992
quinquedentatus, *Crossocerus*, 1971
rekabum, *Trypoxyylon*, 1980
rohweriellum, *Trypoxyylon*, 1980
rufiventris, *Crossocerus*, 1968
rugosifrons, *Dolichurus*, 1992
samarianum, ssp. of *Trypoxyylon compluvium*, 1980
samarense, *Trypoxyylon*, 1980
sandakanum, *Trypoxyylon*, 1980
sarum, *Trypoxyylon*, 1980
semicompluvium, *Trypoxyylon*, 1980
seoulensis, ssp. of *Cerceris quinquefasciata*, 1961
shirozui, *Rhopalum*, 1965
sibuyanense, *Trypoxyylon*, 1980
siitanus, *Tachysphex*, 1971
simile, *Trypoxyylon*, 1979
singaporense, *Trypoxyylon*, 1979
singator, *Trypoxyylon*, 1981
sinica, ssp. of *Cerceris sabulosa*, 1961
spangleri, *Trypoxyylon*, 1979
spinicollum, *Rhopalum*, 1968
srilankum, *Trypoxyylon*, 1979
suffuense, ssp. of *Trypoxyylon clavicerum*, 1981
sungconis, *Carinostigmus*, 1992
sungconis, *Psenulus*, 1992
supraconica, *Cerceris*, 1961
surigaonis, ssp. of *Trypoxyylon singorense*, 1980
surusumi, *Crossocerus*, 1971
szechuana, *Cerceris*, 1968
szechuen, *Trypoxyylon*, 1981
taipingshanum, *Rhopalum*, 1968
taiwana, ssp. of *Ammophila clavus*, 1967
taiwana, *Lyroda*, 1967
taiwanum, ssp. of *Rhopalum succineicollare*, 1971
taiwanum, ssp. of *Sceliphron deforme*, 1971
taiwanum, ssp. of *Trypoxyylon resonum*, 1967
taiwanus, *Crossocerus*, 1968
taiwanus, *Gorytes*, 1971
taiwanus, ssp. of *Motes larroides*, 1967
taiwanus, ssp. of *Passaloecus monilicornis*, 1967
takasago, ssp. of *Lyroda japonica*, 1967
takasago, ssp. of *Psen nitidus*, 1967
tanoi, *Crossocerus*, 1968
tanoi, *Euplilooides*, 1974
tanoi, *Psen*, 1967
tanoi, *Trypoxyylon*, 1967
taros, *Trypoxyylon*, 1980
tarsata, *Niwoh*, 1984
tienschiao, *Cerceris*, 1968
tiendang, *Cerceris*, 1961
tomi, *Trypoxyylon*, 1979
toyensis, *Tachytes*, 1971
triangulum, *Trypoxyylon*, 1981
tridentatus, *Polemistus*, 1992
trituberculatum, *Trypoxyylon*, 1980
tsuifengensis, *Crossocerus*, 1968
tsuifenius, *Ectemnius*, 1971
vallicola, *Trypoxyylon*, 1971
varicolor, *Trypoxyylon*, 1980
varipunctatum, *Trypoxyylon*, 1980
venustum, *Trypoxyylon*, 1977
vicicola, ssp. of *Cerceris specifica*, 1992
williamsi, *Trypoxyylon*, 1980
windorum, *Cerceris*, 1968
wusheense, *Rhopalum*, 1973
wusheensis, ssp. of *Ammophila sickmanni*, 1967
yaeyamanus, ssp. of *Tachysphex bengalensis*, 1971
yunnanensis, *Cerceris*, 1968
- Tsuneki holotypes (Sphecidae) not received by Smithsonian (collector's name in parentheses; type possibly returned to that person)
- alaminos*, *Lyroda*, 1983 (Kurokawa)
alticola, ssp. of *Cerceris specifica*, 1984 (Tano)
aponis, ssp. of *Cerceris sobo*, 1984 (Tano)
aponis, *Crossocerus*, 1984 (Murota)
apo, *Ectemnius*, 1984 (Murota)
aponis, *Larra*, 1983 (Murota)
aposanus, *Crossocerus*, 1984 (Tano)
baguione, *Pison*, 1983 (Nozaka)
baguione, *Rhopalum*, 1984 (Murota)

baguionis, *Liris*, 1983 (Murota)
bukidnon, *Ectemnius*, 1984 (Kurokawa)
bukidnon, *Rhopalum*, 1984 (Murota)
cavicola, *Liris*, 1983 (Murota)
cornicum, *Crorthopalmum*, 1984 (Murota)
davaonis, *Liris*, 1983 (Sabi)
djurodzin, *Ectemnius*, 1984 (Murota)
iliganensis, *Ectemnius*, 1984 (Murota)
laguria, *Lyroda*, 1983 (Murota)
lagunensis, *Tachysphex*, 1983 (Tano)
leytense, *Isorhopalum*, 1984 (Tano)
Iuzonicus, ssp. of *Tachysphex changi*,
 1983 (Murota)
makahambus, *Ectemnius*, 1984
 (Murota)
meridionalis, ssp. of *Ectemnius*
midifrons, 1984 (Murota)
mindanaonis, ssp. of *Dicranorhina*
nitsemae, 1983 (Murota)
mindanaonis, *Crossocerus*, 1984
 (Nozaka)
mindanaonis, *Piyuma*, 1984 (Murota)
murotai, *Pison*, 1983 (Murota)
naguillanus, *Dasyproctus*, 1984
 (Murota)
naguillanus, *Liris*, 1983 (Nozaka)
nozakae, *Pison*, 1983 (Nozaka)
ovale, *Rhopalum*, 1984 (Murota)
pagsanjan, *Lyroda*, 1983 (Kurokawa)
philippinica, *Lyroda*, 1983 (Tano)
philippinus, *Crossocerus*, 1984
 (Tano)
philippinus, ssp. of *Dasyproctus yorki*,
 1984 (Murota)
puncticeps, *Dasyproctus*, 1984
 (Murota)
rugosellus, *Ectemnius*, 1984
 (Kurokawa)
rugosus, *Ectemnius*, 1984 (Murota)

K. Tsuneki Types of Hymenoptera,
 all Sphecidae, in the
 California Academy of Sciences
 Entomology Collection
 (as of 28 November, 1994)

by

W. J. Pulawski

Dept. of Entomology, California Academy of
 Sciences, Golden Gate Park, San
 Francisco, CA 94118

ambonense, ssp. of *Trypoxyylon*
thaianum, 1978, holotype 13705
arnaudi, *Ammophila*, 1976, holotype
 12546
guadalensis, *Dasyproctus*, 1983,
 holotype 15122
manchurianus, ssp. of *Ectemnius*
konowii, 1976, holotype 12547
saghaliensis, ssp. of *Cerceris*
ruficornis, 1968, holotype 10245
solomonensis, *Dasyproctus*, 1983,
 holotype 15123
solomonica, *Piyuma*, 1983, holotype
 15125
solomonicus, *Ectemnius*, 1983,
 holotype 15124
spinicollis, *Lestica* 1976, holotype
 12548
tobieri, *Lestica*, 1977, holotype 13734
wegneri, *Trypoxyylon*, 1980, holotype
 13706

THE MYTH AND
 DANGERS OF
 ELECTROSHOCK
 TREATMENT

Electroshock for Treatment of
 Snakebites?????

by

Justin O. Schmidt


Southwestern Biological Institute
 1961 W. Brichta, Tucson, AZ 85745

Ugh, one of those horribly distasteful tasks one must do periodically. One of those tasks one simply would rather not do because it is such a waste of time (I could be writing interesting things for *Sphecos* instead), and it might alienate a few friends. But for the sake of colleagues and science, I must do it. I am referring to correcting the gross misinformation and wishful thinking (in other words, voodoo thinking) about electroshock for curing snakebite.

The idea of using electroshock from any of a variety of devices to cure snakebite is not new. It was first postulated in the 1880's and had a heyday in the 1920's, after which it was discarded because it was ineffective. The current shock treatment fad started in 1986 when a seven paragraph, half page testimonial appeared in the non-referred letter section of *The Lancet* (1). Because such an idea is so much fun to intellectualize (especially over a beer or two), it caught on (again) and all the facts and controlled experiments showing electroshock to be worthless were overlooked.

Let's get specific. Hemphill retold the old story in *Sphecos* 25:20-21 where he extended the usefulness of the shock treatment from snakes to bee, scorpion, and poisonous fish. I cringed. Then, to make matters worse, Collins (*Sphecos* 26:21) continued the story. And now it still continues (*Sphecos* 27:20). When will this silliness ever stop?

I feel it would be a disservice and dereliction of duty not to set the record straight so that hymenopterists are spared the potential risks of this treatment (see following article by Dr. Russell). In her comment, Collins added some "scientific reasoning" (horse sense) to explain why the method "works". Since we as human beings like to link our beliefs to logic and understanding, it is important to address these so called "logical explanations". She states



Anacrabro ocellatus Packard, female,
 (Sphecidae), North America.

that venoms are a mixture of complex, **fragile** (my emphasis) mixtures of enzymes and cofactors. True, except for the key word "fragile" – venom components are among the most stable and resistant of all proteins known to man. The argument that electroshock "destroys" the venom is even crazier. I and others routinely use isoelectrofocusing at 2000-4000 volts continuous for 12 hours to separate venom proteins. These components are not inactivated after this time! If we remove metal ion cofactors (calcium or zinc, usually), the proteins reactivate when they gain access to those ions (our bodies have plentiful levels of those elements which the proteins can use, should electroshock displace or inactivate the ionic cofactor). Finally, perhaps the shock alters our own body's membranes, thereby causing resistance to the venom. This is one of those hypotheses that cannot be falsified; but let us rely on the scientific results of experiments with animals that show no decreased morbidity or increased survival of envenomated and shocked animals (2-4), to indicate that this explanation is not realistic.

Interestingly, the only possibly plausible explanation for a beneficial action if, indeed, any did exist, for shock treatment of snake bites is not discussed – the placebo effect. It is well known that if one believes (s)he will get better, and if one trusts the treatment, then that person often does get better. That is why doctors prescribe "sugar pills". This is also why voodoo does work against believers – believers believe the curse, and often do fall sick or otherwise conform to the "hex" placed on them. Voodoo, of course, does not effect non-believers.

I will conclude by referring you to the accompanying article by Dr. Findlay Russell, probably the foremost expert in the world on snake bites (reprinted with his permission), and one simple observation – ever notice how false rumors and ideas require so little explanation to get started and propagated, and how debunking them takes much more effort, explanation, and repetition?

References

- Guderian, R. H. et al. 1986. High voltage shock treatment for snake bite. *Lancet* 78:229.
 - Johnson, E. K. et al. 1988. Electric shocks are ineffective in treatment of lethal effects of rattlesnake envenomation in mice. *Toxicon* 25:1347-49.
 - Howe, N. R. and J. L. Meisenheimer. 1988. Electric shock does not save snakebitten rats. *Ann. Emerg. Med.* 17:254-56.
 - Dart, R. C. et al. 1988. Snakebites and shocks. *Ann. Emerg. Med.* 17: 1262
- Electroshock for Snakebite**
by
Findlay E. Russell, MD
Health Sciences, University of Arizona
Tucson, AZ 85721
(dated 12 April 1987)
- The electric shock treatment for snakebite, (as described in a letter to *The Lancet* July 26, 1986, p. 229), and subsequent comments in that fine journal, remind me that a colleague of a deceased relative of mine reported the successful treatment, without question, of 312 snakebite patients, and only 2 deaths using the following measures: Take of each of the following herbs, viz. – Zebe Giante, En haut abois, confied Caye, Petit Fongere, Zebe a Courresse, Zebe Dahl, Zebe a Colette, Chadrone, Beni, Soumatie, Zimoron, Treffe, Charhentier, Zebe astro, Jarpanyai, and Balier doux, pound the same in a mortar, add thereto 3/4 oz. of alkali, 1/2 oz. of laudanum, put all in a quart bottle full of very strong spirits, shake and mix well, administer internally half a wine-glassful according to condition and constitution of patient. Dress the wound twice a day and oftener, if necessary, with the same preparation (1).
- Perhaps it would be wise to remind ourselves of a statement attributed to Fontana that "the physician who treats a patient with a drug and the patient recovers assumes that which is not necessarily true: that the patient recovered because of the drug, when in reality all that the physician has proved is that the drug did not kill the patient" (2).
- There is nothing new about using electric shock for treating the bites and stings of venomous animals (3). In fact, the idea appeared in outdoor and sportsman's magazines in the United States in the 1920's, and during the age of "electrotherapeutics", electroshock was suggested for animal bites in detailing pamphlets. There are over 500 references to electrotherapy in 1899 in one source work alone (4). How many of these note electroshock for snakebite I do not know, but the instructions accompanying Kinne's Magneto-Electric Machine (5) mentions snakebite as a disease susceptible to electroshock, and I doubt that this is the only such reference during the 19th century.
- As has been noted by Lerrick et al., in 1978, 45% of the Waoroni Indians have been bitten by snakes, and 50% of the adult males will be bitten more than once (6). Those of us who have treated victims who have been bitten once or several times by the same species, or even genus, of snakes are well aware that in most cases subsequent bites on these persons tend to be less severe (2). It is distressing that Guderian et al., overlooked the fine study of Theakston et al., (7) who showed that of 223 serum samples taken from Waoroni Indians in 1981, 78% were positive by ELISA against the snake venoms of that area. On the basis of this fact alone, one might suggest that Guderian et al., were treating a highly selective group of (immune?) patients.
- Further in this writer's experience in Ecuador, at least 30% of all crotalid bites on humans did not result in envenomation. That is, they were dry bites. In some parts of the world, at least 50% of bites by poisonous snakes are dry. This factor is seldom taken into account in evaluating therapeutic measures following bites by venomous snakes.
- There are several additional distressing opinions in the letter to *The Lancet*, one of which is the statement that "venom (snake) has a short half-life..." Actually, snake venoms have about the longest "half-life" of any complex protein mixture known to man. Venoms from Crotalidae of the Klauber collection (1920-26) show little change in their LD₅₀ after 60 years, and a sample of cobra venom sent from M. Phisalix to C. H. Pope, and now more than 63 years old, shows remarkably similar properties to the last sample supplied to me from the Haffkine Institute. I doubt that the argument to "shut-down local vessels by electrospasm may confine the venom locally long enough for it to become inactive", is consistent with the physical and chemical properties of the venom, nor our understanding of the physiopharmacological parameters of crotalid venom activity (8).
- Although the relationship cannot yet be established, a recent case of myo-

cardial infarction occurred in a 63-year old patient following the application of electroshock from the coil of a 75 h.p. outboard motor used to treat his rattlesnake bite.

Whatever their source, folk measures are hazardous because 1) they often involve dangerous procedures, and 2) they delay the use of really effective therapeutic procedures (3).

References

1. Richards, V. (1885). The Land Marks of Snake-Poison Literature, Being a Review of the More Important Researches into the Nature of Snake Poisons. Calcutta: D. M. Traill.
2. Russell, F. E. (1983). Snake Venom Poisoning. Great Neck, NY: Scholium International.
3. Russell, F. E. (1973). and Wainschel, J. Scorpion stings and spark plug shocks. J. Amer Med. Assoc. 225:419.
4. Index Catalogue of the Library of the Surgeon-General's Office, U.S. Army, Vol. IV (1899).
5. Kinne, W. W. (1857). Magneto-electricity, or electromagnetism, medically applied for the cure of disease. Instructions for its use, and references to cases of practice. Second printing, New York.
6. Lerrick, J. W., Yost, J. A. and Kaplan, J. (1978). Snake bite among the Waorani Indians of eastern Ecuador. Trans. Roy. Soc. Trop. Med. Hyg. 72:542-543.
7. Theakston, R. D. G., Reid, H. A., Lerrick J. W., Kaplan, J. and Yost, J. A. (1981). Snake venom antibodies in Ecuadorian Indians. J. Trop. Med. Hyg. 84:199.
8. Russell, F. E. (1980). Pharmacology of venoms. In, Natural Toxins, E. Eaker and T. Wadstrom, eds., Oxford: Pergamon Press, p. 13.

The Hammer Cure for Wasp Stings

One of the simplest treatments for wasp stings requires only a hammer. After being stung, all the victim has to do is whack one thumb with a hammer. This will greatly relieve the pain from the wasp sting.

WHY IS A VINEGAROON NOT A TARANTULA?

by

Justin Schmidt

*Southwestern Biological Institute, 1961
W. Brichta, Tucson, AZ 85745*

The title sounds like something my seven year old son would ask. But really, sometimes absurdity can draw attention to interesting questions. Tarantulas are well-known, large, fierce predators whose main interest to most hymenopterists (and I might add television film makers and the general public) is that pompilids prey on them as food provisions for their young. The spectacular battles of *Pepsis* and a tarantula are well known, and never fail to leave the viewer puzzling over "why" the tarantula doesn't simply take charge and make a fine meal of the *Pepsis*. So why does not some pompilid or other wasp (there are lots of sphecids out there) prey on vinegaroons (*Mastigoproctus giganteus*)? And why, for that matter, do not any Parasitica or even tachinids parasitize them? Vinegaroons and tarantulas are similar in many respects – they are both large, nocturnal, long-lived, warm climate generalist predators, that live in underground burrows during the day. The main physiological differences between the two are that tarantulas produce venom and vinegaroons, as the name suggests, produce concentrated acetic acid (plus a short chained lipid-soluble fatty acid). Back to the original question – why do vinegaroons not have insect parasites? I don't think one can argue that the physiological defenses of vinegaroons are better. Sure they could spray the vinegar on potential assailants, but then again, tarantulas could equally well grab and bit potential attackers (anybody who has seen a tarantula in action can attest to how fast and strong they are).

So what is the difference between the two groups? Anybody have any observations of wasp parasites or predators of vinegaroons, or why they don't have any? My only speculations are that it is just a fluke of random chance, or a result of phylogenetic constraints – neither being particularly satisfying.



BIG BLUE BOOK ERRATA Installment 23


- p. 115, RC, L 26: *ruficauda* is correct (name is a noun)
- p. 116, LC, L 6: *nubilus* is an unavailable name under provisions of Article 16 of the ICZN
- p. 124, LC, L 28: 1849 is correct, not 1848.
- p. 134, LC, L 16 from bottom: 1849 is correct, not 1848.
- p. 146, LC, L 14 from bottom: 1849 is correct, not 1848.
- p. 272, LC, L 24: 1849 is correct, not 1848.
- p. 275, RC, L 15: 1849 is correct, not 1848.
- p. 310, RC, L 11 from bottom: change (1961) to (1961b)
- p. 349, LC, L 22 from bottom: add after 1912: nec Stephens, 1829.
- p. 425, RC, L 8 from bottom: (*Melanocrabro*) was correct spelling in Giffard, a typographic error.
- p. 544, RC, L 17: change (1960) to (1961a)
- p. 547, RC, L 17 from bottom: 1907 is correct, not 1906.
- p. 564, RC, last L: 1849 is correct, not 1848.
- p. 596, RC, L 8: Nachrichtenblatt Bayer. Ent. is correct
- p. 596, RC, L 13: Guiana is correct, not Buiana
- p. 598, LC, L 2: 1917 is correct, not 1916. Apparently not actually cited in text of book.
- p. 598, RC, L 19: vol. is 17, thus: 17 (A) 47:48.
- p. 599, RC, L 12: 1929 is correct, not 1930.
- p. 600, LC, L 30: vol. is 35, not 34.
- p. 600, RC, L 6: Dutt, G. R. is correct
- p. 601, LC, L 7: 1961 is correct date, not 1960a. Thus it should read 1961a, and L 12 entry should be 1961b.
- p. 602, LC, L 15 from bottom: pages are 535-586, not 558.
- p. 607, LC, L 15: vol. is 7, not 8.
- p. 609, RC, L 21: pages are 305-330, not 300-304.
- p. 609, RC, L 26: insert Roy. Sci. Nat. after Inst.
- p. 610, LC, L 29-31: delete entire entry for Leclercq 1964. Paper was published 1954, and is listed as 1954b on p. 609.

RECENT LITERATURE

(Worth a look: Argaman, 1994a, Heraty, et al, 1994, Kovalev, 1994)

- Akre, Roger D. and Elizabeth A. Mahre
 1994. The nesting biology and behavior of the California yellowjacket, *Vespa sulphurea* (Hymenoptera: Vespidae). Ent. News 105(3):141-148.
- Antropov, Alexander V.
 1994. Sphecid wasps of the genus *Belomicros* (Hymenoptera, Sphecidae) of Asia. Ent. Rev. 73(5):92-99.
1994. A review of the *agile* species group of *Pison* (Hymenoptera: Sphecidae: Trypoxylini). J. Hym. Res. 3:119-132.
- Archer, Michael E.
 1994. Recent rare and scarce wasps and bees (Hym., Aculeata) recorded from Guernsey and Herm. Ent. Mon. Mag. 130:103-104.
1994. Taxonomy, distribution and nesting biology of the *Vespa bicolor* group (Hym., Vespinae). Ent. Mon. Mag. 130:149-158.
- Argaman, Qabir
 1994a. Generic synopsis of Myzinidae (Hymenoptera: Scolioidea). Annls hist.-nat. Mus. hung., 86:85-104.
- 1994b. Generic synopsis of Apterogyninae (Hymenoptera: Apterogynidae). Folia ent. hung., 55:41-58.
- Asis, J.D., J. Tomos and S.F. Gayubo
 1994. Biological observations of *Trypoxylon attenuatum* and descriptions of its mature larva and its natural enemy *Trichrysis cyanea* (Hymenoptera: Sphecidae, Chrysidae). J. Kansas Ent. Soc. 67(2):199-207.
- Azevedo, Celso Oliveira
 1994. Descriptions of two new species and notes on the genus *Bakerella* Kieffer from Brazil and Ecuador (Hymenoptera: Bethylidae). J. Hym. Res. 3:145-150.
- Baker, D.B.
 1994. The date of the Hymenoptera section of the *Exploration scientifique de l'Algérie*. Arch. Nat. Hist. 21(3):345-350.
1994. The dates of the Hymenoptera sections of Costa's *Fauna del Regno di Napoli*. Arch. Nat. Hist. 21(3):351-356.
1994. Type material in the University Museum, Oxford, of bees described by Comte Amédée Lepeletier de Saint-Fargeau and Pierre André Latreille (Hymenoptera: Apoidea). J. Nat. Hist. 28:1189-1204.
- Barrows, Edward M., Samantha S. Wolf and Darren M. Lynch
 1994. Diflubenzuron effect on yellowjacket (Hymenoptera: Vespidae) worker numbers in a central Appalachian broadleaf forest. J. Econ. Ent. 87(6): 1488-1493.
- Bohart, Richard M.
 1994. A review of North American *Belomicros* (Hymenoptera, Sphecidae, Crabroninae). J. Hym. Res. 3:207-226.
- Borsato, Walter
 1994. Contributo allo conoscenza degli eumenidi e dei vespidi Australiani (Hymenoptera Eumenidae et Vespidae). Boll. Soc. ent. ital., Genova 125 (3):245-251.
- Brothers, Denis J.
 1994. A new genus and four new species of Mutilidae associated with *Brachyponera futea* Mayr (Formicidae) in Western Australia (Hymenoptera). J. Aust. ent. Soc. 33:143-152.
- Burn, J.T.
 1994. Further notes on *Anteon tripartitum* Kieffer (Hym., Dryinidae). Ent. Mon. Mag. 130:129-130.
- Camillo, Evandro, Carlos A. Gaofalo and José C. Serrano
 1993. Observações sobre a biologia de *Trypoxylon* (*Trypargilum*) *rogenhoferi* Kohl (Hymenoptera: Sphecidae). An. Soc. Entomol. Brasil 23 (2):299-310.
- Carrière, J.
 1994. Comment une Scolie paralyse la larve de l'*Oryctes* (photo). Lambillonne 94(3):399. (photographs of larva being parasitized by scoliid)
- Clayden, Elizabeth
 1994. J.-H. Fabre - 'The Insects' Homer'. Antenna 18:113-120. (biography of Jean-Henri Fabre)
- Diniz, Ivone R. and Kiniti Kitayama
 1994. Colony densities and preferences for nest habitats of some social wasps in Mato Grosso State, Brazil (Hymenoptera, Vespidae). J. Hym. Res. 3:133-143.
- Ebner, A.W., F. Guseleinleitner and J. Guseleinleitner
 1994. Hymenopterologische Notizen aus Österreich - 1 (Insecta: Hymenoptera aculeata). Linzer biol. Beitr. 26(1):393-405.
- Eck, Regine
 1993. Die Verbreitung der *Dolichovespula sylvestris* im vergleich mit den übrigen europäischen Arten der Gattung (Hym.: Vespidae). Mitt. dtsch. Ges. allg. angew. Ent. 8:919-921.
1994. Eine neue Art der *Vespa vulgaris*-Gruppe aus Mexiko (Insecta: Hymenoptera: Vespidae). Ent. Abh. Mus. Tierkd. Dresden 56:125-128.
- Felton, John C. and Nico Schneider
 1994. Matériaux pour un catalogue des Hyménoptères Aculéates du Luxembourg. Bull. Soc. Nat. luxemb. 95:287-294.
- Field, Jeremy
 1994. Selection of host nests by intraspecific nest-parasitic digger wasps. Anim. Behav. 48:113-118.
- Fritz, Manfredo A. and Antonio Martinez
 1994. Una especie nueva de *Horcomutilla Casai*, 1982, de Venezuela (Hym. Mutilidae: Sphaeropthalminae). Gayana Zool. 57(1):105-107.
- Genaro, Julio Antonio
 1993. Conducta de nidificación de *Oxybelus analis* (Hymenoptera: Sphecidae). Rev. Biol. Trop. 41(3):769-773.
1994. Adiciones a la lista de himenópteros cubanos (Megachilidae, Pompiliidae). Cocuyo (1):6.
- Guseleinleitner, J.
 1994. Die *Odynerus*-Arten Nordafrikas (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 26(1):289-306.
1994. Über Eumeniden aus dem Nahen Osten und Arabien sowie Beschreibung einer neuen Subspecies aus Zanzibar. (Vespoidea, Hymenoptera). Linzer biol. Beitr. 26(1):307-324.
1994. Ein neue *Ropalidia*-Art aus Thailand (Vespidae, Hymenoptera). Linzer biol. Beitr. 26(1):325-329.
1994. Ein neue *Quartaria*-Art aus Kreta (Hymenoptera, Vespoidea, Masaridae). Linzer biol. Beitr. 26(1):331-333.
- Hagiwara, Y. and J. Kojima
 1994. Options in construction behavior of *Polistes mandarinus* Saussure nesting on Japanese cedar twigs (Hymenoptera: Vespidae). J. Kansas Ent. Soc. 67(1):126-128.
- Hamon, Jacques
 1994. Note sur les Elis de la faune de France, au sens de Berland (1925) (Hymenoptera, Scoliidae). Nouv. Revue Ent. (N.S.) 11(1):85-90.
1994. Statut de deux espèces de *Scolia* décrites par D. Cirillo en 1787: *S. neglecta* et *S. unifasciata* (Hymenoptera Scoliidae). Bull. men. Soc. linn. Lyon 63(4): 101-104.
1994. Bibliographie: J. Leclercq et Y. Barbier. — *Atlas de répartition des Crabroniens de France et des régions limitrophes* (Hymenoptera, Sphecidae, Crabronini). Bull. men. Soc. linn. Lyon 63(6): 177.
- Hamon, Jacques and Till Osten
 1994. Le nom de la grande scolie européenne à tête jaune est-il *Scolia* (*Triscolia*) *flavifrons* Fabricius, 1787, ou bien *Megascolia* (*Regiscolia*) *maculata* (Drury, 1773) (Hymenoptera, Scoliidae). Bull. Soc. linn. Bordéaues 22(1):13-17.
- Hamon, Jacques, Marc Tussac and René Richet
 1994. Données complémentaires sur la distribution en France de *Cerceris horvathi* Kohl, 1880 (Hymenoptera, Sphecidae). Bull. Soc. ent. de Mulhouse, Avril-Juin 1994:29-34.
- Heraty, John M., James B. Woolley and D. Christopher Darling
 1994. Phylogenetic implications of the mesofurca and mesopostnotum in Hymenoptera. J. Hym. Res. 3:241-277.
- Horning, D.S., Jr.
 1994. The natural history collections of William John MacLeay as reflected through his known diaries (1874-1876, 1878-1881). Proc. Linn. Soc. N.S.W. 114(2):91-107.
- Jiménez, M.L. and A. Tejas
 1994. Las arañas presa de la avispa Iodera *Trypoxylon* (*Trypargilum*) *tridentatum* en Baja California Sur, Mexico. Southwestern Ent. 19(2):173-180.
- Kazenas, V. L.
 1994. New species of digger wasps of the genus *Pseudoscolia* (Hymenoptera, Sphecidae) from the Kara-Kum (Turkmenistan). Zoo. Zh. 73(4):72-78.
- Kilimnik, A.N.
 1993. Chrysidid wasps of the genus *Hedychrum* Latreille, 1806 (Hymenoptera, Chrysidae) of East Europe. Ent. Rev. 72(2):12-24.
- Kovalev, O.V.
 1994. Palaeontological history, phylogeny and the system of Brachycleistostigmato-gastromorphs and Cynipomorphs (Hymenoptera, Brachycleistostigmato-phila infraorder n., Cynipomorpha infraorder n.) with description of a new fossil and recent families, subfamilies and genera. Ent. Obozr. 73:385-426.
- Krombein, Karl V. and Wojciech J. Pulawski
 1994. Biosystematic studies of Ceylonese wasps, XX: A revision of *Tachysphex* Kohl, 1883, with notes on other Oriental species (Hymenoptera: Sphecidae: Larinae). Smithsonian Contrib. Zool. No. 552, 106 p.
- Kurzenko, Nicoli V. and Arkady S. Lelej
 1994. *Nipponosega yamanei* gen. et sp. n., a new remarkable cuckoo wasp (Hymenoptera, Chrysidae, Amiseginae) from Japan. Bull. Natn. Sci. Mus., Tokyo, Ser. A, 20(2): 63-86.

- Leclercq, Jean
 1993. Une espèce nouvelle d'*Odontocerbro*, du Maroc. *Lambillonea* 93(2): 191-192.
1994. Un hyménoptères Sphecidae vent bleuté, *Chalybion zimmermanni* Dahbiom *aztecum* (Saussure), égaré en Belgique, à Tournai. *Lambillonea* 94(3):367-370.
- Makino, Shun'ichi and Katsuhiko Sayama
 1994. Bionomics of *Elasmus japonicus* (Hymenoptera, Elasmidae), a parasitoid of a paper wasp, *Polistes snelleni* (Hymenoptera, Vespidae). *Jpn. J. Ent.* 62(2):377-383.
- Mauss, Volker and Michael Ohl
 1994. Die Bedeutung der Phylogenie für Systematik und Taxonomie. Ammerkungen zum Kommentator von Peter Kunz zu "Chrysid Wasps of the World" (Kimsey & Bohart 1990) im bembix Nr.2. *bembix* (3):23-26.
- Miyano, Shinya
 1994. Some ecological observations on social wasps (Insecta: Hymenoptera: Vespidae) in the northern Mariana Islands, Micronesia. *Nat. Hist. Res., Special Issue*, No. 1:237-245.
- Mulhauser, Blaise and Richard Vernier
 1994. Une migration groupée de fondatrices de Frelon, *Vespa crabro* L. (Hymenoptera, Vespidae). *Mitt. schweiz. ent. Ges.* 67:61-65.
- Naumann, I.D., J.C. Cardale, P.W. Taylor and J. MacDonald
 1994. Type specimens of Australian Hymenoptera (Insecta) transferred from the Macleay Museum, University of Sydney, to the Australian National Insect Collection, Canberra. *Proc. Linn. Soc. N.S.W.* 114(2):69-72.
- Nilsson, Göran E.
 1992. New records of Hymenoptera Aculeata from Sweden. *Ent. Tidskr.* 113(4):53-57. (in Swedish with English abstract)
- Norveiller, Guido
 1994. Revision des mâles du genre *Stenomutilla* de la Paléarctique occidentale avec description d'espèces nouvelles (Hymenoptera, Mutilidae). *Boll. Mus. civ. St. nat. Verona* 18(1991):137-194.
1994. Description du nouveau genre afrotropical *Spinulomutilla* et de onze espèces nouvelles (Hymenoptera: Mutilidae) (Première partie). *Ann. Soc. Entomol. Fr. (N.S.)* 30(3):329-344.
- Olimi, Massimo
 1994. Taxonomic studies on the Dryinidae of Mozambique (Hymenoptera: Chrysidoidea). *Oriental Ins.* 28:67-80.
- Pagliano, Guido and Pier Luigi Scaramozzino
 1994. I problemi di conservazione della Collezione Costa. HY-MEN 5:4-5.
- Pawlowsky, B.
 1994. Observations on the life cycle and behaviour of the hornet *Vespa crabro* (Hym., Vespidae) in Gloucestershire. *Ent. Mon. Mag.* 130:159.
- Peckham, D.J. and A.W. Hook
 1994. Nesting behavior of *Enchemicrum australe* (Hymenoptera: Sphecidae). *Ann. Ent. Soc. Amer.* 87(6):972-977.
- Polaszek, Andrew and Karl V. Krombein
 1994. The genera of Bethylinae (Hymenoptera: Bethylidae). *J. Hym. Res.* 3:91-105.
- Quintero A., Diomedes, and Roberto A. Cambra T.
 1994. Systematics of *Pseudomethoca areta* (Cameron): sex association, description of the male and a gynandromorph, and a new synonymy (Hymenoptera: Mutilidae). *J. Hym. Res.* 3:303-308.
- Rotheray, G.E. and R.M. Lyszkowski
 1994. *Omalus aeneus* (F.) (Hym., Chrysidae) new to Scotland. *Ent. Mon. Mag.* 130:102.
- Sáiz, Francisco and Carlos Carvajal
 1993. Incendios forestales en el Parque Nacional la Campana, Sector Ocoa, V Región, Chile. V. Blattodea, Formicidae y Mutilidae. Impacto y recuperación. *An. Mus. Hist. Nat.* 21(1990):51-61.
- Scaramozzino, Pier Luigi
 1993. Il nido pedotrofico di *Isodontia splendidula* (Costa) (Hymenoptera: Sphecidae). *Boll. Mus. reg. Sci. nat. Torino*, 11(2):277-288.
1994. Gli Imenotteri di Massimiliano Spinola al Museo Regionale di Scienze Naturali di Torino. HY-MEN 5:2-3.
- Schmidt, Justin O.
 1994. Let's not forget crawling Hymenoptera. *Clin. Exp. Allergy* 24:511-514. (venoms of ants compared to those of honey bees and vespid wasps)
- Simon Thomas, R.T.
 1994. Two new species of a new genus of Sphecidae from Senegal and Yemen (Hymenoptera). *Ent. Ber., Anst.* 54(8):154-157.
- Smith, K.G.V.
 1993. Insects of minor medical importance, p. 576-593 in: *Medical Insects and Arachnids*, Richard P. Lane and Roger W. Crosskey (eds.). Chapman & Hall, London. (Hymenoptera: p. 581-583)
- Sugden, Evan A. and R. Lowrey McAllen
 1994. Observations on foraging, population and nest biology of the Mexican honey wasp, *Brachygastra mellifica* (Say) in Texas [Vespidae: Polybiinae]. *J. Kansas Ent. Soc.* 67(2):141-155.
- Terayama, Mamoru
 1994. *Goniozus mariannensis*, a new species (Insecta: Hymenoptera: Bethylidae) from the Mariana Islands, Micronesia. *Nat. Hist. Res., Special Issue*, No. 1:229-230.
- Tobias, V.I.
 1993. Relationship between wing venation and habitat in the Hymenoptera. *Ent. Rev.* 72(3):8-17.
- Turillazzi, S., E. Francescato, A. Baldini Tosi and J.M. Carpenter
 1994. A distinct caste difference in *Polybioides tabidus* (Fabricius) (Hymenoptera: Vespidae). *Ins. Soc.* 41:327-330.
- Weaving, Allan J.S.
 1994. Nesting behaviour in three Afrotropical trap-nesting wasps, *Chalybion laevigatum* (Kohl) *Proepiponza medevedaldoi* Bequaert and *Tricarinodynerus guerini* (Saussure). (Hymenoptera: Sphecidae, Eumenidae). *Entomologist* 113(3&4):183-197.
- Yamane, Seiki and Shuichi Ikudome
 1992. Guide to the identification of Japanese Aculeata. *Nat. Insects* 27 (5):22-27. (in Japanese)
1992. Guide to the identification of Japanese Aculeata (2). *Nat. Insects* 27 (10):21-25. (in Japanese)
- Zuparko, Robert L. and Junji Hamai
 1994. Depositions of parasitic Hymenoptera (Insecta) types from the University of California, Berkeley. *Pan-Pac. Ent.* 70(4):313-317.



Gonatopus solitarius (Perkins), female
 (Dryinidae), North America.

International Union for the Study of Social Insects Russian Language Section

Proceedings of the Colloquia on Social Insects

Edited by V. E. Kipyatkov, Socium, St. Petersburg, 1993, vol. 2, 222 pp.

Price 15 USD + 5 USD postage and handling

This volume contains 27 papers written by the authors of the talks presented at the II Colloquium of the Russian-speaking Section of the IUSSI held in Rybnoe (Ryazan district, Russia) 21-27 September 1992 in the Institute of Beekeeping.

Contents - Papers written in English:

- Billen, J. - Morphology of the exocrine system in ants - 15 pp.
 Heinze, J. and D. Ortius - Intracolonial conflicts in Leptocephaline ants - 7 pp.
 Kipyatkov, V. E. - Annual cycles of development in ants: diversity, evolution, regulation - 24 pp.
 Kipyatkov, V. E. and E. B. Lopatina - Regulation of annual cycle of development in ants of the subgenus *Serviformica* (Hymenoptera, Formicidae) - 12 pp.
 Lopatina, E. B. and V. E. Kipyatkov - The influence of temperature on brood development in the incipient colonies of the ants *Camponotus herculeanus* (L.) and *Camponotus xerxes* Forel (Hymenoptera, Formicidae) - 14 pp.
 Andreev, A. V., V. S. Stratan and V. I. Petrushko - Wild bees (Hymenoptera, Apoidea) succession on alfalfa field - 6 pp.
 Bogatyrev, N. R. - Foraging activity and organization of bumblebee colony: facts, hypotheses and tendencies - 9 pp.
 Kakpakov, V. T., O. V. Kabachova, E. I. Kachleva, A. V. Borodachev and V. N. Pozdnyakov - Cryoconservation of the honey bee sperm - 2 pp.
 Lopatina N. G. and E. G. Chesnokova - Kynurenines in the memory processes of the honeybee *Apis mellifera* L. - 9 pp.
 Russina, L. Yu., O. A. Vishnyakova and E. N. Laricheva - Egg-laying and aggressive behaviour in three species of *Polistes* wasps - 7 pp.

Contents - Some of 17 papers written in Russian with English summary:

- Akmuradov, A. I. - Development of termite nests of *Anacanthotermes ahngerianus* J. in various habitat conditions - 7 pp.
 Gilev, A. V. - Discrete variation of thorax pigmentation in ants of the genus *Formica* (Hymenoptera, Formicidae) - 3 pp.
 Grechka, E. O. and L. Yu. Russina - On the modes of nest founding in *Polistes* wasps - 6 pp.
 Maloziyomova L. A. and A. V. Gilev - Some aspects of load transport by the workers of red wood ants *Formica* s. str. (Hymenoptera, Formicidae) - 6 pp.
 Komissar, A. D. - Our mistaken opinions on the overwintering of the honeybee - 6 pp.
 Nagomaya, I. M., T. M. Yefimenko and L. I. Bodnarchuk - Lysozyme-like microsporidial enzyme - 5 pp.
 Russina, L. Yu. and E. O. Grechka - Life cycle of *Polistes chinensis* (Hymenoptera, Vespidae) in Kherson region - 12 pp.
 Zhuzhikov, D. P. - The origins and the evolution of termites - 20 pp.
 Zhuzhikov, D. P. - Mechanical protection of buildings against subterranean termites - 2 pp.

Order Form

(Please return this form to Dr. Vladilen E. Kipyatkov, Department of Entomology, Faculty of Biology, St. Petersburg University, 7/9 Universitetskaya emb., St. Petersburg, 199034, RUSSIA)

Name: Address:

I would like to order copies of Proceedings of the Colloquia on Social Insects, Socium, St. Petersburg, 1993, vol. 2 at the price 20 USD including postage and handling. Cheque is enclosed.

Signature:

Date:

Please, make cheques payable to Vladilen E. Kipyatkov (passport: seria XV-AK N 704873, issued 28.10.1980).

International Society of Hymenopterists

3rd International Conference

University of California, Davis
August 12-17, 1995

CALL FOR PAPERS

The Society hereby solicits contributed papers for the 3rd International Conference. Presented papers will be 15 minutes in length. Details on poster presentations will be sent to authors at a later date. Each application should be accompanied by an Abstract (not to exceed 250 words in length, preferably in English). We also plan to have a booklet of paper/poster summaries available at the meeting. Summaries can be up to 2 printed pages (double spaced) and should be submitted along with the 250 word abstract.

I will present a Paper _____ Poster _____

Note: If you wish to present a paper and a poster, please copy this form and submit a separate form for each presentation.

Title. _____

Please enter my paper in the following section: _____

- a. Biological control.
- b. Viruses and Microbes
- c. Morphology and Systematics
- d. Physiology
- e. Molecular Systematics
- f. Behavior
- g. Pollination Biology
- h. Diversity

Name: _____

Address: _____

Mail this form, abstract and summary no later than MAY 1, 1995 to:

Dr. Lynn S. Kimsey
Department of Entomology
University of California
Davis, California, USA 95616
Phone 916-752-5373 Fax 916-752-1537

International Society of Hymenopterists

3rd International Conference
University of California,Davis - August 12-17, 1995
ADVANCE REGISTRATION FORM

Detailed information on lodging, meeting sites, etc. will be sent separately in the near future.

Name: _____
 (for name badge) Surname First Middle initial
 Institutional Affiliation: _____
 Address: _____
 (Street Address)

City	State	Country	Zip/Postal Code
Registration Fees:		Pre-Registration (by Friday June 30, 1995)	On-Site Registration (after June 30, 1995)
Member	\$120.00 (US)	\$135.00	= _____
Non-Member	\$150.00	\$165.00	= _____
Student	\$60.00	\$65.00	= _____
Total: _____			

The Society will have some limited funds available to support the attendance of Members who wish to participate in the meeting, but who do not have full institutional support. Those who expect to be unable to obtain all the necessary funds from institutional support should send details of their shortfall listing separately travel costs and meals and expenses. Preference will be given to those who have obtained partial support from elsewhere and to those for whom the possibility of obtaining alternative funding is least likely. Please contact Lynn S. Kimsey, Department of Entomology, University of California, Davis, California, USA 95616. Phone 916-752-5373, Fax 916-752-1537, email: lskimsey @ucdavis.edu

Payment by Credit Card

Payment by Check Enclosed
Payment must be made in U.S.Funds
Make Checks payable to "UC Regents"

Visa Card no. _____
 Mastercard
 American Express Expiration: _____

Card Holder Signature: _____

How to Register:

- | | | |
|--|---|---|
| 1 Register by Phone
Call(916-752-1915)-please
have your credit card number
ready. | 2 Register by Fax/TTD
Complete this form and
fax to (916-752-7117).
Credit card payments only. | 3 Register by Mail
Mail completed form and payment to
Campus Box Office
University of California
Davis, CA 95616, USA |
|--|---|---|

Cancellation Policy: Written requests for refund of registration fees must be received in writing by July 28, 1995 and directed to: Conference and Event Services, University of California, Davis, CA 95616 USA (fax-916-757-7943). Refunds (minus \$30 processing fee) will be made after the conference typically take 2-4 weeks to process. NO REFUNDS CAN BE MADE IF REQUESTS ARE RECEIVED AFTER July 28, 1995.

Sphecos Mailing List

It has been many years since I produced a list containing the names and addresses of our "membership". Thus we present below our mailing list as of December, 1994. This list includes addresses, telephone numbers, FAX numbers, and E-Mail addresses (when known). Interests and specialties are not given. Currently **Sphecos** is received by 227 North American workers, 378 foreign workers, and 33 libraries.

Some of the information here may be out-of-date or otherwise incorrect. We would appreciate updates of any erroneous or omitted information. Send us your FAX and E-Mail numbers if we have not listed these for you.

PEOPLE

John C. Abbott
1030 Dallas Drive, #623
Denton, Texas 76205

Masaki Abe
Kyushu University
Entomology Laboratory
Faculty of Agriculture
Fukuoka 812, JAPAN

Lennart Ågren
Uppsala Universitets
Ekologiska Forskningsstation
Ölands Skogsgård 6280
386 00 Färjestaden, SWEDEN
Tel.: 0485/383 56

Alexandre Pires Aguiar
Purdue University
Dept. of Entomology
1158 Entomology Hall
West Lafayette Indiana 47907-1158
Tel.: (317) 494 4605
E-mail: luciana@vm.cc.purdue.edu

Pastor P. Alayo D.
Ave. 19 No 6009 Playa e/60 y 62
Marianao 13
Ciudad de la Habana, CUBA

John Alcock
Dept. of Zoology
Arizona State University
Tempe, Arizona 85281
Tel.: (602) 965 7304

Byron Alexander
Dept. of Entomology
University of Kansas
Lawrence, Kansas 66045
Tel.: (913) 864 4610
FAX: 913 864 5321
E-mail: byron@kuhub.co.ukans.edu

James C. Allen
1413 Curry Rd.
Schenectady, N.Y. 12306

Steven R. Alm
Dept. of Plant Science
Univ. of Rhode Island
Kingston, Rhode Island 02881
Tel.: (401) 792-5998

Sérvio Túlio Pires Amarante
Museu de Zoologia da
Universidade de São Paulo
Caixa Postal 7172
01064 São Paulo, BRASIL
Tel.: 5511 274 3455
FAX: 5511 273 9165

Hugo Andersson
Department of Zoology
Helgonavägen 3
S-223 62, Lund, SWEDEN
Tel.: 046-109334

Alexander V. Antropov
Zoological Museum of the Moscow
Lomonosov State University
Herzen Street 6
Moscow K-9 , 103009, RUSSIA
Tel.: (095) 203 3767
E-mail: entomol@zoomus.bio.msu.su

Michael E. Archer
Dept. of Biology
Coll. of Ripon & York St. John
York YO3 7EX, ENGLAND
Tel.: (0904) 56771

Michael Arduser
Dept. of Biology
University of Missouri-St. Louis
8001 Natural Bridge Rd.
St. Louis, Missouri 63121
Tel.: (314) 821 1571

Qabir Argaman
Plant Protection Dept.
P.O. Box 78
Beit-Dagan, 50260, ISRAEL

Ross H. Arnett, Jr.
2406 N.W., 47th Terrace
Gainesville, Florida 32606

Josep Daniel Asís
Departamento de
Biología Animal (Zoología)
Fac. Biología
Universidad de Salamanca
37071 Salamanca, SPAIN

Andy D. Austin
Dept. of Entomology
Waite Institute
Glen Osmond
South Australia 5064
AUSTRALIA

Tel.: 61 8 3037265
FAX: 61 8 3794095
E-mail:
aaustin@waite.adelaide.edu.au

Rune Axelsson
Swedish Univ. of Agric. Sciences
Division of Forest Entomology
PO Box 7044
S-750 07 Uppsala, SWEDEN

Celso Oliveira Azevedo
Universidade Federal
do Espírito Santo
Departamento de Biología
Av. Marechal Campos 1468,
Maruape
29040-090 Vitória, ES, BRASIL
Tel.: 0162 718054
FAX: 0162 718054
E-mail: psah@iris.ufscar.br
or: Celso@Brufes.bitnet

Marcos Baez & Gloria Ortega
Departamento de Zoología
Universidad de la Laguna
Tenerife, Islas Canarias, SPAIN

Donald B. Baker
24, Chichester Court
Old Schools Lane
EWELL, Surrey, KT17 1TP
UNITED KINGDOM

George E. Ball
Department of Entomology
University of Alberta
Edmonton, Canada T6G 2E3

Clare R. Baltazar
Dept. of Entomology
Univ. of the Philippines
College, Laguna, PHILIPPINES

Josef Banaszak
Wyzsza Szkoła Pedagogiczna
Wydział Matematyki Techniki
Katedra Ochrony Środowiska
i Wychowania Fizycznego
85-667 Bydgoszcz
ul Chodkiewicza 51, POLAND
Tel.: 41-32-86

Yvan Barbier
Laboratoire de Zoologie
Université de Mons-Hainaut
19, Avenue Maistriau
B-7000 Mons, BELGIUM
FAX: (32) 65 37 30 54

William Barr
1415 Borah Avenue
Moscow, Idaho 83843

John R. Barron
Biological Resources Division
Centre for Land and Biological
Resources Research
Central Experimental Farm
Ottawa, Ontario, Canada K1A 0C6

Edd Barrows
Dept. of Biology
Georgetown University
Washington D.C. 20057
Tel.: (202) 687-5841

John Barthell
Dept. of Entomology
University of California
Berkeley, Calif. 94720

Mehmet Bashan
Dicle Üniversitesi Fen-Edebiyat
Fakültesi Biyoloji Bölümü
Diyarbakır, TURKEY

Suzanne Batra
Beneficial Insect Introduction Lab.
Bldg. 476 Barc-East
Beltsville, Maryland 20705-2350
Tel.: (301) 504-8384

John Beardsley
1026 Oakdale Lane
Arcadia, Calif. 91006
Tel.: (818) 821 0661

Vitor Becker
Embrapa - CPAC
PO Box 70-0023
73300 - Planaltina, DF, BRASIL
Tel.: 01 (5561) 2720437

Wilhelm Beier
Institut für Biologie-Didaktik
der Universität (Frankfurt/M)
D 6000 Frankfurt/M, GERMANY

V. V. Belavadi
Regional Research Station
Mudigere-577 132, INDIA

Fred D. Bennett
Department of Entomology
Univ. of Florida
Gainesville, Florida 32611-0143

P. L. G. Benoit
F. Peeterslaan 13
B - 1150 Brussel, BELGIUM

Øistein Berg
Jørnstadveien 39
N-1360 Nesbru, NORWAY

Jocelyn Berry
Systematics Group
Entomology Division
DSIR, Private Bag
Auckland, NEW ZEALAND

Larry G. Bezark
3288 Meadowview Road
Biological Control Services Program
Sacramento, Calif. 95832

Johan Billen
Zoological Institute K.U. Leuven
Naamsestraat, 59
3000 Leuven, BELGIUM

Jacques Bitsch
Université Paul Sabatier
118 rte de Narbonne
31077 Toulouse-Cedex, FRANCE

Richard M. Bohart
Dept. of Entomology
Univ. of California
Davis, Calif. 95616-8584
Tel.: (916) 752 0493
FAX: 916 752 9464
E-mail: bohart@ucdavis.edu

Padre Bruno Bonelli
Via Avisio 13
38033 Cavalese (Trento), ITALY
Tel.: 0462-31174

Amaldo Bordoni
Museo Storia Naturale
"La Specola"
via Romana 17
50125 Firenze, ITALY

Franco Borgato
Delegation C.C.E.-Mauritanie
(by diplomatic pouch)
200, rue de la LOI
1049 Bruxelles, BELGIUM

Walter Borsato Museo Civico di Storia Naturale Lung. Porta Vittoria, 9 I-37129 Verona, ITALY	Eduardas R. Budrys Institute of Ecology Akademijos g. 2, Vilnius LT-2600 LITHUANIAN REPUBLIC Tel.: (370 2) 359278 FAX: (370 2) 359257	Jim "YoYo" Carpenter Dept. of Entomology American Museum of Natural History Central Park West at 79th Street New York, NY 10024 Tel.: (212) 769 5611 FAX: 212 769 5277 E-mail: carpente@amnh.org	Klaus Cölin Andrea Jakubzik I. Lehrstuhl: Exp. Morphologie Zoologisches Institut der Universität zu Köln, Weyertal 119, 5 Köln 41, GERMANY
Zdenek Bouček C. I. E. c/o Natural History Museum Cromwell Road London SW7 5BD, ENGLAND	Derek S. Bunn "Woodbank" 13 Walden Road Blackburn, Lancs. BB1 9PQ, ENGLAND	Leo Castro Sanz Gadea 9 E-44002 Teruel, SPAIN Tel.: 947-603398	Kenneth Cooper 4497 Picacho Drive Riverside, Calif. 92507-4873 Tel.: (714) 787 3608
Shaarina Boyd 21 Buchanan Street Devonport 9 Auckland, NEW ZEALAND	Horace R. Burke Dept. of Entomology Texas A & M University College Station, Texas 77843 Tel.: (409) 845-9712	Mont Cazier Dept. of Zoology Arizona State University Tempe, Arizona 85281 FAX: 602 965 2012	Martin Cooper "Hillcrest", Ware Lane Lyne Regis Dorset DT7 3EL ENGLAND
Freddy Bravo Q. Departamento de Biología Universidad Católica Apartado 2184 Quito, ECUADOR	Mervyn Burleigh 15 Seafield Avenue Osgodby, Scarborough North Yorkshire YO1 3EF GREAT BRITAIN	Aleksandar Cetkovic Kumodraska 60 11000 Beograd, YUGOSLAVIA Tel.: (011) 491327	Sarah A. Corbet Dept. of Applied Biology Pembroke Street Cambridge, CB2 3DX ENGLAND Tel.: 0223-336600
J. Breen Dept. of Rural Science Thomond College of Education Limerick, IRELAND	John Thomas Burn 1 Sycamore Avenue Armitage, nr. Doncaster S. Yorks DN3 3HQ, ENGLAND	Sumit Chakrabarti 5, North Kaugachi Shambnagar, 24 Pgs. West Bengal, INDIA - 743127	Ms. María V. C. de Correa Fundación Miguel Lillo Miguel Lillo 205 4000 Tucuman, ARGENTINA
Eric Brewster 20 Seaman Ave. Apt. 4G New York, NY 10034	Laurie Burnham Museum of Comparative Zoology Harvard University Cambridge, Massachusetts 02138	Leland Chandler Entomology - M.S.2134 Texas Tech University Lubbock, Texas 79409 Tel.: (806) 742-2828	Pietro Cosimi v. Gallia 95 00183 Roma, ITALY
H. Jane Brockmann Dept. of Zoology Univ. of Florida Gainesville, Florida, 32611	George W. Byers Dept. of Entomology - Snow Hall Univ. of Kansas Lawrence, Kansas 66045-2106	Chao Jung-Tai Division of Forest Biology Taiwan Forestry Research Inst. 53 Nan Hai Rd. Taipei, TAIWAN 10728, R.O.C.	Jack Coulson Beneficial Insects Lab. USDA, BARC-East, Bldg. 476-East, Rm. 211 Beltsville, Maryland 20705-2350 Tel.: (301) 504-8748
Rose Broe CSIRO, Long Pocket Labs. Div. of Entomology, Private Bag #3 Indooroopilly 4068 Brisbane, AUSTRALIA	Elias Cañadas Trivonianou 47 Athens 11636, GREECE	Bernard Chaubet I. N. R. A. Domaine de la Motte-at-Vicomte B.P. 29 - 35650 Le Rheu, FRANCE	Helen Court 1728 11th Ave. San Francisco, Calif. 94122
Robert W. Brooks Dept. of Entomology Univ. of Kansas Lawrence, Kansas 66045-2106 Tel.: (913) 864-4538 E-mail: ksem@kuhub.cc.ukans.edu	Ed McC. Callan 13 Gellibrand Street Campbell, Canberra ACT 2601 AUSTRALIA	Chen Nai-zhong Plant Quarantine Institute Ministry of Agricultural 241, Huixinli, Chaoyang District Beijing 100029 PEOPLES REPUBLIC OF CHINA	Charles V. Covell, Jr. Dept. of Biology Univ. of Louisville Louisville, Kentucky 40292 Tel.: (502) 588-5942
Denis J. Brothers Dept. of Entomology University of Natal P.O. Box 375 Pietermaritzburg, 3200 SOUTH AFRICA FAX: (+27) 0 331 260 5105 E-mail: brothers@zoology.unp.ac.za	Don Cameron Dept. of Classical Studies Univ. of Michigan Ann Arbor, Michigan 48104	Daniel Cherix Musée Zoologique Case Postale 448 CH-1000 Lausanne 17 SWITZERLAND	Rollin E. Coville 6201 Tehama Ave. Richmond, Calif. 94804 Tel.: (415) 525 7959
Richard L. Brown Mississippi Entomological Museum Post Office Drawer EM Mississippi State, Mississippi 39762 Tel.: (601) 325-2085	Lucio Antonio de Oliveira Campos Dept. de Biología Geral Universidade Federal de Lícosa 36.570 Liçosa, Minas Gerais, BRASIL	Jerzy A. Chmurzynski Dept. of Neurophysiology Nencki Institute of Experimental Biology Laboratory of Ethology 3, Pasteur St., P.O. Box 64 PL 00-973 Warsaw, POLAND FAX: (4822) 22 53 42 E-mail: jch@nencki.gov.pl	David Cowan Dept. of Biology Western Michigan University Kalamazoo, Michigan 49008-3899 Tel.: (616) 383-0672
Graham R. Brown Northern Territory Museum of Arts and Sciences GPO Box 4646 Darwin, NT 0801, AUSTRALIA FAX: (089) 89 8289	James H. Cane Dept. of Zoology-Entomology Auburn University Auburn, Alabama 36849-5413 Tel.: (205) 826 5006 E-mail: jcane@ag.auburn.edu	William H. Clark Museum of Natural History College of Idaho Caldwell, Idaho 83605	Frank Creutzburg Otto-Schwarz-Str. 38 0-6908 Jena, GERMANY
R. G. Brown Biology Department Liverpool Polytechnic Byron Street Liverpool, L3 3AF, ENGLAND	Jo Cardale Dept. of Entomology P.O. Box 1700 Canberra, ACT 2601, AUSTRALIA Tel.: 06 246 4261 FAX: 06 246 4264 E-mail: jocc@ento.csiro.au	Judith A. Collins Dept. of Entomology University of Maine Orono, Maine 04469	Mike Crosland Department of Biology The Chinese University of Hong Kong Shatin, N.T., HONG KONG Tel.: 852-609-6348 or 852-609-6276 FAX: 852-603-5646
	Dewey Caron Dept. of Entomology and Applied Ecology Univ. of Delaware Newark, Delaware 19716 (302) 451-2526		Earle A. Cross Dept. of Biology Univ. of Alabama P.O. Box 1927 Tuscaloosa, Alabama 35486 Tel.: (205) 348-1823/348-1824

Jeff M. Cumming Biological Resources Division Centre for Land and Biological Resources Research Agriculture Canada Ottawa, Ontario, Canada K1A 0C6 Tel.: (613) 996-1665	Mick C. Day 118, Whitmore Road Harrow Middlesex HA1 4AQ, ENGLAND	Holly, Downing David C. Post Dept. of Biology Univ. of Wisconsin Whitewater, Wisconsin 53190 Tel.: (414) 472-1086	Akira Endo Dept. of Biology Faculty of Science and Engineering Ritsumeikan University Kyoto 603, JAPAN
Italo Currado Istituto di Entomologia Agraria Via Pietro Giuria, 15 10126 Turin, ITALY	Catarina Zita Dantas de Araujo Rua Vila Cristina No. 1051 Dept. Ciencias Biologicas-Zool. Universidade Federal de Sergipe 49.000 Aracaju-Sergipe, BRASIL	Murilo Sergio Drummond Universidade Federale do Maranhao Dept. de Biologia Largo dos Amores 21 65000 Sao Luis (MA), BRASIL	Michael Scott Engel Dept. of Entomology Cornell University Ithaca, NY 14853
Pietro Passerin d'Entreves Museo ed Istituto di Zoologia Sistematica della Universita 10123 Torino Via G. Giolitti 34, ITALY	Gabriel Augusto de Melo Snow Entomological Museum The University of Kansas Lawrence, Kansas 66045-2106 Tel.: (913) 864 3309 FAX: (913) 864 5321 E-mail: gamelo@falcon.co.ukans.edu	Sid Dunkle Biology Dept. Collin Co. Community College 2800 E. Spring Creek Pkwy. Plano, TX 75074 Tel.: (214) 881-5989	Stellan Erlandsson Naturhistoriska Riksmuseet Entomologiska avdelningen S-104 05 Stockholm, SWEDEN Tel.: 08-6664205 or 6606476
Ted C. Dahms Dept. of Entomology Queensland Museum P.O. Box 300 Queensland 4101, AUSTRALIA	Jeroen de Rond Rietmeent 2 1357 CC Almere-Haven THE NETHERLANDS	Gary Dunn Young Entomologists' Society, Inc. 1915 Peggy Place Lansing, MI 48910-2553	Evgenii K. Es'kov Pedagogicheskii Institut Svobody, 46 Ryazan 390000, RUSSIA
Severino Dal Bo, M.D. Viale Elvezia 22 Milano, ITALY	Luis De Santis Facultad de Ciencias Naturales y Museo Paseo del Bosque 1900 La Plata, ARGENTINA	Connal D. Eardley Plant Protection Research Inst. Private Bag X134 Pretoria, 0001, SOUTH AFRICA Tel.: 012-285140 x226 FAX: 012 325 6998	Maria Etcheverry Irarrázaval 1628 Depto. 94 Nunoa, Santiago, CHILE
Howell V. Daly 201 Wellman Hall Dept. of Entomological Sciences University of California Berkeley, Calif. 94720 FAX: (510) 642-9018 E-mail: hvdaly@nature.berkeley.edu	Hugo Delfin Universidad Autonoma de Yucatan Facultad de Medicina Veterinaria y Zootecnia Apdo. Postal 4-116 Itzimná Mérida, Yucatan, MÉXICO	Eric R. Eaton 2812 Price Ave. #3 Cincinnati, Ohio 45204-1485	David A. Evans Dept. of Biology Kalamazoo College Kalamazoo, Michigan 49007 Tel.: (616) 383-8446
Derek Daly 133 Linher Road Speke, Liverpool L24 3QQ, GREAT BRITAIN	Braulio F. de Souza Dias Divisao de Estudos Ambientais Reserva Ecologica do IBGE C.P. 04-0270 70.312 Brasilia, DF, BRASIL Tel.: (5561) 562-6800, 562-2262	Regine Eck Staatliches Museum für Tierkunde Dresden Augustusstrasse 2 01067 Dresden, GERMANY	Howard E. Evans Dept. of Zoology and Entomology Colorado State University Fort Collins, Colorado 80523 Tel.: (303) 484 1514
Bryan Danforth Dept. of Entomology Cornell University Ithaca, NY 14853-0999 Tel.: (607) 255 5708 E-mail: bnd1@cornell.edu	Manuel de Assuncao Diniz Departamento de Zoologia Universidade de Coimbra 3049 Coimbra codex, PORTUGAL	Mike Edwards Lea-side Caron Lane 171 Midhurst West Sussex GU29 9LB, ENGLAND Tel.: MIDHURST 3785	Neal L. Evenhuis Dept. of Entomology Bishop Museum PO Box 19000-A Honolulu, Hawaii 96817 Tel.: (808) 848-4138 FAX: 808 847 8252 E-mail: neale@bishop.bishop.hawaii.org
Dang Xin-de Forest Research Institute of Shaanxi Province Yangling, Shaanxi PEOPLES REPUBLIC OF CHINA	Mag. Hermann Dollfuss Dr. Gortgasse 4 A-3240 Mank, AUSTRIA	Robin Edwards 5 St. Edwards Close East Grinstead West Sussex RH18 1JP, ENGLAND	David K. Faulkner Entomology Department P.O. Box 1390 San Diego, Calif. 92112 Tel.: (619) 232-3821
D. Christopher Darling Entomology Royal Ontario Museum 100 Queen's Park Toronto, Ontario, Canada M5S 2C6 Tel.: (416) 586-5533 FAX: (416) 586-5863 E-mail: chrisdar@zoo.toronto.edu	Barry J. Donovan Donovan Scientific Insect Research Canterbury Agriculture and Science Centre Gerald Street, Lincoln Private Bag 4704 Christchurch, NEW ZEALAND Tel.: 64 3 325 6400 FAX: 64 3 3252 074 E-mail: DonovanB@crop.cri.nz	Lloyd Eighme P.O. Box 1366 Lyman, Washington 98263 Tel.: (206) 828-3870	George Ferguson Dept. of Entomology Oregon State University Corvallis, Oregon 97331 Tel.: (503) 753-1362
Dr. (Mrs.) Bina Pani Das E-966 Chittaranjan Park New Delhi - 110 019, INDIA	Manfred Dorn Martin-Luther-Universität 402 Halle (Saale) Domplatz 4, GERMANY	Ahmed H. El-Heneidy Dept. of Biological Control Plant Protection Res. Inst. Nadi El-Said Street DOKKI, GIZA, EGYPT	William E. Ferguson 245 Vista de Sierra Los Gatos, Calif. 95030 Tel.: (408) 354-2201
Holger H. Dathe Institute of Wild and Zoo Animal Research Alfred-Kowalek-Str. 17 0-1136 Berlin, GERMANY Tel.: 0372-5100111	Wolfgang Dorow Projekt Hessische Naturwaldreservate Forschungsinstitut Senckenberg Senckenberganlage 25 D-60325 Frankfurt am Main GERMANY	Nancy Elliott Dept. of Biology Hartwick College Oneonta, N.Y. 13820	G. Wilson Fernandes Ecologia Evolutiva de Herbivoros Tropicais Departamento de Biologia Geral CP 2486 ICB/Universidade Federal de Minas Gerais 30161-970 Belo Horizonte-MG BRASIL
Scott Davis Dept. of Biology Washington Univ. St. Louis, Missouri 63130	George R. Else Dept. of Entomology Natural History Museum Cromwell Road London SW7 5BD, ENGLAND Tel.: 01-938-9326/8919 E-mail: gre@nhm.ac.uk	Harry N. Empey P. O. Box 900253 Kibler Park 2053, SOUTH AFRICA	

Fernando Fernández C. William A. Cubillos Apartado Aéreo 77038 Santafé de Bogotá 2 D.E. COLOMBIA Tel.: 2314450	Brian Freeman Dept. of Zoology Univ. of the West Indies Kingston 7, JAMAICA	Dr. W. B. Gamett Raymond Walters College 9555 Plainfield Rd. Blue Ash, Ohio 45236	James E. Gillaspy 1005 E 43rd. Austin, Texas 78751-4406 Tel.: (512) 450-1301
José Tormos Ferrando Universidad de Salamanca Dept. de Biología Animal y Parasitología 37071 Salamanca, SPAIN	Amnon Freidberg Tel-Aviv University Department of Zoology Tel-Aviv 69978, ISRAEL	Severiano Fernandez Gayubo Departamento de Zoología Facultad de Biología Universidad de Salamanca 37071-Salamanca, SPAIN Tel.: 923/219575 E-mail: torres@gugu.usal.es	Mehandra Giri Department of Zoology Kirtipur Campus Tribhuram University Kathmandu, NEPAL
Marisa Viamia Ferraz Fundação Oswaldo Cruz Pav. Mourisco - 2º andar Av. Brasil, 4365 21045-900 Rio de Janeiro-RJ BRASIL	Larry French 664 Mandana Blvd. Oakland, Calif. 94610 E-mail: french%dialogvm@mci.com	Tony Genaro c/o Jennifer Niese RARE Center 1616 Walnut Street, Suite 911 Philadelphia, Pennsylvania 19103	Nivar Gobbi Depart. Ecología Instituto de Biociencias Avenida 24-A CEP 13500 Rio Claro SP, BRASIL
Jeremy Field Dept. of Ecology and Evolutionary Biology Rice University PO Box 1892 Houston, Texas 77251 Tel.: (713) 527 8101 FAX: (713) 285 5232 E-mail: jfield@pop.rice.edu	Paul Freytag Dept. of Entomology Univ. of Kentucky Lexington, Kentucky 40546 Tel.: (606) 257-7952	Jorge Fernando Genise Division Entomología Museo Argentino Ciencias Naturales "Bernardino Rivadavia" Av. Angel Gallardo 470 Casilla de Correo 220, Sucursal 5 1405 Buenos Aires, ARGENTINA Tel.: 541 982 8370 FAX: 541 982 5243 E-mail: genise@muanbe.gov.ar	Jesus Ugalde Gomez Instituto Nacional de Biodiversidad Apartado Postal 22-3100 Santo Domingo Heredia, COSTA RICA Tel.: 506 236 7690 FAX: 506 236 2816
Albert Finnimore Provincial Museum of Alberta 12845 102nd. Ave. Edmonton, Alberta Canada T5N 0M6 Tel.: (403) 453 9100	Marguerite Frongillo Vet. Micro - N.Y.S.C.V.M. Cornell University Ithaca, N.Y. 14853	Jaques Gervet Institut de Neurophysiologie et Psychophysiology, CNRS 31, chemin Joseph-Aiguier 13274 Marseille Cedex 2, FRANCE	Jorge M. Gonzalez Edif. Don Luis, Apto. 501, Piso 5 Esquina Horcones, El Conde Caracas, D.F. 1010, VENEZUELA Tel.: 02-5716925
Roland Fischer Dept. of Entomology Michigan State Univ. East Lansing, Michigan 48824 Tel.: (517) 355-1803	Raghavendra Gadagkar Center for Ecological Studies Indian Institute of Science Bangalore 560 012, INDIA Tel.: (91-812) 340985 or (91-812) 344411 extr. 2506 FAX: 91-812-341683 E-mail: cesrg@ces.iisc.ernet.in	A. de Gesincourt La Villette 22940 Plaintel, FRANCE	Tom Goodman West London Wildlife Group 120, Sutton Court Road Chiswick, W4 3EQ London, ENGLAND
Max Fischer Naturhistorisches Museum Zweite Zoologische Abteilung (Insekten) Burgring 7 Postfach 417 A-1014 Wien, AUSTRIA Tel.: (0222) 521 77 00 FAX: 93 52 54	Terry D. Galloway Dept. of Entomology Univ. of Manitoba Winnipeg, Manitoba Canada R3T 2N2	Fred & Sarah Gess Albany Museum Grahamstown 6140 SOUTH AFRICA Tel.: 0461-22312 FAX: 0461 22398 E-mail: amfg@giraffe.ru.ac.za	V. V. Gorbatovski c/o Dr. A. P. Rasnitsyn Palaeontological Institute Academy of Sciences of the USSR Profsoyuznaya ul. 113, Moscow 117321, RUSSIA
Richard M. Fisher Dept. of Biology Acadia University Wolfville, Nova Scotia Canada B0P 1X0	Ian D. Galloway Entomology Branch Dept. of Primary Industries Meiers Road Indooroopilly, AUSTRALIA 4068	Jaboury Ghazoul University of St. Andrews Dept. of Biology and Preclinical Medicine St. Andrews, Fife, KY16 9TS Scotland, UNITED KINGDOM	Gordon Gordh Entomology Dept. Univ. of Queensland St. Lucia, QLD 4072, AUSTRALIA
Harold G. Fowler Instituto de Biociencias UNESP 13500 Rio Claro SP, BRASIL Tel.: 159-24-2588	Parker Gambino 1333 Shore Drive Brewster, NY 10509 E-mail: gambino@voyager.bxscience.edu	Kumar Ghorpade PO Box 2564 Bangalore 560 025, INDIA	Vladimir Gorobchishin c/o Dr. Yu. G. Verves Biological Faculty Kiev University ul. Vladimirskaja 64 Kiev, 252017, UKRAINE
Laurene Foye 4002 Canyon Dr. Rapid City, South Dakota 57702	George Gamboa Dept. of Biological Sciences Oakland University Rochester, Michigan 48063	Edilberto Giannotti Departamento de Zoología Universidades Estadual Paulista Instituto de Biociencias Caixa Postal 199, Rio Claro, SP BRASIL 13.506-900	Albert Greene Building Services Section General Services Administration Regional Office Bldg., Room 7719 7th and D Streets, SW Washington DC 20407 Tel.: (202) 708 6948
Jorge E. Frana E. Olíber 1026 (2300) Rafaela, Santa Fe ARGENTINA Tel.: 54 492 20431 FAX: 54 492 25006 E-mail: mintarfi@arcride.edu.ar	Charlotte Gantz PO Box 2004 Southern Pines, North Carolina 28388	David Gibo Dept. of Zoology Erindale Campus Univ. of Toronto Mississauga, Ontario Canada L5L 1C6	Hans-Joachim Greiler Fachgebiet Agrärökologie Georg-August-Universität Waldeg 26 D-37073 Göttingen, GERMANY
Gordon Frankie Dept. of Entomology Univ. of California Berkeley, Calif. 94720 Tel.: (415) 642-0973/642-3327	Jose Luis Garcia P. UCV, Facultad de Agronomía Instituto de Zoología Agrícola Apartado 4579 - Código Postal 2101-A Maracay, Aragua, VENEZUELA	Gary Gibson Biological Resources Division Centre for Land and Biological Resources Research K. W. Neatby Building Ottawa, Ontario, Canada K1A 0C6 Tel.: (613) 966 1665 FAX: (613) 995 1823 E-mail: gibsong@nccot2.agr.ca	E. K. Grinfield Dept. of Zoology Leningrad University St. Petersburg, RUSSIA
			Eric Grissell FRES Systematic Entomology Lab. c/o U.S. National Museum Washington, D.C. 20560 Tel.: (202) 382 1781 FAX: (202) 786 9422

Terry Griswold Bee Biology & Systematics Lab. Utah State University Logan, Utah 84322-5310 Tel.: (801) 750-2526 E-mail: andrena@cc.usu.edu	Michael Hansell Zoology Department Univ. of Glasgow Scotland, G12 8QQ UNITED KINGDOM	Raimond V. Hensen Laan van Vlaanderen 170 1066 MR Amsterdam THE NETHERLANDS Tel.: 020 6177597	Terry F. Houston Curator of Insects Western Australian Museum Francis Street, Perth 6000 Western Australia, AUSTRALIA Tel.: (09) 3284411 FAX: (09) 328 8686
Edgard Gros 4 bis rue Maurice Clausse F. 02400 Chilly Chateau-Thierry, FRANCE	Laurel Hansen Biology Department MS 3080 Spokane Falls Community College 3410 West Fort George Wright Drive Spokane, Washington 99204-5288	John Heppner Florida St. Collection of Arthropods PO Box 1269 Gainesville, Florida 32602	Huang Dawei Institute of Zoology Academia Sinica 7 Zhongguancun Lu, Haitien Beijing 10080 PEOPLES REPUBLIC OF CHINA
Kenneth M. Guichard 14 Bolton Gardens London SW5, ENGLAND	Lars Ove Hansen Sparavollen 23 N-3021 Drammen, NORWAY	John M. Heraty Systematic Entomology Lab. U. S. National Museum Stop MNH 165 Washington D.C. 20560 Tel.: (202) 357 1856 FAX: (202) 786 2894 E-mail: mnhen136@svim.bitnet	Huang Xiao-yun Forest Research Institute Chinese Academy of Forestry Beijing PEOPLES REPUBLIC OF CHINA
Virendra Gupta Dept. of Entomology & Nematology University of Florida Gainesville, Florida 32611-0620 Tel.: (904) 392 1901 FAX: (904) 392 0190 E-mail: vgupta@gnv.ifas.ufl.edu	Paul Hanson Escuela de Biología Universidad de Costa Rica San Pedro, San Jose, COSTA RICA Tel.: 506 2 346164 or 249374 or 249367 FAX: 506 249367	Henry Hespenheide Dept. of Biology Univ. of California Los Angeles, Calif. 90024 Tel.: (310) 825 3170 FAX: (310) 206 3987	John Huber Biological Resources Division Centre for Land and Biological Resources Research Agriculture Canada Ottawa, Ontario Canada K1A 0C6 Tel.: (613) 957 4347 FAX: (613) 947 5974 E-mail: huberj@ncccot2.agr.ca
S. K. Gupta Zoological Survey of India Northern Regional Station 218, Kaulagarh Road Dehra Dun (U.P.) 248195, INDIA	Anthony C. Harris Otago Museum Great King Street Dunedin, NEW ZEALAND	Yoshihiro Hirashima President Miyazaki Municipal University 1-1-2 Funatsuka Miyazaki City, 880 JAPAN Tel.: 0985 20 2000 FAX: 0985 24 1913	Ian R. Hudson Eaglehurst 7 Ladram Road Alverstoke Gosport, Hants. PO12 2RH ENGLAND
Miles Guraftnick Vespa Laboratories Inc. R.D. #1 Spring Mills, Pennsylvania 16875	Richard Harris Manaka Whenua Landcare Research PO Box 69 Lincoln, NEW ZEALAND	D. R. Hoffman Dept. of Pathology School of Medicine East Carolina University Greenville, North Carolina 27834 FAX: (919) 816 3616	James Hunt Dept. of Biology Univ. of Missouri-St. Louis St. Louis, Missouri 63121 Tel.: (314) 553 6209 FAX: (314) 553 6233 E-mail: c4926@umslvma.umsl.edu
Fritz Gusenleitner Dept. of Entomology Oberösterreichisches Landesmuseum Museumstr. 14 A-4020 Linz, AUSTRIA Tel.: 0732-274482-38	Martin Hauser Müllerstraße 31 D - 6100 Darmstadt, GERMANY Tel.: 06151/77980	Herbert Hohmann Übersee-Museum Dienstgebäude Bahnhofplatz 13 2800 Bremen 1, GERMANY Tel.: 0421-171347	T. Iida Miyamayama-cho 3-3-27-302 Nada-ku, Kobe City, JAPAN 657
Josef Gusenleitner Pfitznerstr. 31 A-4020 Linz/Donau, AUSTRIA	Ulrich Heckes ÖKOKART Gesellschaft für ökologische Auftragsforschung Wasserburger Landstraße 151 8000 München 82, GERMANY	Robert Hole, Jr. Dept. of Biological Sciences PO Drawer GY Mississippi State, MS 39762-5759 Tel.: (202) 357-1970	Jacob Ishay Sackler School of Medicine Tel-Aviv University Ramat-Aviv, ISRAEL
Darryl Gwynn Department of Zoology Erdale Campus Univ. of Toronto Mississauga, Ontario Canada L5L 1C6	Kye Hedlund CB# 3175, Sitterson Hall Univ. of North Carolina Chapel Hill North Carolina 27599-3175 E-mail: hedlund@cs.unc.edu	Geoff Holloway Entomology Dept. Australian Museum P.O. Box A285 Sydney South, N.S.W. 2001 AUSTRALIA	Hideo Itami 4-Chome, 4-9, Yutaka-cho Shibata City, NIIGATA Prefecture 957 JAPAN
Volker Haeseler FB 7 Universität Postfach 25 03 D-2900 Oldenburg, GERMANY Tel.: 0441 798 3274	K. J. Hedqvist Swedish Natural Science Research Council c/o Dept. of Entomology Swedish Museum of Natural History S-104 05 Stockholm 50, SWEDEN	Eberhard Holtappels TrevererStr. 7 D(W) - 5100 Trier, GERMANY	Takao Itino Faculty of Agriculture Kagawa University MIKI-tyo KAGAWA-ken 761-07, JAPAN Tel.: 0878-98-1411 ext 286
Jeffrey D. Hahn Dept. of Entomology 1980 Foitwell Ave. Univ. of Minnesota St. Paul, Minnesota 55108	Wynand Heitmans Madurastraat 119 1094 GK Amsterdam THE NETHERLANDS	Allan Hook St. Edwards University Div. of Physical & Biol. Sciences Austin, Texas 78704 (512) 448-8466 FAX: (512) 448 8764 E-mail: hook@acad.stedwards.edu	Yosiaki Itō Faculty of Science and Arts Okinawa University 555 Kokuba, Naha Okinawa, 902 JAPAN FAX: 81 98 888 3116
Dennis Haines Tulare Co. Agric. Comm. Office County Civic Center Visalia, Calif. 93291	Klaus Hellrigl Wolkensteinstrasse 83 390 42 Brixen, ITALY	Don Horning "Wyllella", RMB 902 Loomberah via Tamworth 2340 New South Wales, AUSTRALIA	Kunio Iwata Karatodai 2-18-3 Kita, Kobe, JAPAN
Jeffrey A. Halstead 4886 E. Jensen Ave. Fresno, Calif. 93725	Gregg Henderson Dept. of Entomology Louisiana State University Baton Rouge, Louisiana 70803		
Eric Hammarström Husbygatan 6B S-614 30 Söderköping, SWEDEN Tel.: 46 121 14447			
Jacques Hamon 4, rue du Coteau 74240 Gaillard, FRANCE			

Bernhard Jacobi Striepens Weg 2 4330 Mülheim/R., GERMANY	Shin-ichi Katada Entomological Laboratory College of Agriculture University of the Ryukyus Nishihara, Okinawa, 903-01, JAPAN	Alois Kofler Meranerstrasse 3 A-9900 Lienz/Osttirol, AUSTRIA	Raphael P. Kurian Dept. of Entomology College of Horticulture Vellanikkara Trichur - 680 654, INDIA
Hans-Joachim Jacobs No. 41 Panzin DO-2201, GERMANY	Vladimir L. Kazenas Zoological Institute Akademgorodok Alma-Ata 32 KAZAKHSTAN REPUBLIC	Rolf R. Kohring Institute of Paleontology Freie Universität Berlin Malteserstrasse 74-100, Haus D 12249 Berlin, GERMANY	N. V. Kurzenko Institute of Biology and Pedology Vladivostok 22 690022, RUSSIA
Robert Jacobson Dept. of Pathology School of Medicine East Carolina Univ. Greenville, North Carolina 27858-4354 Tel.: (919) 551-2800 FAX: (919) 816 3616	Malcolm G. Keeping Dept. of Zoology University of Durban-Westville Private Bag X54001 Durban 4000, SOUTH AFRICA	Junichi Kojima Dept. of Biology Faculty of Science Ibaraki University Mito 310, JAPAN	Francisco La Roche Marina 17.4 38002 Sta. Cruz de Tenerife Islas Canarias, SPAIN
Rudolf Jander Dept. of Entomology University of Kansas Lawrence, Kansas 66045 Tel.: (913) 664-3457	W. Kenneth-Booker 22b Waterloo Close Livesey Blackburn BB2 4RQ, ENGLAND	V. A. Kolesnikov Michurina 2-a, kv. 4 Novozybkov, Bryanskaya oblast RUSSIA	Peter Landolt USDA, ARS 1700 SW 23rd Dr. Gainesville, Florida 32604
Daniel H. Janzen Joseph Leidy Laboratory of Biology G7 Dept. of Biology Univ. of Pennsylvania Philadelphia, Pennsylvania 19104 Tel.: (215) 898-5836 FAX: (215) 898-8780	Richard E. Keyel S.C. Johnson & Son, Inc. 1525 Howe St. Racine, Wisconsin 53403	Martti Koponen Keeper of Entomological Collections Agricultural and Forest Zoology University of Helsinki SF 00710 Helsinki, FINLAND	Url Lanham University of Colorado Museum Boulder, Colorado 80309-0218
Lars-Ake Janzon Swedish Museum of Natural History Box 50007 S-104 05 Stockholm, SWEDEN Tel.: 046-08-6664026	Soo Gee Khoo Zool. Dept. Univ. of Malaya 59100 Kuala Lumpur, MALAYSIA	Vladislav Krasilnikov Department of Zoology Chuvashskiy Gosudarstvennyi Universitet Ulitsa K. Markska 38 428000 Cheboksary Chuvashiya RUSSIAN FEDERATION	Folke K. Larsson Dept. of Zoology University of Uppsala Box 561 S-751 22 Uppsala, SWEDEN Tel.: 46-18182634
Robert Jeanne Dept. of Entomology Univ. of Wisconsin Madison, Wisconsin 53706 FAX: (1) 608 262 3322 E-mail: jeanne@vms3.macc.wisc.edu (Internet) jeanne@wiscmac3 (Bitnet)	Lynn Kimsey Dept. of Entomology University of California Davis, Calif. 95616 Tel.: (916) 752 5373 FAX: 916 752 9464 E-mail: bohart@ucdavis.edu	Joan W. Krispyn Gracewood State School & Hospital Gracewood, Georgia 30815	Hans Larsson Swedish University of Agricultural Sciences Dept. of Plant and Forest Protection Box 44, S-230 53 Alnarp, SWEDEN Tel.: 0413/40251
Ms. Anina Jecy Muzeul Delta Dunaril-Tulcea Strada Gloriei Nr. 4 8800 Tulcea, ROMANIA	Vladilen E. Kipyatkov Dept. of Entomology Faculty of Biology Leningrad State University St. Petersburg 199034, RUSSIA E-mail: vk@socium.spb.su	Karl Krombein Dept. of Entomology Smithsonian Inst., NHB-105 Washington, D.C. 20560 (202) 357 2289 FAX: 202 786 2894	John LaSalle Dept. of Entomology Natural History Museum Cromwell Road London SW7 5BD, ENGLAND Tel.: 44 71 938 9364 FAX: 44 71 938 0309 E-mail: jl@nhm.ac.uk
Gie-Joon Jeong Dept. of Biology College of Education Gyeongsang National University Jinju 620, SOUTH KOREA	Wim Klein Tweede Jan Steenstraat 22** 1073 VN Amsterdam THE NETHERLANDS	Michael Kuhlmann Am Stockpiper I D-59229 AHLEN, GERMANY	Jean Leclercq rue de Bois-de-Breux, 190 B-4020 Liege, BELGIUM
David W. Johnson 5797 Magnolia Lane Vero Beach, Florida 32957	Richard P. Kling Division of Forest Pest Management 34 Airport Drive Middletown Pennsylvania 17057-5080	Helmar Kuflik Freie Universität Berlin Institut für Allgemeine Zoologie (WE 4), FB 23 WE 44 Königin-Luisa-Strasse I-3 D-1000 Berlin 33, GERMANY	Marcel Leclercq rue Professeur Malvoz, 41 B-4610 Beyne-Heusay, BELGIUM
Nigel Jones 22 Oak Street Shrewsbury, Shropshire, SY3 7RQ, ENGLAND	Frank Koch Museum für Naturkunde Humboldt-Universität zu Berlin Invalidenstrasse 43 1040 Berlin, GERMANY	Bernarr Kumashiro Plant Pest Control Branch Dept. of Agriculture 1428 So. King Street Honolulu, Hawaii 96814-2512	Lee Tie-sheng Beijing Institute of Zoology Academia Sinica Beijing PEOPLES REPUBLIC OF CHINA
István Karsai % Deneubourg CNPCS ULB CP 231 Campus Plaine Bld. Triomphe Bruxelles, B-1050, BELGIUM FAX: 02 650.57.67	John A. Kochalka Ministerio de Agricultura y Ganadería Inventario Biológico Nacional Sucursal 19, Ciudad Univ. San Lorenzo, PARAGUAY	Peter Kunz Bettwanger Strasse 8 D-7761 Moos 2, GERMANY	Br. V. Lefevere Brusselstraat 38 6211 PG Maastricht THE NETHERLANDS
V. M. Kartzev Academy of Science of the USSR Institute of Animal Evolution Moscow, RUSSIA	N. Koeniger Institute f. Bienenkunde Karl v. Frisch-Weg 2 D 6370 Oberursel I, GERMANY	Frank Kurczewski 133 Illick Hall SUNY CESF Syracuse, NY 13210 Tel.: (315) 470 6753	Gerald Legg Booth Museum of Natural History 194 Dyke Road Brighton BN1 5AA UNITED KINGDOM Tel.: Brighton (0273) 55258 or Brighton (0273) 713299/603005 Ext. 3299 FAX: (0273) 563455


Arkady Lelej Institute of Biology and Pedology Far Eastern Scientific Center Vladivostok 22 690022, RUSSIA FAX: (4232) 310 193 E-mail: entomol@stv.iasnet.com	William P. MacKay University of Texas at El Paso Department of Biological Sciences El Paso, Texas 79968-0519	Lubomir Masner Biological Resources Division Centre for Land and Biological Resources Research Agriculture Canada Ottawa, Ontario, Canada K1A 0C6 Tel.: (613) 996 1665 E-mail: masnerl@nccot.agr.ca	Richard J. Michta 33 Belle Avenue Ronkonkoma, N.Y. 11779
Liao Ting-shi Beijing Institute of Zoology Academia Sinica 7 Zhongguancun, Haidian Beijing PEOPLES REPUBLIC OF CHINA	W. MacLachlan Dept. of Entomology Univ. of Arizona Tucson, Arizona 85721	Grace Middlebrook Metropolitan Toronto Zoo PO Box 280 West Hill, Ontario, Canada M1E 4R5	Tom Mason Metropolitan Toronto Zoo PO Box 280 West Hill, Ontario, Canada M1E 4R5
Walter Linsenmaier CH-6030 Ebikon (Luzern) Luzernstr. 63, SWITZERLAND	Jean-Michel Maes Museo Entomologico S.E.A. A.P. 527 Leon, NICARAGUA	M. Matsuuwa Laboratory of Entomology Faculty of Agriculture Mie University Tsu 514, JAPAN	Scott Miller Bernice P. Bishop Museum P.O. Box 19000-A Honolulu, Hawaii 96817-0916 Tel.: (808) 848-4193 FAX: (808) 841-8968 E-mail: scottm@bishop.bishop.hawaii.org
Marcia Little 41 E. Ramsey Canyon Road #E Hereford Arizona 85615-9613	Juan Carlos Magunacelaya Laboratorio de Zoologia Universidad Catolica de Valparaiso Casilla 4059 Valparaiso, CHILE	Robert W. Matthews Dept. of Entomology University of Georgia Athens, Georgia 30602 (404) 542-2816	M. M. Miyamoto Dept. of Anatomy School of Medicine Wayne State University Detroit, Michigan 48201
Toshiko Ljubomirow c/o Dr. Janko Kolarov University of Sofia Biological Faculty, Dept. of Zoology 8 Dragan Zankov Boul. 1421 Sofia, BULGARIA	Dr. Shun-ichi Makino Insect Management Laboratory Forestry and Forest Products Research Institute PO Box 16, Tsukuba Norin Kenkyu Danchi-Nai Ibaraki, 305, JAPAN E-mail: makino@ffpri-kys.ffrc.go.jp	Volker Mauss Zool. Inst. II und Museum der Universität Berliner Str. 28 37073 Göttingen, GERMANY	Alessandro Mochi via Ombrone 12 (b) 00198 Rome, ITALY
Astrid Løken Hovseterveien 96 N-0768 Oslo 7, NORWAY	Mary L. Manderfield Biology Dept. St. John's University Collegeville, Minnesota 56321	David McCorquodale Dept. of Mathematics and Natural Sciences University College of Cape Breton Box 5300 Sydney, Nova Scotia Canada B1P 6L2	Nikolaus Mohr Barbarastr. 7a D(W) - 5060 Bergisch Gladbach 1 GERMANY
Ole Lornholdt Rystien 10 DK-3300 Frederiksbaerk, DENMARK	Donald G. Manley Pee Dee Research & Education Center Rt. 1, Box 531 Florence, South Carolina 29501-9603	Tel.: (902) 539-5300 FAX: (902) 562-0119 E-mail: dmcorqu@sparc.ucsb.ns.ca	Donald Moore Brooklyn Botanic Garden 1000 Washington Ave. Brooklyn, N.Y. 11225
Robert Longair Dept. of Biological Sciences Univ. of Calgary 2500 University Dr. N.W. Calgary, Alberta, Canada T2N 1N4	Ronald J. McGinley Dept. of Entomology Smithsonian Inst., NHB-105 Washington, D.C. 20560	Elder Ferreira Morato Dep. Ciências Agrárias UFAC - CP.500 Rio Branco - AC 69915-900, BRASIL	
Sabina Longato Via Castelvecchio, 42 10090 Montalenghe (To), ITALY	Paul Marsh PO Box 384 610 Bluestem Street North Newton, Kansas 67117	Tel.: (202) 357 2834 FAX: 202 786 2894 E-mail: mnhen011@sivm.si.edu	David Morgan Dept. of Entomology Natural History Museum Cromwell Road London SW7 5BD, ENGLAND
Damiano Luchetti Viale Oceano Atlantico, 31 00144 Roma, ITALY	V. G. Marshakov All Union Institute of Plant Protection Laboratory of Entomophagous Insect Ecology 188 620 St. Petersburg-Puskin-6, RUSSIA	Kurt Menke PO Box 333 Aztec, New Mexico 87410	Roger Morse Dept. of Entomology Cornell University Ithaca, NY. 14853 Tel.: (607) 255-7723 FAX: (607) 255 0939 E-mail: ram14@cornell.edu
Jaan Luig Zoological Museum Tartu University Vanemuise 18, Tartu ESTONIA 202400	Steve Marshall Dept. of Environmental Biology Univ. of Guelph Guelph, Ontario, Canada N1G 2W1	Helen Menke 13270 Fairfield Ln #174F Seal Beach, Calif. 90740-3579	John C. Moser USFS Southern Forest Exp. Sta., 2500 Shreveport Highway Pineville, Louisiana 71360
David Lupton PO Box 443 Bayboro, North Carolina 28515-0443	Rogerio Parentoni Martins Dept. Biología Geral Instituto de Ciencias Biológicas Universidade Federal de Minas Gerais Caixa Postal 2486 30.161 - Belo Horizonte - MG, BRASIL	Svetlana Miartseva Zoological Institute of the Turkmenian Academy of Sciences Engelsa 6 Ashkhabad 744000, TURKMENISTAN	Padre Jesus S. Moure Dept. Zoologia Universidade do Parana Cx. Postal 3034 80.000 Curitiba, BRASIL Tel.: 041-266.3633 R. 142
J. F. MacDonald Dept. of Entomology Purdue University West Lafayette, Indiana 47907	Foderick P. Macfarlane D.S.I.R. Private Bag Christchurch, NEW ZEALAND Tel.: 252511	Emil Michalek 7930 Herzberg/Elster Frankfurter Str. 3, GERMANY	Tadao Murota Sakura Cho 1-4-5 Sabae City, JAPAN 916
Vera L. Machado Instituto de Biociências UNESP 13500 Rio Claro, SP, BRASIL E-mail: uercb@brfapesp	Ulrich Maschwitz Zoologisches Institut der Universität Siesmayerstrasse 70 Postfach 11 19 32 D-6000 Frankfurt a. M., GERMANY	Charles Michener Dept. of Entomology Univ. of Kansas Lawrence, Kansas 66045-2119 Tel.: (913) 864-4610 FAX: 913 864 5321 E-mail: byron@kuhub.cc.ukans.edu	

Christopher D. Nagano Entomology Section Natural History Museum 900 Exposition Blvd. Los Angeles, Calif. 90007 Tel.: (213) 744-3363	Beth B. Norden Dept. of Entomology Smithsonian Inst., NHB-105 Washington, D.C. 20560 Tel.: (202) 357 1821 E-mail: mnhen079@sivm.si.edu	Eric Olson 95 Trowbridge St. #3 Cambridge, Massachusetts 02138	L. Pardi Dipartimento Biologia Animale e Genetica via Romana 17 50125 Firenze, ITALY
Hirohiko Nagase 81 Nikaido Kamakura 248, JAPAN Tel.: Kamakura 0467-22-3494	Göran Nordlander Swedish Univ. of Agric. Sciences Division of Forest Entomology PO Box 7044 S-750 07 Uppsala, SWEDEN Tel.: (0) 18-572365	Paul Opler U.S. Fish & Wildlife Service 1201 Oak Ridge Drive Suite 200 Fort Collins, Colorado 80525 Tel.: (303) 226-9401, 223-9700 FAX: (303) 226-9455	Frank D. Parker Bee Biology & Systematics Lab Utah State University Logan, Utah 84322-5310 Tel.: (801) 797 2525 andrena@cc.usu.edu
T. C. Narendra Dept. of Zoology University of Calicut Kerala, INDIA - 673635	Mark F. O'Brien Insect Division Museum of Zoology Univ. of Michigan Ann Arbor, Michigan 48109-1079 Tel.: (313) 764 0471 E-mail: mfobrien@umich.edu	Michael Orlov Museum of Comparative Zoology Harvard University Cambridge, Massachusetts 02138	Robert B. Parks 4301 N. County Road 13 Fort Collins, Colorado 80524-9446
Ian Naumann CSIRO Division of Entomology P.O. Box 1700 Canberra City, ACT 2601, AUSTRALIA Tel.: 06 246 4262 FAX: 06 246 4264 E-mail: iann@ento.csiro.au	Sean O'Donnell Dept. of Entomology University of California Davis, Calif. 95616-8584 Tel.: (916) 752 5456 FAX: (916) 752 1537 E-mail: sodonell@ucdavis.edu	Till Osten Staatliches Museum für Naturkunde Rosenstein 1 D-70191 Stuttgart, GERMANY Tel.: 0711-89-36-219 FAX: (0711) 8936 100	Mariana Pascu Muzeul de Istorie Naturală Str. Cetății nr. 1,2400 Sibiu, ROMANIA
Ms. Shahodat Nazarova Institute of Zoology and Parasitology Post Office Box 70 Dushanbe, TADZHIKISTAN	Kevin O'Neill Dept. of Entomology Montana State University Bozemann Montana 59717-0002	William Overal Museu Paraense Emilio Goeldi Caixa Postal, 399 66.000 Belém, Pará, BRASIL	Tadeusz Pawlikowski Copernicus University Institute of Biology Dept. of Animal Ecology 87-100 Toruń, POLAND
Enrico Negrisolo via Conselvana 208 35020 Masera' di Padova (PD), ITALY Tel.: 39 49 8861218 FAX: 39 49 8286300	Christopher O'Toole University of Oxford Hope Dept. of Zoology (Ento.) University Museum Oxford OX1 3PW ENGLAND E-mail: caotoole@musuniv.ox.ac.uk	Michael D. Owen Dept. of Zoology University of Western Ontario London, Ontario, Canada N6A 5B7	David Peckham S.I.U.N.Y., H.S.C. 708 Irving Ave. Syracuse, N.Y. 13210
John Nelson Dept. of Biology Oral Roberts University Tulsa, Oklahoma 74171	Marty Obin USDA/ARS 1600 SW 23rd Drive Gainesville, Florida 32601	Cengizhan Ozbay University of Dicle Faculty of Art and Sciences Diyarbakır, TURKEY	J. J. Pedrero Departamento de Zoología Facultad de Biología Universidad de Salamanca 37071 - Salamanca, SPAIN
P. G. Nemkov Institute of Biology and Pedology Far Eastern Scientific Center Vladivostok 22 690022, RUSSIA E-mail: entomol@stv.iasnet.com	Joachim Oehlke Institut für Pflanzenschutzforschung Abt. Taxonomie der Insekten Schicklerstrasse 5 1300 Eberswalde-Finow 1, GERMANY	Laurence Packer Biology Dept. York Univ. 4700 Keele St. North York, Ontario Canada M3J 1P3 Tel.: (416) 736 2100 X22663 E-mail: fs300503@sol.yorku.ca	Antti Pekkarinen Dept. of Zoology Univ. of Helsinki P. Rautatiekatu 13 SF-00100 Helsinki 10, FINLAND Tel.: 90-4027241
M. A. Nesterov Institute of Zoology Ukrainian Academy of Sciences 25260 1 Kiev GSP, UKRAINE	Rudolph Oeser Sektion Chemie/Biologie Lehrstuhl für Allgemein u. Spez. Zoologie Padagogischen Hochschule DDR-15 Potsdam, Park Sanssouci GERMANY	Guido Pagliano Istituto di Entomologia Agraria e Apicoltura Università degli Studi Via Giuria 15 10126 Torino, ITALY Tel.: 011 36 36 30	D. H. Pengelly Box 359 Erickson, Manitoba Canada R0J 0PD
Barry S. Nichols 7004 Ethan Allen Way Louisville, Kentucky 40272	Michael Ohl II. Zoologisches Institut und Museum Berliner Str. 28 D-37073 Göttingen, GERMANY Tel.: 49 551 39 54 56 FAX: 49 551 39 54 48	Megan J. Pallett 7781 Tremaine Rd. R.R. # 6 Milton Ontario, Canada L9T 2Y1	Vicente Perez-D'Angelio Empresa Nacional del Petróleo Nogueira 1101, Casilla 247 Punta Arenas, CHILE
Göran Nilsson Banergettan 5A S-752 37 Uppsala, SWEDEN Tel.: 18182615	Shizuo Noguchi Shimoigusa 3-10-12 Suginami Tokyo 167, JAPAN	Mario Sergio Palma Lab. Biol. Molecular Dept. Biology, IBRC, UNESP Av. 24-A, No. 1515, Rio Claro, SP 13.500, BRASIL	James H. Perkins 1225 E. Richard Kingsville, Texas 78363
Jay Nixon 17300 Twin Ridge Ct. Silver Spring, Maryland 20904	Massimo Olmi Istituto di Difesa della Piante Università della Tuscia Via S. Camillo de Lellis 01100 Viterbo, ITALY FAX: (0761) 357473	Timothy Palmer RFD 1 Box 576 8 Facteau Ave. Plattsburgh, N.Y. 12901	Borge Petersen Universitetets Zoologiske Museum Universitetsparken 15 DK 2100 Copenhagen, DENMARK
Guido Nonveiller c/o Dr. J. Käsewitz-Weulersse Muséum National d'Histoire Naturelle Entomologie 45 bis, Rue de Buffon Paris Ve, FRANCE	Pekka Pamilo Dept. of Genetics Arkadiankatu 7 SF-00100 Helsinki, FINLAND	Dinu Paraschivescu Bdul Pacii nr. 5, Bl. 17, et. 5, sc. J, ap. 406 sect. 6,77531, Bucuresti, ROMANIA	Jacques Petit rue des Combattants 2 B-4690 Bassenge, BELGIUM Tel.: 041 861195

Laurence Phelps University of Wisconsin Baraboo/Sauk County 1006 Connie Road Baraboo, Wisconsin 53913	Ivica Radovic Institute of Zoology Faculty of Science 16, Studentski trg. 11000 Belgrade, YUGOSLAVIA	Stephan Risch Zuger Klause 18 5000 Köln 80, GERMANY	Monica Russo 1 North Skilling Road RR 4, Arundel Biddeford PO, Maine 04005
Tom Piek Dept. of Pharmacology University of Amsterdam Meibergdreef 15 1105 AZ Amsterdam THE NETHERLANDS	Alexander Rasnitsyn Palaeontological Institute Russian Academy of Sciences Profsoyuznaya str. 123 Moscow 117647, RUSSIA FAX: 7095 292 6511 E-mail: rasna@glas.apc.org	Stuart Roberts 22 Belle Vue Road SALISBURY, Wiltshire SP1 3YG, UNITED KINGDOM	Richard W. Rust Dept. of Biology Univ. of Nevada Reno, Nevada 89557 E-mail: RWRUST@UNR.edu
Andrew Polaszek CAB International c/o Natural History Museum London SW7 5BD, ENGLAND Tel.: 44 71 938 93015 FAX: 44 71 938 9309 E-mail: ap@nhm.ac.uk	Werner Rathmeyer Fakultät für Biologie Universität Konstanz D 7750 Konstanz, GERMANY	Ivone R. Diniz Rocha Dept. de Biología Animal Universidade de Brasília 70910 Brasília D.F., BRASIL	Curtis Sabrosky 205 Medford Leas Medford, New Jersey 08055 Tel.: (609) 654-3205
Nadezhda G. Ponomarenko Palaeontological Institute Profsoyuznaya ul. 113 117321 Moscow V-321, RUSSIA	Monica Ravera-Richter Dept. of Biology Skidmore College Saratoga Springs, N.Y. 12866-0851	C. G. Roche c/o AMBRIC Box 2265, Ataba Square Cairo, EGYPT	Barbara Saffer Indian River Community College 3209 Virginia Ave. Ft. Pierce, Florida 33450
Charles Porter Dept. of Biological Sciences Fordham University Bronx, N.Y. 10458	Anthony Raw Laboratorio de Ecología Universidade de Brasília Brasília DF, BRASIL	Norman W. Rodd "Joaah" Skyline Road Mt. Tomah via Bilpin N.S.W. 2758, AUSTRALIA Tel.: 045 672162	Charlotte Samuel Cavell Home East Mount Street London E1 1BO, ENGLAND
Jerry Powell Dept. of Entomology 201 Wellman Hall Univ. of California Berkeley, Calif. 94720 Tel.: (510) 642-3207 FAX: (510) 642-4612	Hal C. Reed Biology Department Oral Roberts University 7777 S. Lewis Ave. Tulsa, Oklahoma 74171	Alicia Rodriguez P. Estación de Biología Chamela Apartado Postal 21 San Patricio, Jalisco, 48980 MÉXICO Tel.: (335) 1 02 00 FAX: (335) 1 02 02 E-MAIL: fnoguera@unamvm1.dgsca.unam.mx	Coralia Sanchez c/o Jennifer Niese RARE Center 1616 Walnut Street, Suite 911 Philadelphia, PA 19103 [Apartado 6099 Habana 10600, Cuba]
Michael Prentice Dept. of Entomology 218 Wellman Hall Univ. of California Berkeley, Calif. 94720 Tel.: (510) 642 1842 (work) (510) 526 5201 (home)	Kalle Remm Institute of Zoology and Botany 21 Vanemuise St. Tartu, ESTONIA 202400	Arturo Roig Alsina Museo Argentino de Ciencias Naturales "Bernardino Rivadavia" Av. A. Gallardo 470 1405 Buenos Aires, ARGENTINA Tel.: 982 0306/5243 FAX: 982 4494 E-mail: arturo@muanbe.gov.ar	F. Sanza Departamento de Zoología Facultad de Biología Universidad de Salamanca 37071 - Salamanca, SPAIN
Chris Pruitt Universidad Autónoma "Gabriel René Moreno" Casilla 702 Santa Cruz de la Sierra, BOLIVIA	Carl W. Rettenmeyer Museum of Natural History 75 N. Eagleville, Rm. 312 V-23, Storrs, Connecticut 06268	Jay Rosenheim Dept. of Entomology Univ. of California Davis, Calif. 95616 Tel.: (916) 752 4395 FAX: (916) 752 1537	Carlos E. Sarmiento M. Apartado Aereo 52656 Bogota, COLOMBIA
Woj J. Pulawski Dept. of Entomology California Academy of Sciences Golden Gate Park San Francisco, Calif. 94118-4599 Tel.: (415) 750 7236 FAX: 415 750 7228 E-mail: pulawski@casmail.calacademy.org	Stephen G. Reyes Dept. of Entomology Univ. of Kansas Lawrence, Kansas 66045	Kenneth G. Ross Dept. of Entomology Univ. of Georgia Athens, Georgia 30602	Christoph Saure Gitschner Strasse 90 D-1000 Berlin 61, GERMANY
Carsten Pusch Piesberg 22 2322 Lütenburg, GERMANY Tel.: 04381 7918	Willi A. Ribi Max-Planck Institut für biologische Kybernetik Spemannstrasse 38 D-7400 Tübingen, GERMANY	Roland R. Roth Dept. of Entomology & Applied Ecol. University of Delaware Newark, Delaware 19717-1303	Pier Luigi Scaramozzino Museo Regionale di Scienze Naturali Via Giolitti, 36 1-10123 Torino, ITALY
Donald Quicke Dept. of Animal Biology University of Sheffield Sheffield S10 2TN UNITED KINGDOM	David Richman Dept. Entomology & Plant Path. Box 3BE New Mexico St. Univ. Las Cruces, New Mexico 88003	David W. Roubik Smithsonian Tropical Res. Inst. APO Miami 34002-0011	Michael Schauff Systematic Entomology Lab. c/o U.S. National Museum Washington, D.C. 20560 Tel.: (202) 382 1784 FAX: (202) 786 9422 E-mail: mnhen024@sivm.si.edu
Diomedes Quintero Arias Smithsonian Tropical Res. Inst. Tupper Building, unit 0948 APO AA 34002-0948 Tel.: (507) 84 7758 FAX: (507) 32 5978	Matthias Riedel Dept. of Cardiology Medical School Hannover P.O.Box 610180 Hannover 61, GERMANY	Alain Roy 975 rue de l'Eglise St-Polycarpe, Qué. C.P. 382, Canada J0P 1X0	Stephen P. Schembri "Pearl" Ujal II-Helsien Zebbug, MALTA
Helmut Riemann Übersee Museum Balmhorplatz 13 D-2800 Bremen 1, GERMANY Tel.: 0421 17 13 47	Edmundo Rubio Espina Facultad de Agronomía Universidad del Zulia Apartado 526, Maracaibo VENEZUELA	Enrique Ruiz C. 20 de Noviembre 145 Sur Cd. Victoria Tamaulipas 8700, MÉXICO	Kathy Schick Dept. of Entomology University of California Davis, Calif. 95616
			Thomas Schlüter Dept. of Geology University of Dar es Salaam P.O. Box 35052, TANZANIA
			Christian Schmid-Egger U. Kirschbaumlebuck 18 D-7840 Müllheim, GERMANY

Paul Schmid-Hempel Zoologisches Institut der Universität Rheinsprung 9 CH-4051 Basel, SWITZERLAND	Mike Sharkey Biological Resources Division Centre for Land and Biological Resources Research Central Experimental Farm Ottawa, Ontario Canada K1A 0C6 Tel.: (613) 957 4347 FAX: (613) 947 5974 E-mail: sharkeym@nccott2.agr.ca	A. Giordani Soika Museo Civico di Storia Naturale Santa Croce 1730 Venice, ITALY	Bo G. Svensson Dept. of Entomology Univ. of Uppsala Box 561 S-751 22 Uppsala, SWEDEN
Justin Schmidt 1961 W. Brichta Tucson, Arizona 85745 Tel.: (602) 670 6380 or 6481 FAX: (602) 670 6493	Sulene Noriko Shima Dept. Zoologia, I.B. UNESP - Campus de Rio Claro C.P. 178 13.500 - Rio Claro (SP), BRASIL	Martin Sorg Biolgische Station Bergisches Land e. V. Schmitzbüchel 2 D-51491 Overath, GERMANY FAX: 02204 74258	Cecil Taffe Department of Biological Sciences University of Ilorin Ilorin, NIGERIA
J. Schmidt Zoology Univ. of Toronto 25 Harbord Street Toronto, Ontario, Canada M5S 1A1	Akira Shimizu Keyaki 1-13-12 Honjo-shi Saitama, 367, JAPAN	Margery G. Spofford 112 Seneca Road East Trumansburg, N.Y. 14886	Hideo Takahashi Higashiasakawa-machi 549-201 Hachiōji-shi Tokyo 193, JAPAN
Konrad Schmidt Zoologisches Institut der Universität 75 Karlsruhe 1 Postfach 6380, GERMANY	Walter H. Sielfeld K. c/o Vicente Perez D'Angello Empresa Nacional del Petróleo Nogueira 1101, Casilla 247 Punta Arenas, CHILE	J. P. Spradbery CSIRO P.O. Box 1700 Canberra, A.C.T. 2601, AUSTRALIA	Raina Lei Takumi Dept. of Entomological Sciences Univ. of California, Berkeley Berkeley, Calif. 94720
Michael Schmitz Rückertstr. 12 30169 Hannover, GERMANY	Maria Nei da Silva Dept. de Biología, ICBG Universidade Federal de Juiz de Fora 36100 Juiz de Fora Minas Gerais, BRASIL	Lionel A. Stange Florida Dept. of Agriculture P.O. Box 1269 Gainesville, Florida 32601 Tel.: (904) 372 3505	Tadashi Tano 1-5-19 Kamokawara Fukui City, Fukui Pref. 910, JAPAN
Nico Schneider Centre Universitaire de Luxembourg Département des Sciences 162a, avenue de la Faïencerie L-1511 Luxembourg, LUXEMBOURG	Dercio Simoes Dept. de Ecología Universidade Estadual Paulista Campus Universitário de Rio Claro Instituto de Biociências Rua 10, No. 2527 Rio Claro, São Paulo, BRASIL	Christopher K. Starr Dept. of Zoology Univ. of the West Indies St. Augustine, TRINIDAD Tel.: 663 1364 FAX: (809) 645 7132	Tao Lindgren Zoological Institute of Shaanxi Prov. Xian PEOPLES REPUBLIC OF CHINA
Gerard Schulten Food and Agriculture Organization of the UN Via delle Terme di Caracalla 00100 Rome, ITALY	R. T. Simon Thomas Mythsteelaan 32 8072 PZ Nunspeet THE NETHERLANDS	Robert Staub Todistrasse 25 CH 8344 Baretswil, SWITZERLAND	Elizabeth Chiappa Tapia Universidad Católica Valparaíso Casilla 4059 Valparaíso, CHILE
Karl-Heinz Schwammberger Lehrstuhl für Spezielle Zoologie und Parasitologie Ruhr-Universität Bochum Postfach 102148 D 4630 Bochum 1, GERMANY Tel.: 0234 7004501	Ewa Skibinska Instytut Zoologii PAN 00-679 Warszawa Wilcza 64, POLAND	Russ Stewart APHIS, room 635 Federal Center Bldg. 6505 Belcrest Road Hyattsville, Maryland 20782	Luis O. Tejada Instituto Tecnológico, Estud. Super. de Monterrey Sucursal de Correos "J" 64849 Monterrey, N.L., MÉXICO
Francois Schwartz 14 Rue Oudinot 75007 Paris, FRANCE	Jane van der Smissen Jesse-Owens-Str. 10 D - 2407 Bad Schwartau, GERMANY	George C. Steyskal 3654 NW 51st Terrace Gainesville, FL 32606 H. Tel.: (904) 376-4936 W. Tel.: (Florida St. Coll.)(904) 372-3505-188	Jan Tengö Ecological Station S-386 00 Farjestaden, SWEDEN Tel.: 46 485 38694
Maximilian Schwarz Eibenweg 6 AZ-4052 Ansfelden, AUSTRIA Tel.: 0732 427164	Norman Smith Fresno County Dept. of Agriculture 1730 S. Maple Fresno, Calif. 93702	Alain & Colette Strambi CNRS INP 6 B.P. 71 13402 Marseille Cedex 9, FRANCE	V. J. Tepedino Bee Biology and Systematics Lab. FZ Building Utah State University Logan, Utah 84322 Tel.: (801) 750 2559 E-mail: andrena@cc.usu.edu
Xenia Scobioala-Palade Muzeul de Istorie Naturală "Grigore Antipa" Sos. Kiseleff 1 71243-Bucuresti, ROMANIA Tel.: 90 65 51 95	Andrew P. Smith Dept. of Ecosystem Management The University of New England Armidale, N. S. W. 2351 AUSTRALIA	Joan Strassmann Dept. of Biology P.O. Box 1892 Rice University Houston, Texas 77251	Iikka Teras Dept. of Zoology Univ. of Helsinki P. Rautatiekatu 13 SF-00100 Helsinki 10, FINLAND Tel.: 358 0 402746
Virginia L. Scott Museum, Henderson Building University of Colorado, Boulder Campus box 218 Boulder, Colorado 80309-0218 Tel.: (303) 492 6270 FAX: (303) 492 4195 E-mail: scottv@spot.colorado.edu	Roy Snelling Dept. of Entomology Natural History Museum of Los Angeles County 900 Exposition Blvd. Los Angeles, Calif. 90007 Tel.: (312) 744-3365	Franco Strumia Istituto di Fisica Università di Pisa Piazza Torricelli 2 56100 Pisa, ITALY	Mamoru Terayama Department of Biology College of Arts & Sciences The University of Tokyo 3-8-1, Komaba, Meguro-ku Tokyo 153, JAPAN
Jon Seger Dept. of Biology University of Utah Salt Lake City, Utah 84112 Tel.: (801) 581-4758	Gordon Snelling 436 W. Gladstone, #153 Glendora, Calif. 91740 Tel.: (818) 963 5205	J. W. Stubblefield 59 Winter Street Belmont, Massachusetts 02178	Jean Claude Teulou chemin de Gary 47340 Saint Antoine de Ficalba FRANCE
Sandra Shanks Dept. of Biology University of San Francisco San Francisco, Calif. 94117-1080	V. V. Sudheendrakumar Division of Entomology Kerala Forest Research Institute Peechi- 680 653, Trichur Kerala, INDIA	Masaaki Sugiura Laboratory of Entomology Faculty of Agriculture Mie University Kamihama, Tsu, Mie, 514, JAPAN	Hans-Ulrich Thomas Zeppelinstr. 31 8057 Zurich, SWITZERLAND
		Peter Thorén Department of Genetics University of Uppsala Box 7003 S-750 07 Uppsala, SWEDEN	

V. I. Tobias Zoological Institute Academy of Sciences of Russia University Quay 1 St. Petersburg V-164, RUSSIA	Peter van Ooijen Voorstraat 5b 3512 AH Utrecht THE NETHERLANDS	David Wahl American Entomological Institute 3005 SW 56th Ave. Gainesville, Florida 32608 Tel.: (904) 377-6458 FAX: 904 377 6458	Robert Wharton Dept. of Entomology Texas A & M University College Station, Texas 77843 Tel.: (409) 845 9719 FAX: (409) 845 7977
Salvatore Tormarchio Via Pietra dell'ova, 113 95125 CATANIA, ITALY	Jan Willem van Zuijlen Meyerijplein 6 5144 CK Waalwijk THE NETHERLANDS Tel.: 071 143844 FAX: 31 71 133344	Urban Wahlstedt Ensittanvagen 11 112 64 Stockholm, SWEDEN	William Whitcomb Dept. of Entomology Univ. of Florida Gainesville, Florida 32611
J. Tormos Dept. de Zoologia Fac. de Ciencias Biol. Univ. de Valencia Valencia, SPAIN	Colin Vandy Dept. of Entomology Natural History Museum Cromwell Road London SW7 5BD, ENGLAND FAX: (44) 071 938 8937	Wang Chang-iu The Research Institute of Forestry The Chinese Academy of Forestry Wan Shou Shan Beijing PEOPLES REPUBLIC OF CHINA	Karl-Heinz Wickl Haidhof 44 D-8454 Schnaittenbach, GERMANY
Haroldo Toro Departamento de Zoologia Univ. Catolica de Valparaiso Casilla 4059 Valparaiso, CHILE Tel.: 251024 ext. 3343	René Veenendaal Groenhoven 422 1103 LL Amsterdam ZO THE NETHERLANDS	Wang Min-sheng Institute of Zoology Academia Sinica 7 Zhongguancun Lu, Haitien Beijing PEOPLES REPUBLIC OF CHINA	H. Wiering Doomtjes 29 1861 VH Bergen NH THE NETHERLANDS
Rodrigo Torres N. A.A. 19149 Bogotá, COLOMBIA	Raul Velez-Angel Facultad de Ciencias Apartado Aereo 3840 Univ. Nacional de Colombia Medellin, COLOMBIA	Gertrude L. Ward Joseph Moore Museum Earlham College Richmond, Indiana 47374	Anura Wijesekara PO Box II Central Agricultural Res. Inst. Peradeniya, SRI LANKA
Reinhold Treiber Eugen-Nagele-Str. 29 D-7290 Freudenstadt, GERMANY	Francisco Vergés Apartado 29 Canet de Mar (Barcelona), SPAIN	Marius Wasbauer PO Box 6820 Brookings Oregon 97415 Tel.: (503) 469 3152	Daryl J. Williams Dept. of Entomology Univ. of Alberta Edmonton, Canada T6G 2E3
Robert Tuckerman 82 Dublin St. Peterborough Ontario, Canada K9H 3A9 Tel.: (416) 884 7703	Veli Viikberg Liinalammintie 11 as 6 SF-14200 Turenki, FINLAND	William T. Wcislo Dept. of Entomology Cornstock Hall Cornell University Ithaca, NY 14853-0999	Dave Williams 203 W. 18th., Apt. B Santa Ana, Calif. 92706
Stefano Turillazzi Dip. Biologia Anim. e Genetica Universita di Firenze Via Romana 17 50125 Firenze, ITALY	Baldomero Villegas Biological Control/Pest Manag. Calif. Dept. of Food & Agric. 3288 Meadowview Rd. Sacramento, Calif. 95832	Alan J. S. Weaving Albany Museum Somerset Street Grahamstown, 6140 SOUTH AFRICA E-mail: amaw@giraffe.ru.ac.za	Paul H. Williams Dept. of Entomology Natural History Museum Cromwell Road London SW7 5BD, ENGLAND E-mail: paw@nhm.ac.uk
William J. Turner Dept. of Entomology Washington State Univ. Pullman, Washington 99164	David Vincent Beneficial Insect Introduction Lab. USDA - SEA -AR - NR Building 417, Barc East Beltsville, Maryland 20705 Tel.: (301) 504-8097	John W. Wenzel Department of Entomology Museum of Biological Diversity Ohio State University 1315 Kinnear Road Columbus, Ohio 43212-1192 Tel.: (614) 292 7773 FAX: 614 292 7774	Abraham Willink Instituto Miguel Lillo Miguel Lillo 205 4000 Tucuman, ARGENTINA Tel.: 081 219302 FAX: 54 (081) 330633
Giuseppe Fabrizio Turtisi Via S. Maria dei Monte, 65 95030 Gravina Di Catania (CT), ITALY	S. Bradleigh Vinson Dept. of Entomology Texas A&M University College Station, Texas 77843-2475 Tel.: (409) 845-9754 FAX: (409) 847 8668	John W. Wenzel Department of Entomology Museum of Biological Diversity Ohio State University 1315 Kinnear Road Columbus, Ohio 43212-1192 Tel.: (614) 292 7773 FAX: 614 292 7774	E. O. Wilson Biological Laboratories Harvard University Cambridge, Massachusetts 02138
Hubert Tussac Av. Jean Lurçat 46000 Cahors, FRANCE	Johannes Voith Pranditstrasse 15 D-8015 Freising, GERMANY	Mary Jane West-Eberhard Escuela de Biología Universidad de Costa Rica Ciudad Universitaria, COSTA RICA Tel.: 28 0001 FAX: (506) 228 0001	Donald Windsor Smithsonian Tropical Res. Inst. APO Miami, Florida 34002
Marc Tussac Route du clos du Loup CIDEX 7521 31240 Castelmauro, FRANCE	Andreas von der Heide Trommelweg 2 W - 2900 Oldenburg, GERMANY	Paul Westrich Maienfeldstr. 9 D-72074 Tuebingen, GERMANY	Rolf Witt FB7, Universität Oldenburg Postfach 2503 26129 Oldenburg, GERMANY
A. Ugolini Dipartimento Biol. Anim. & Genetica Univ. di Firenze Via Romana, 17 50125 Firenze, ITALY	Robert Wagner 31633 E. Lake Morton Dr., S.E. Kent Washington 98042	Janine C. Weulersse Laboratoire d'Entomologie, Generale et Appliquee 45 Rue Buffon 75005 Paris, FRANCE Tel.: (1) 40 79 33 86 FAX: (1) 40 79 36 99 E-mail: weulerss@mnhn.fr	Heinrich Wolf Uhlandstrasse 15 D-58840 Plettenberg, GERMANY
Kees van Achterberg Rijksmuseum van Natuurlijke Historie Postbus 9517 2300 RA Leiden THE NETHERLANDS Tel.: 071 143844 FAX: (071) 133344	Raymond Wahis rue des 7 Collines B. 4052 Chaudfontaine, BELGIUM Tel.: (w) 081/62 22 86 (h) 041/68 81 44	Klaus Wollmann Institut für Angewandte Zoologie An der Immenburg 1 D-5300 Bonn 1, GERMANY	Wu Jian Forest Research Institute Chinese Acad. of Forestry Beijing PEOPLES REPUBLIC OF CHINA
Gijs van der Zanden Jongkindstr. 2 5645 JV Eindhoven THE NETHERLANDS Tel.: 040 111359			

Xiao Gang-rou Forest Research Institute Chinese Academy of Forestry Beijing PEOPLES REPUBLIC OF CHINA	INSTITUTIONS L. G. Gritsenko Academy of Sciences of Belarus Yakub Kolas Basic Library International Book Exchange Surganova Street 15 220601 Minsk, BELORUS	Institute of Zoology Library The Polish Academy of Sciences ul. Wilcza 64 P. O. Box 1007 00-679 Warszawa, POLAND	The Library Peking Institute of Zoology Academia Sinica Haitien, Peking (53) PEOPLES REPUBLIC OF CHINA
Mrs. Xu Cheng-hua Forest Research Institute Chinese Academy of Forestry Wan Shun Shan Beijing PEOPLES REPUBLIC OF CHINA	The Library of the Academy of Sciences of the USSR Exchange Department St. Petersburg V.O. 164 Birzhevaja Linja, 1, RUSSIA	Biblioteca Istituto di Entomologia Agraria Università degli Studi Via Amendola 165/A 70126 - Bari, ITALY	Librarian Royal Entomological Society of London 41 Queen's Gate London SW7 5HU, ENGLAND
Seiki Yamane Dept. of Biology Faculty of Science Kagoshima University Kagoshima, 890, JAPAN Tel.: 0992 54 7141 ext. 4371	Library, Albany Museum Grahamstown 6140 SOUTH AFRICA	Karger Libri Petersgraben 31 CH-4009 Basel, SWITZERLAND	Strickland Entomological Museum c/o Dr. G. E. Ball Dept. of Entomology Univ. of Alberta Edmonton Alberta, Canada T6G 2E3 (403) 492-2084
Sōichi Yamane Biological Laboratory Faculty of Education Ibaraki University Mito, 310, JAPAN	Acquisitions Division Albert R. Mann Library Cornell University Ithaca, New York 14853	Metropolitan Toronto Zoo Attention: stores Gate D, Finch Ave., East Scarborough, Ontario Canada M1B 5K7	Taxonomic Services Unit USDA, ARS, BA Systematic Entomology Lab. Room 101A Bldg 046 Beltsville, Maryland 20705
Peter F. Yeo The Store House Gretton Road Huntingworth Northants, NN17 3AD United Kingdom, ENGLAND	Library, American Entomological Institute 3005 SW 56th Ave. Gainesville, Florida 32608	Librarian Museo Civico di Storia Naturale "Giacomo Doria" via Brigata Liguria N. 9 I-16121 Genoa, ITALY	Library Dept. of Entomology Termeszettudományi Múzeum Aliattara Baross utca 13 H 1068 Budapest, HUNGARY
Kimio Yoshikawa 2-7-22, Seifuso Toyonaka City Osaka (560), JAPAN	BIOSIS (Zoological Record) Garforth House 54 Micklegate, York North Yorkshire YO1 1LF, ENGLAND	Museo Nacional de Historia Natural del Paraguay Proyecto de inventario Biológico Nacional Edificio Patria - Piso 6 Tacuary 443, Asuncion, PARAGUAY	Library Department of Entomology Texas A & M University College Station, Texas 77843
Enrique Yustiz Universidad Centro Occidental "Lisandro Alvarado" Depta. de Entomología-Zoología Escuela de Agronomía, Apartado 400 Barquisimeto, Estado Lara VENEZUELA	Library Bishop Museum Serials PO Box 19000A Honolulu, Hawaii 96817-0916	Library Museum of Comparative Zoology 26 Oxford St. Cambridge, Massachusetts 02138	CDDC - Biblioteca Central Universidade Federal de Juiz de Fora 36100 - Juiz de Fora Minas Gerais, BRASIL
Samy M. Zalat Suez Canal University Faculty of Science Zoology Department Ismailia, EGYPT	Borough of Brighton The Booth Museum of Natural History Dyke Road, Brighton BN1 5AA UNITED KINGDOM	Acquisitions Section Department of Library Services The Natural History Museum Cromwell Road London SW7 5BD, ENGLAND	Biblioteca Central-DPT Universidade Federal de Sergipe CEP 49.000, Aracaju/SE, BRASIL
Thomas J. Zavorlink Dept. of Biology University of San Francisco Ignatian Heights San Francisco, Calif. 94117-1080	Mr. C. J. Hamilton CAB International Library Services Centre Silwood Park, Buckhurst Road Ascot, Berks. SL5 7TA UNITED KINGDOM	Bibliotheek Nederlandse Entomologische Vereniging Plantage Middenlaan 64 1018 DH Amsterdam THE NETHERLANDS	Zoologisk Museum Biblioteket Universitetsparken 15 DK - 2100 Copenhagen Ø, DENMARK
Zhou Shu-zhi Forest Research Institute Chinese Academy of Forestry Beijing PEOPLES REPUBLIC OF CHINA	Central Scientific Agricultural Library Department of International Book Exchange Moscow, 1-139, Ordilov per., 3 RUSSIA	Library Division of Entomology Peabody Museum of Natural History New Haven, Connecticut 06511	
Olaf Zimmermann Lürimper Str. 228 D-41065 Mönchengladbach, GERMANY	The Libraries, Serials Department Colorado State University Fort Collins, Colorado 80523		
Ronaldo Zucchi Faculdade de Filosofia Ciencias e Letras de Ribeirão Preto – USP Dept. de Biologia Avenida Bandeirantes, 3900 cep 14040-901 Ribeirão Preto (SP), BRASIL Tel.: 016 634 62 65 E-mail: fernoll@fox.cce.usp.br	The Library Institute of Biology and Pedology Far Eastern Scientific Center Vladivostok 22, 690022 RUSSIA The Library Inst. für Pflanzenschutzforschung Kleinmachnow 13 Eberswalde Finow 1 Schicklerstr. 5, GERMANY		Museebeckidium obsoletum (Say), female (Chrysidae), North America.