

Python – Executing Programs Through Terminal

1. Which command is commonly used to execute a Python file named program.py from the terminal?

- o A) run program.py
- o B) python program.py
- o C) execute program.py
- o D) start program.py

Answer: B) python program.py

2. On systems where python points to Python 2 or is unavailable, which command is commonly used to run a Python 3 program?

- o A) python3 program.py
- o B) py3 program.py
- o C) run3 program.py
- o D) execute3 program.py

Answer: A) python3 program.py

3. Consider the following Python file named hello.py:

```
print("Hello World")
```

What command should be used to execute it from the terminal?

- A) python hello
- B) python hello.py
- C) execute hello.py
- D) run hello.py

Answer: B) python hello.py

4. What does the following command do?

```
python test.py
```

- A) Creates a Python file called test.py
- B) Opens test.py for editing
- C) Executes test.py using Python
- D) Deletes test.py

Answer: C) Executes test.py using Python

5. A Python file is located at:

`C:\Projects\ML\model.py`

Which command can execute it from the terminal?

- A) `python C:\Projects\ML\model.py`
- B) `run C:\Projects\ML\model.py`
- C) `execute C:\Projects\ML\model.py`
- D) `start-python C:\Projects\ML\model.py`

Answer: A) `python C:\Projects\ML\model.py`

6. What is the purpose of the `cd` command in a terminal?

- o A) Create a directory
- o B) Delete a directory
- o C) Change the current directory
- o D) Compile Python code

Answer: C) Change the current directory

7. Suppose the terminal is currently in:

`C:\Users\Student`

and the Python file is located in:

`C:\Users\Student\Projects`

Which command can be used to move into the Projects directory?

- A) `cd Projects`
- B) `move Projects`
- C) `goto Projects.py`
- D) `open Projects`

Answer: A) `cd Projects`

8. Consider the following sequence of commands:

`cd Documents`

`python program.py`

What does the second command assume?

- A) `program.py` exists in the Documents directory
- B) Python is installed inside Documents
- C) Documents is a Python package
- D) `program.py` must be a module

Answer: A) `program.py` exists in the Documents directory

9. What is the purpose of the command:

`python --version`

- A) Execute Python code
- B) Display the installed Python version
- C) Update Python
- D) Remove Python

Answer: B) Display the installed Python version

10. Which command starts Python's interactive interpreter in a terminal?

- A) `python`
- B) `python.start()`
- C) `start python.py`
- D) `interactive python`

Answer: A) `python`

11. If the terminal displays:

`>>>`

what does this generally indicate?

- A) Python is waiting for interactive input
- B) Python has crashed
- C) The terminal is closed
- D) A Python file is being downloaded

Answer: A) Python is waiting for interactive input

12. What will happen when the following command is executed?

`python`

- A) A new Python file is created
- B) The Python interactive interpreter starts
- C) All Python programs are executed
- D) Python is installed automatically

Answer: B) The Python interactive interpreter starts

13. Which command exits the Python interactive interpreter?

- A) `exit()`
- B) `stop_python()`
- C) `close_python()`
- D) `quit_python()`

Answer: A) `exit()`

14. Consider a file:

```
# calculator.py  
a = 10  
b = 20  
print(a + b)
```

What will be displayed after executing:

```
python calculator.py
```

- A) 10
- B) 20
- C) 30
- D) 1020

Answer: C) 30

15. What is the likely reason for the error:

```
python: can't open file 'program.py'
```

- A) Python cannot perform addition
- B) The file cannot be found at the specified location
- C) Python is always case-sensitive
- D) The terminal does not support Python

Answer: B) The file cannot be found at the specified location

16. A student runs:

```
python program.py
```

and gets:

```
'python' is not recognized as an internal or external command
```

What is a likely cause?

- A) The Python interpreter is not installed or is not available in PATH
- B) The .py file is too large
- C) The program contains a loop
- D) Python does not support terminal execution

Answer: A) The Python interpreter is not installed or is not available in PATH

17. Which command can be used to install a Python package from the terminal?

- A) python install numpy
- B) pip install numpy
- C) install python numpy
- D) package numpy

Answer: B) pip install numpy

18. Which command can execute a Python module from the terminal?

- A) `python -m module_name`
- B) `python --module module_name`
- C) `run -m module_name`
- D) `execute module_name`

Answer: A) `python -m module_name`

19. Consider a Python program requiring a command-line argument:

```
import sys  
print(sys.argv[1])
```

Which command correctly executes it with the argument Hello?

- A) `python program.py`
- B) `python program.py Hello`
- C) `python Hello program.py`
- D) `python --arg Hello program.py`

Answer: B) `python program.py Hello`

20. What will `sys.argv[0]` generally contain when a Python script is executed from the terminal?

- A) The first user-provided argument
- B) The Python version
- C) The script name/path
- D) The current working directory only

Answer: C) The script name/path