

```
from airflow import DAG

from airflow.operators.python import PythonOperator

from datetime import datetime
```

```
# Task Functions
```

```
def wake_up_task():

    print("Student woke up at 6 AM")
```

```
def exercise_task():

    print("Student completed morning exercise")
```

```
def attend_class_task():

    print("Student attended Python class")
```

```
def complete_assignment_task():

    print("Student completed Airflow assignment")
```

```
def sleep_task():

    print("Student went to sleep at 10 PM")
```

DAG Definition

with DAG(

dag_id="student_daily_tasks_dag",

start_date=datetime(2025, 1, 1),

schedule="@daily",

catchup=False

) as dag:

Create Tasks

task1 = PythonOperator(

task_id="wake_up_task",

python_callable=wake_up_task

)

task2 = PythonOperator(

task_id="exercise_task",

python_callable=exercise_task

)

task3 = PythonOperator(

task_id="attend_class_task",

python_callable=attend_class_task

)

```
task4 = PythonOperator(  
    task_id="complete_assignment_task",  
    python_callable=complete_assignment_task  
)
```

```
task5 = PythonOperator(  
    task_id="sleep_task",  
    python_callable=sleep_task  
)
```

Task Dependencies

task1 >> task2 >> task3 >> task4 >> task5