

| Class                                    | Description  | Example                |
|--|--|------------------------|
| <code>.well-sm</code>                    | Small well (less padding)  | <a href="#">Try it</a> |
| <code>.well-lg</code>                    | Large well (more padding)  | <a href="#">Try it</a> |
| <code>.well</code>                       | Adds a rounded border around an element with a gray background color and some padding  | <a href="#">Try it</a> |
| <code>.warning</code>                    | Adds a yellow background color to the table row ( <code>&lt;tr&gt;</code> ) or table cell ( <code>&lt;td&gt;</code> ). Indicates a warning | <a href="#">Try it</a> |
| <code>.visible-print-inline-block</code> | Displays the element ( <code>display:inline-block</code> ) in print (pre)view  |                        |
| <code>.visible-print-inline</code>       | Displays the element ( <code>display:inline</code> ) in print (pre)view  |                        |
| <code>.visible-print-block</code>        | Displays the element ( <code>display:block</code> ) in print (pre)view   |                        |
| <code>.visible-*</code>                  | <b>Deprecated as of v3.2.0.</b> Used to show and/or hide content by device. <b>Note:</b> Use <code>.hidden-*</code> instead                | <a href="#">Try it</a> |
| <code>.tooltip</code>                    | Popup-box that appears when the user moves the mouse pointer over an element   | <a href="#">Try it</a> |
| <code>.thumbnail</code>                  | Adds a border around an element (often images or videos) to make it look like a thumbnail  | <a href="#">Try it</a> |
| <code>.text-warning</code>               | Yellow/orange text color. Indicates warning  | <a href="#">Try it</a> |
| <code>.text-uppercase</code>             | Makes text uppercase   | <a href="#">Try it</a> |
| <code>.text-success</code>               | Green text color. Indicates success  | <a href="#">Try it</a> |
| <code>.text-right</code>                 | Aligns text to the right   | <a href="#">Try it</a> |
| <code>.text-primary</code>               | Blue text color  | <a href="#">Try it</a> |

| Class                          | Description  | Example                |
|--------------------------------|--|------------------------|
| <code>.text-nowrap</code>      | Prevents the text from wrapping  | <a href="#">Try it</a> |
| <code>.text-muted</code>       | Grey text color  | <a href="#">Try it</a> |
| <code>.text-lowercase</code>   | Changes text to lowercase  | <a href="#">Try it</a> |
| <code>.text-left</code>        | Aligns the text to the left  | <a href="#">Try it</a> |
| <code>.text-justify</code>     | Indicates justified text   | <a href="#">Try it</a> |
| <code>.text-info</code>        | Light-blue text color. Indicates information   | <a href="#">Try it</a> |
| <code>.text-hide</code>        | Hides text (helps replace an element's text content with a background image)   | <a href="#">Try it</a> |
| <code>.text-danger</code>      | Red text color. Indicates danger   | <a href="#">Try it</a> |
| <code>.text-center</code>      | Center-aligns text   | <a href="#">Try it</a> |
| <code>.text-capitalize</code>  | Indicates capitalized text   | <a href="#">Try it</a> |
| <code>.table-responsive</code> | Makes a table responsive (adds a horizontal scrollbar when needed)   | <a href="#">Try it</a> |
| <code>.table-hover</code>      | Creates a hoverable table (adds a grey background color on table rows on hover)  | <a href="#">Try it</a> |
| <code>.table-condensed</code>  | Makes a table more compact by cutting cell padding in half   | <a href="#">Try it</a> |
| <code>.table-bordered</code>   | Adds borders on all sides of the table and cells   | <a href="#">Try it</a> |
| <code>.table</code>            | Adds basic styling to a table (padding, bottom borders, etc)   | <a href="#">Try it</a> |
| <code>.tab-pane</code>         | Used together with <code>.tab-content</code> to creates toggleable/dynamic tabs/pills  | <a href="#">Try it</a> |
| <code>.tab-content</code>      | Used together with <code>.tab-pane</code> to creates toggleable/dynamic tabs/pills   | <a href="#">Try it</a> |
| <code>.success</code>          | Adds a green background color to a table row ( <code>&lt;tr&gt;</code> ) or table cell ( <code>&lt;td&gt;</code> ). Indicates success or a positive action | <a href="#">Try it</a> |

| Class                              | Description  | Example                |
|------------------------------------|--|------------------------|
| <code>.sr-only-focusable</code>    | Hides an element on all devices except for screen readers  | <a href="#">Try it</a> |
| <code>.sr-only</code>              | Hides an element on all devices except for screen readers  | <a href="#">Try it</a> |
| <code>.small</code>                | Creates a lighter, secondary text in any heading   | <a href="#">Try it</a> |
| <code>.show</code>                 | Shows an element ( <code>display:block</code> )  | <a href="#">Try it</a> |
| <code>.row-no-gutters</code>       | Removes the gutters from a row and its columns   | <a href="#">Try it</a> |
| <code>.row</code>                  | Container for responsive columns   | <a href="#">Try it</a> |
| <code>.right</code>                | Used to identify the right carousel control  | <a href="#">Try it</a> |
| <code>.pull-right</code>           | Float an element to the right  | <a href="#">Try it</a> |
| <code>.pull-left</code>            | Float an element to the left   | <a href="#">Try it</a> |
| <code>.progress-bar-warning</code> | Yellow progress bar. Indicates warning   | <a href="#">Try it</a> |
| <code>.progress-bar-success</code> | Green progress bar. Indicates success  | <a href="#">Try it</a> |
| <code>.progress-bar-striped</code> | Creates a striped progress bar   | <a href="#">Try it</a> |
| <code>.progress-bar-info</code>    | Light-blue progress bar. Indicates information   | <a href="#">Try it</a> |
| <code>.progress-bar-danger</code>  | Red progress bar. Indicates danger   | <a href="#">Try it</a> |
| <code>.progress-bar</code>         | Creates a progress bar   | <a href="#">Try it</a> |
| <code>.progress</code>             | Container for progress bars  | <a href="#">Try it</a> |
| <code>.previous</code>             | Used to align pager buttons to the left side of the page (previous button)   | <a href="#">Try it</a> |
| <code>.prev</code>                 | Used in carousels to indicate a "previous" link  | <a href="#">Try it</a> |
| <code>.pre-scrollable</code>       | Makes a <code>&lt;pre&gt;</code> element scrollable ( <code>max-height</code> of 350px and provide a y-axis scrollbar) | <a href="#">Try it</a> |
| <code>.popover</code>              | Popup-box that appears when the user clicks on an element  | <a href="#">Try it</a> |

| Class                        | Description  | Example                |
|------------------------------|--|------------------------|
| <code>.panel-warning</code>  | Yellow panel. Indicates warning  | <a href="#">Try it</a> |
| <code>.panel-title</code>    | Used inside a <code>.panel-heading</code> to adjust the styling of the text (removes margins and adds a font-size of 16px) | <a href="#">Try it</a> |
| <code>.panel-success</code>  | Green panel. Indicates success   | <a href="#">Try it</a> |
| <code>.panel-info</code>     | Light-blue panel. Indicates information  | <a href="#">Try it</a> |
| <code>.panel-heading</code>  | Creates a panel header (light background color)  | <a href="#">Try it</a> |
| <code>.panel-group</code>    | Used to group many panels together. This removes the bottom margin below each panel  | <a href="#">Try it</a> |
| <code>.panel-footer</code>   | Creates a panel footer (light background color)  | <a href="#">Try it</a> |
| <code>.panel-danger</code>   | Red panel. Indicates danger  | <a href="#">Try it</a> |
| <code>.panel-collapse</code> | Collapsible panel (toggle between hiding and showing panel(s))   | <a href="#">Try it</a> |
| <code>.panel-body</code>     | Container for content inside the panel   | <a href="#">Try it</a> |
| <code>.panel</code>          | Creates a bordered box with some padding around its content  | <a href="#">Try it</a> |
| <code>.pagination-sm</code>  | Small pagination (each pagination link gets a font-size of 12px. Default is 14px)  | <a href="#">Try it</a> |
| <code>.pagination-lg</code>  | Large pagination (each pagination link gets a font-size of 18px. Default is 14px)  | <a href="#">Try it</a> |
| <code>.pagination</code>     | Creates a pagination (Useful when you have a web site with lots of pages. Used on <code>&lt;ul&gt;</code> elements)        | <a href="#">Try it</a> |
| <code>.pager</code>          | Creates previous/next buttons (used on <code>&lt;ul&gt;</code> elements)   | <a href="#">Try it</a> |
| <code>.page-header</code>    | Adds a horizontal line under the heading (+ adds some extra space around the element)                                      | <a href="#">Try it</a> |
| <code>.next</code>           | Used in the carousel control to identify the next control  | <a href="#">Try it</a> |

| Class                             | Description   | Example                |
|-----------------------------------|---|------------------------|
| <code>.next</code>                | Used to align pager buttons to the right side of the page (next button)   | <a href="#">Try it</a> |
| <code>.navbar-toggle</code>       | Styles the button that should open the navbar on small screens. Often used together with three <code>.icon-bar</code> classes to indicate a toggleable menu icon (hamburger/bars)   | <a href="#">Try it</a> |
| <code>.navbar-text</code>         | Vertical align any elements inside the navbar that are not links (ensures proper padding)   | <a href="#">Try it</a> |
| <code>.navbar-static-top</code>   | Removes left, top and right borders (rounded corners) from the navbar (default navbar has a gray border and a 4px border-radius by default)   | <a href="#">Try it</a> |
| <code>.navbar-right</code>        | Aligns nav links, forms, buttons, or text in the navbar to the right.   | <a href="#">Try it</a> |
| <code>.navbar-nav</code>          | Used on a <code>&lt;ul&gt;</code> container that contains the list items with links inside a navigation bar   | <a href="#">Try it</a> |
| <code>.navbar-link</code>         | Styles an element to look like a link inside the navbar (anchors get proper padding and an underline on hover, while other elements like p or span gets a default hover effect - white color in an inversed navbar and a black color in a default navbar) | <a href="#">Try it</a> |
| <code>.navbar-left</code>         | Aligns nav links, forms, buttons, or text, in the navbar to the left  | <a href="#">Try it</a> |
| <code>.navbar-inverse</code>      | Creates a black navigation bar (instead of light-grey)  | <a href="#">Try it</a> |
| <code>.navbar-header</code>       | Added to a container element that contains the link/element that represent a logo or a header   | <a href="#">Try it</a> |
| <code>.navbar-form</code>         | Added to form elements inside the navbar to vertically center them (proper padding)   | <a href="#">Try it</a> |
| <code>.navbar-fixed-top</code>    | Makes the navbar stay at the top of the screen (sticky/fixed)   | <a href="#">Try it</a> |
| <code>.navbar-fixed-bottom</code> | Makes the navbar stay at the bottom of the screen (sticky/fixed)  | <a href="#">Try it</a> |
| <code>.navbar-default</code>      | Creates a default navigation bar (light-grey background color)  | <a href="#">Try it</a> |

| Class                         | Description  | Example                |
|-------------------------------|--|------------------------|
| <code>.navbar-collapse</code> | Collapses the navbar (hidden and replaced with a menu/hamburger icon on mobile phones and small tablets)         | <a href="#">Try it</a> |
| <code>.navbar-btn</code>      | Vertically aligns a button inside a navbar   | <a href="#">Try it</a> |
| <code>.navbar-brand</code>    | Added to a link or a header element inside the navbar to represent a logo or a header                            | <a href="#">Try it</a> |
| <code>.navbar</code>          | Creates a navigation bar   | <a href="#">Try it</a> |
| <code>.nav-tabs</code>        | Creates a tabbed menu  | <a href="#">Try it</a> |
| <code>.nav-stacked</code>     | Vertically stack tabs or pills   | <a href="#">Try it</a> |
| <code>.nav-justified</code>   | Centers tabs/pills. Note that on screens smaller than 768px the items are stacked (content will remain centered) | <a href="#">Try it</a> |
| <code>.nav nav-tabs</code>    | Indicates a tabbed menu  | <a href="#">Try it</a> |
| <code>.nav nav-pills</code>   | Indicates a pill menu  | <a href="#">Try it</a> |
| <code>.nav .navbar-nav</code> | Used on a <code>&lt;ul&gt;</code> container that contains the list items with links inside a navigation bar      | <a href="#">Try it</a> |
| <code>.modal-title</code>     | The title of the modal   | <a href="#">Try it</a> |
| <code>.modal-sm</code>        | Small modal (less width)   | <a href="#">Try it</a> |
| <code>.modal-open</code>      | Used on the <code>&lt;body&gt;</code> element to prevent page scrolling ( <code>overflow:hidden</code> )         | <a href="#">Try it</a> |
| <code>.modal-lg</code>        | Large modal (wider than default)   | <a href="#">Try it</a> |
| <code>.modal-header</code>    | The header of the modal (often contains a title and a close button)  | <a href="#">Try it</a> |
| <code>.modal-footer</code>    | The footer of the modal (often contains an action button and a close button)                                     | <a href="#">Try it</a> |
| <code>.modal-dialog</code>    | Sets the proper width and margin of the modal  | <a href="#">Try it</a> |

| Class                                 | Description  | Example                |
|---------------------------------------|--|------------------------|
| <code>.modal-content</code>           | Styles the modal (border, background-color, etc). Inside this, add the modal's header, body and footer, if needed                  | <a href="#">Try it</a> |
| <code>.modal-body</code>              | Defines the style for the body of the modal. Add any HTML markup here (p, img, etc)  | <a href="#">Try it</a> |
| <code>.modal</code>                   | Identifies the content as a modal and brings focus to it   | <a href="#">Try it</a> |
| <code>.media-object</code>            | Indicates a media object (image or video)  | <a href="#">Try it</a> |
| <code>.media-list</code>              | Nested media lists   | <a href="#">Try it</a> |
| <code>.media-heading</code>           | Creates a heading inside the media object  | <a href="#">Try it</a> |
| <code>.media-body</code>              | Text that should appear next to a media object   | <a href="#">Try it</a> |
| <code>.media</code>                   | Aligns media objects (like images or videos - often used for comments in a blog post etc)  | <a href="#">Try it</a> |
| <code>.mark</code>                    | Highlights text: Highlighted text  | <a href="#">Try it</a> |
| <code>.list-unstyled</code>           | Removes all default list-style (bullets, left margin, etc.) styling from a <code>&lt;ul&gt;</code> or <code>&lt;ol&gt;</code> list | <a href="#">Try it</a> |
| <code>.list-inline</code>             | Places all list items on a single line (horizontal menu)   | <a href="#">Try it</a> |
| <code>.list-group-item-warning</code> | Yellow background color for a list item in a list group  | <a href="#">Try it</a> |
| <code>.list-group-item-text</code>    | Used for item text inside the list group (used on other elements besides <code>&lt;li&gt;</code> )                                 | <a href="#">Try it</a> |
| <code>.list-group-item-success</code> | Green background color for a list item in a list group   | <a href="#">Try it</a> |
| <code>.list-group-item-info</code>    | Light-blue background color for a list item in a list group  | <a href="#">Try it</a> |
| <code>.list-group-item-heading</code> | Creates a list group heading (used on other elements besides <code>&lt;li&gt;</code> )   | <a href="#">Try it</a> |
| <code>.list-group-item-danger</code>  | Red background color for a list item in a list group   | <a href="#">Try it</a> |
| <code>.list-group-item</code>         | Added to each <code>&lt;li&gt;</code> element in the list group  | <a href="#">Try it</a> |

| Class                         | Description   | Example                |
|-------------------------------|---|------------------------|
| <code>.list-group</code>      | Creates a bordered list group for <code>&lt;li&gt;</code> elements  | <a href="#">Try it</a> |
| <code>.left</code>            | Used to identify the left carousel control  | <a href="#">Try it</a> |
| <code>.lead</code>            | Increase the font size and line height of a paragraph   | <a href="#">Try it</a> |
| <code>.label-warning</code>   | Yellow label  | <a href="#">Try it</a> |
| <code>.label-success</code>   | Green label   | <a href="#">Try it</a> |
| <code>.label-info</code>      | Light-blue label  | <a href="#">Try it</a> |
| <code>.label-danger</code>    | Red label   | <a href="#">Try it</a> |
| <code>.label</code>           | Adds a grey rounded box to an element. Provides additional information about something (e.g. "New")   | <a href="#">Try it</a> |
| <code>.jumbotron</code>       | Creates a padded grey box with rounded corners that enlarges the font sizes of the text inside it. Creates a big box for calling extra attention to some special content or information | <a href="#">Try it</a> |
| <code>.item</code>            | Class added to each carousel item. May be text or images  | <a href="#">Try it</a> |
| <code>.invisible</code>       | Makes an element invisible ( <code>visibility:hidden</code> ). <b>Note:</b> Even though the element is invisible, it will take up space on the page                                     | <a href="#">Try it</a> |
| <code>.input-sm</code>        | Small input field   | <a href="#">Try it</a> |
| <code>.input-lg</code>        | Large input field   | <a href="#">Try it</a> |
| <code>.input-group-sm</code>  | Small input group   | <a href="#">Try it</a> |
| <code>.input-group-lg</code>  | Large input group   | <a href="#">Try it</a> |
| <code>.input-group-btn</code> | Together with the <code>.input-group</code> class, this class attaches a button next to an input. Often used as a search bar  | <a href="#">Try it</a> |



| Class                           | Description   | Example                |
|---------------------------------|---|------------------------|
| <code>.input-group-addon</code> | Together with the <code>.input-group</code> class, this class makes it possible to add an icon or help text next to the input field                                   | <a href="#">Try it</a> |
| <code>.input-group</code>       | Container to enhance an input by adding an icon, text or a button in front or behind it as a "help text"  | <a href="#">Try it</a> |
| <code>.initialism</code>        | Displays the text inside an <code>&lt;abbr&gt;</code> element in a slightly smaller font size   | <a href="#">Try it</a> |
| <code>.info</code>              | Adds a light-blue background to the table row ( <code>&lt;tr&gt;</code> ) or table cell ( <code>&lt;td&gt;</code> ). Indicates a neutral informative change or action | <a href="#">Try it</a> |
| <code>.in</code>                | Fades in tabs   | <a href="#">Try it</a> |
| <code>.img-thumbnail</code>     | Shapes an image to a thumbnail (borders)  | <a href="#">Try it</a> |
| <code>.img-rounded</code>       | Adds rounded corners to an image  | <a href="#">Try it</a> |
| <code>.img-responsive</code>    | Makes an image responsive   | <a href="#">Try it</a> |
| <code>.img-circle</code>        | Shapes an image to a circle (not supported in IE8 and earlier)  | <a href="#">Try it</a> |
| <code>.icon-prev</code>         | Unicode icon (arrow pointing left), used in carousels. This is often replaced with a glyphicon  | <a href="#">Try it</a> |
| <code>.icon-next</code>         | Unicode icon (arrow pointing right), used in carousels. This is often replaced with a glyphicon   | <a href="#">Try it</a> |
| <code>.icon-bar</code>          | Used in the navbar to create a hamburger menu (three horizontal bars)   | <a href="#">Try it</a> |
| <code>.hide</code>              | <b>Deprecated.</b> Use <code>.hidden</code> instead   | <a href="#">Try it</a> |
| <code>.hidden-print</code>      | Hides the element ( <code>display:none</code> ) in print (pre)view  |                        |
| <code>.hidden-*</code>          | Hides content depending on screen size  | <a href="#">Try it</a> |
| <code>.hidden</code>            | Forces an element to be hidden ( <code>display:none</code> )  | <a href="#">Try it</a> |

| Class                               | Description  | Example                |
|-------------------------------------|--|------------------------|
| <code>.help-block</code>            | A block of help text that breaks onto a new line and may extend beyond one line.   | <a href="#">Try it</a> |
| <code>.has-warning</code>           | Adds a yellow/orange color to the label and a yellow/orange border to the input, as well as a checkmark icon inside the input (used together with <code>.has-feedback</code> ) | <a href="#">Try it</a> |
| <code>.has-success</code>           | Adds a green color to the label and a green border to the input, as well as a checkmark icon inside the input (used together with <code>.has-feedback</code> )                 | <a href="#">Try it</a> |
| <code>.has-feedback</code>          | Adds feedback icons for inputs (checkmark, warning and error signs)  | <a href="#">Try it</a> |
| <code>.has-danger</code>            | Adds a red color to the label and a red border to the input, as well as an error icon inside the input (used together with <code>.has-feedback</code> )                        | <a href="#">Try it</a> |
| <code>.h1 - .h6</code>              | Makes an element look like a heading of the chosen class (h1-h6)   | <a href="#">Try it</a> |
| <code>.glyphicon</code>             | Creates an icon. Bootstrap provides 260 free glyphs from the <a href="#">Glyphicons</a> Halflings set  | <a href="#">Try it</a> |
| <code>.form-inline</code>           | Makes a <code>&lt;form&gt;</code> left-aligned with inline-block controls (This only applies to forms within viewports that are at least 768px wide)                           | <a href="#">Try it</a> |
| <code>.form-horizontal</code>       | Aligns labels and groups of form controls in a horizontal layout   | <a href="#">Try it</a> |
| <code>.form-group</code>            | Container for form input and label   | <a href="#">Try it</a> |
| <code>.form-control-static</code>   | Adds plain text next to a form label within a horizontal form  | <a href="#">Try it</a> |
| <code>.form-control-feedback</code> | Form validation class  | <a href="#">Try it</a> |
| <code>.form-control</code>          | Used on input, textarea, and select elements to span the entire width of the page and make them responsive   | <a href="#">Try it</a> |
| <code>.fade</code>                  | Adds a fading effect when closing an alert box   | <a href="#">Try it</a> |

| Class                                | Description  | Example                |
|--------------------------------------|--|------------------------|
| <code>.embed-responsive-item</code>  | Used inside <code>.embed-responsive</code> . Scales the video nicely to the parent element   | <a href="#">Try it</a> |
| <code>.embed-responsive-4by3</code>  | Container for embedded content. Creates an 4:3 aspect ratio embedded content   | <a href="#">Try it</a> |
| <code>.embed-responsive-16by9</code> | Container for embedded content. Creates an 16:9 aspect ratio embedded content  | <a href="#">Try it</a> |
| <code>.embed-responsive</code>       | Container for embedded content. Makes videos or slideshows scale properly on any device  | <a href="#">Try it</a> |
| <code>.dropup</code>                 | Indicates a dropdown menu (upwards instead of downwards)   | <a href="#">Try it</a> |
| <code>.dropdown-toggle</code>        | Used on the button that should hide and show (toggle) the dropdown menu  | <a href="#">Try it</a> |
| <code>.dropdown-menu-right</code>    | Right-aligns a dropdown menu   | <a href="#">Try it</a> |
| <code>.dropdown-menu</code>          | Adds the default styles for the dropdown menu container  | <a href="#">Try it</a> |
| <code>.dropdown-header</code>        | Used to add headers inside the dropdown menu   | <a href="#">Try it</a> |
| <code>.dropdown</code>               | Creates a toggleable menu that allows the user to choose one value from a predefined list  | <a href="#">Try it</a> |
| <code>.dl-horizontal</code>          | Lines up the terms <code>&lt;dt&gt;</code> and descriptions <code>&lt;dd&gt;</code> in <code>&lt;dl&gt;</code> elements side-by-side. Starts off like default <code>&lt;dl&gt;</code> s, but when the browser window expands, it will line up side-by-side | <a href="#">Try it</a> |
| <code>.divider</code>                | Used to separate links in the dropdown menu with a thin horizontal border  | <a href="#">Try it</a> |
| <code>.disabled</code>               | Disables a <b>button</b> (adds opacity and a "no-parking-sign" icon on hover)  | <a href="#">Try it</a> |
| <code>.disabled</code>               | Disables a <b>dropdown</b> item (adds a grey text color and a "no-parking-sign" icon on hover)   | <a href="#">Try it</a> |
| <code>.disabled</code>               | Disables a <b>pagination</b> link (cannot be clicked - adds a grey text color and a "no-parking-sign" icon on hover)   | <a href="#">Try it</a> |

| Class                         | Description  | Example                |
|-------------------------------|--|------------------------|
| <code>.disabled</code>        | Disables a <b>list</b> item in a list group (cannot be clicked - adds a grey background color and a "no-parking-sign" icon on hover)   | <a href="#">Try it</a> |
| <code>.danger</code>          | Adds a red background to the table row ( <code>&lt;tr&gt;</code> or table cell ( <code>&lt;td&gt;</code> ). Indicates a dangerous or potentially negative action   | <a href="#">Try it</a> |
| <code>.control-label</code>   | Allows a label to be used for form validation  | <a href="#">Try it</a> |
| <code>.container-fluid</code> | A container that spans the full width of the screen  | <a href="#">Try it</a> |
| <code>.container</code>       | Fixed width container with widths determined by screen sites. Equal margin on the left and right.  | <a href="#">Try it</a> |
| <code>.collapse in</code>     | Show the collapsible content by default  | <a href="#">Try it</a> |
| <code>.collapse</code>        | Indicates collapsible content - which can be hidden or shown on demand   | <a href="#">Try it</a> |
| <code>.col-*-push-*</code>    | Changes the order of the grid columns  | <a href="#">Try it</a> |
| <code>.col-*-pull-*</code>    | Changes the order of the grid columns  | <a href="#">Try it</a> |
| <code>.col-*-offset-*</code>  | Move columns to the right. These classes increase the left margin of a column by * columns   | <a href="#">Try it</a> |
| <code>.col-*-*</code>         | Responsive grid (span 1-12 column). Extra small devices Phones (< 768px), Small devices Tablets (≥768px), Medium devices Desktops (≥992px), Large devices Desktops (≥1200px). Column values can be 1-12. | <a href="#">Try it</a> |
| <code>.close</code>           | Indicates a close icon   | <a href="#">Try it</a> |
| <code>.clearfix</code>        | Clears floats  | <a href="#">Try it</a> |
| <code>.checkbox-inline</code> | Makes multiple checkboxes appear on the same line  | <a href="#">Try it</a> |
| <code>.checkbox</code>        | Container for checkboxes   | <a href="#">Try it</a> |
| <code>.center-block</code>    | Centers any element (Sets an element to <code>display:block</code> with <code>margin-right:auto</code> and <code>margin-left:auto</code> )   | <a href="#">Try it</a> |

| Class                             | Description  | Example                |
|-----------------------------------|--|------------------------|
| <code>.carousel-inner</code>      | Container for slide items  | <a href="#">Try it</a> |
| <code>.carousel-indicators</code> | Adds little dots/indicators at the bottom of each slide (which indicates how many slides there is in the carousel, and which slide the user are currently viewing) | <a href="#">Try it</a> |
| <code>.carousel-control</code>    | Container for next and previous links  | <a href="#">Try it</a> |
| <code>.carousel-caption</code>    | Creates a caption text for each slide in the carousel  | <a href="#">Try it</a> |
| <code>.carousel</code>            | Creates a carousel (slideshow)   | <a href="#">Try it</a> |
| <code>.caret</code>               | Creates a caret arrow icon ▼, which indicates that the button is a dropdown  | <a href="#">Try it</a> |
| <code>.caption</code>             | Adds a caption text inside a <code>.thumbnail</code>   | <a href="#">Try it</a> |
| <code>.btn-xs</code>              | Extra small button   | <a href="#">Try it</a> |
| <code>.btn-warning</code>         | Yellow button. Represents warning or a negative action   | <a href="#">Try it</a> |
| <code>.btn-success</code>         | Green button. Indicates success or a positive action   | <a href="#">Try it</a> |
| <code>.btn-sm</code>              | Small button   | <a href="#">Try it</a> |
| <code>.btn-primary</code>         | Blue button.   | <a href="#">Try it</a> |
| <code>.btn-link</code>            | Makes a button look like a link (get button behavior)  | <a href="#">Try it</a> |
| <code>.btn-lg</code>              | Large button   | <a href="#">Try it</a> |
| <code>.btn-info</code>            | Light-blue button. Represents information  | <a href="#">Try it</a> |
| <code>.btn-group-xs</code>        | Extra small button group (makes all buttons in a button group extra small)   | <a href="#">Try it</a> |
| <code>.btn-group-vertical</code>  | Makes a button group appear vertically stacked   | <a href="#">Try it</a> |
| <code>.btn-group-sm</code>        | Small button group (makes all buttons in a button group smaller)   | <a href="#">Try it</a> |
| <code>.btn-group-lg</code>        | Large button group (makes all buttons in a button group larger - increased font-size and padding)  | <a href="#">Try it</a> |

| Class                             | Description   | Example                |
|-----------------------------------|---|------------------------|
| <code>.btn-group-justified</code> | Makes a group of buttons span the entire width of the screen                            | <a href="#">Try it</a> |
| <code>.btn-group</code>           | Groups buttons together on a single line  | <a href="#">Try it</a> |
| <code>.btn-default</code>         | Default button. White background and grey border  | <a href="#">Try it</a> |
| <code>.btn-danger</code>          | Red button. Indicates danger or a negative action                                       | <a href="#">Try it</a> |
| <code>.btn-block</code>           | Creates a block level button that spans the entire width of the parent element          | <a href="#">Try it</a> |
| <code>.btn</code>                 | Creates a basic button (gray background and rounded corners)                            | <a href="#">Try it</a> |
| <code>.breadcrumb</code>          | A pagination. Indicates the current page's location within a navigational hierarchy     | <a href="#">Try it</a> |
| <code>.bg-warning</code>          | Adds a yellow background color to an element. Represents a warning or a negative action | <a href="#">Try it</a> |
| <code>.bg-success</code>          | Adds a green background color to an element. Indicates success or a positive action     | <a href="#">Try it</a> |
| <code>.bg-primary</code>          | Adds a blue background color to an element. Represents something important              | <a href="#">Try it</a> |
| <code>.bg-info</code>             | Adds a light-blue background color to an element. Represents some information           | <a href="#">Try it</a> |
| <code>.bg-danger</code>           | Adds a red background color to an element. Represents danger or a negative action       | <a href="#">Try it</a> |
| <code>.badge</code>               | Creates a circular badge (grey circle - often used as a numerical indicator)            | <a href="#">Try it</a> |
| <code>.alert-warning</code>       | Yellow alert box. Indicates caution should be taken with this action                    | <a href="#">Try it</a> |
| <code>.alert-success</code>       | Green alert box. Indicates a successful or positive action                              | <a href="#">Try it</a> |
| <code>.alert-link</code>          | Used on links inside alerts to add matching colored links                               | <a href="#">Try it</a> |
| <code>.alert-info</code>          | Light-blue alert box. Indicates some information  | <a href="#">Try it</a> |

| Class                           | Description   | Example                |
|---------------------------------|---|------------------------|
| <code>.alert-dismissible</code> | Together with the <code>.close</code> class, this class is used to close the alert  | <a href="#">Try it</a> |
| <code>.alert-danger</code>      | Red alert box. Indicates a dangerous or potentially negative action   | <a href="#">Try it</a> |
| <code>.alert</code>             | Creates an alert message box  | <a href="#">Try it</a> |
| <code>.affix</code>             | The Affix plugin allows an element to become affixed (locked/sticky) to an area on the page. It toggles <code>position:fixed</code> on and off                        | <a href="#">Try it</a> |
| <code>.active</code>            | Adds a grey background color to the <b>table</b> row ( <code>&lt;tr&gt;</code> ) or table cell ( <code>&lt;td&gt;</code> ) (same color used on hover)                 | <a href="#">Try it</a> |
| <code>.active</code>            | Adds a gray background color to the active link in a default <b>navbar</b> . Adds a black background and a white color to the current link inside an inverted navbar. | <a href="#">Try it</a> |
| <code>.active</code>            | Adds a blue background color to the active <b>list item</b> in a list group   | <a href="#">Try it</a> |
| <code>.active</code>            | Adds a blue background color to simulate a "pressed" <b>button</b>  | <a href="#">Try it</a> |
| <code>.active</code>            | Animates a striped <b>progress bar</b>  | <a href="#">Try it</a> |
| <code>.active</code>            | Adds a blue background color to the active <b>dropdown item</b> in a dropdown   | <a href="#">Try it</a> |
| <code>.active</code>            | Adds a blue background color to the active <b>pagination</b> link (to highlight the current page)   | <a href="#">Try it</a> |

