

```
my_list=[]
```

```
my_list=[1,2,3]
```

```
my_list=[1,"Hello",3.4]
```

```
n_list=[2.9,3000,'Hello',"Welcome to python list",True]
```

```
print(n_list)
```

```
n_list=["Happy",[2,0,1,5]]
```

```
print(n_list[0][3])
```

```
print(n_list[1][2])
```

```
my_list=["mouse",[8,4,6],['a','b','c']]
```

```
print(my_list)
```

```
print(my_list[0])
```

```
print(my_list[1][1])
```

```
print(my_list[2][2])
```

```
my_list=['p','r','o','b','e']
```

```
print(my_list[-1])
```

```
print(my_list[-5])
```

```
odd=[1,3,5]
```

```
odd.append(7)
```

```
print(odd)
```

```
odd.extend([9,11,13])
```

```
print(odd)
```

```
odd=[1,3,5]
```

```
print(odd+[9,7,5])
```

```
print(["re"]*3)
```

```
thislist=["apple","banana","cherry"]
```

```
print(len(thislist))
```

```
thislist=["apple","banana","cherry"]
```

```
thislist.remove("banana")
```

```
print(thislist)
```

```
thislist=["apple","banana","cherry"]
```

```
for x in thislist:
```

```
    print(x)
```

```
thislist=["orange","mango","kiwi","pineapple","banana"]
```

```
thislist.sort()
```

```
print(thislist)
```

```
thislist=[100,50,65,82,23]
```

```
thislist.sort()
```

```
print(thislist)
```

```
fruits=['apple','banana','cherry']
```

```
fruits.insert(1,"orange")
```

```
print(fruits)
```

```
thislist=["apple","banana","cherry"]
```

```
thislist.pop(1)
print(thislist)
```

```
thislist=["apple","banana","cherry"]
thislist.pop()
print(thislist)
```

```
thislist=["apple","banana","cherry"]
```

```
del thislist[0]
print(thislist)
```

```
thislist=["apple","banana","cherry"]
thislist.clear()
print(thislist)
```

```
fruits=["apple","banana","cherry","apple"]
```

```
x=fruits.count("apple")
print(x)
```

```
fruits=[1,4,2,9,7,8,9,3,1]
x=fruits.count(9)
print(x)
```

```
list=[10,20,30,40]
```

```
new_list=list.copy()
```

```
print("Original list:",list)
print("Copied list:",new_list)
```

```
list=[10,20,30,40,50]
```

```
value=30
```

```
position=list.index(value)
```

```
print("list :",list)
```

```
print("value :",value)
```

```
print("index :",position)
```

```
my_data=("hi","hello","bye")
```

```
print(my_data)
```

```
my_data2=(1,2.8,"Hello world")
```

```
print(my_data2)
```

```
my_data4=((2,3,4),(1,2,"hi"))
```

```
print(my_data4)
```

```
my_data=("hi","hello","bye")
```

```
print(my_data)
```

```
print(my_data[0])
```

```
print(my_data[2])
```

```
my_data=(1,2,"kevin",8.9)
```

```
print(my_data[-1])
```

```
print(my_data[-3])
```

```
my_data=(11,22,33,44,55,66,77,88,99)
```

```
print(my_data)
```

```
print(my_data[2:5])
```

```
print(my_data[:4])
```

```
print(my_data[4:])
```

```
print(my_data[4:-1])
```

```
print(my_data[:])
```

```
my_data=(11,22,33,44,55,66,77,88,99)
```

```
print(my_data)
```

```
print(22 in my_data)
```

```
print(2 in my_data)
```

```
print(88 in my_data)
```

```
print(101 in my_data)
```

```
my_tuple=("apple","orange","grapes","banana")
```

```
for fruit in my_tuple:
```

```
    print(fruit)
```

```
tuple1,tuple2=('xyz','zara','abc'),(456,700,200)
```

```
print("max value element :",max(tuple1))
```

```
print("max value element :",max(tuple2))
```

```
my_dictionary={'name':'jack', 'age':26}
```

```
print(my_dictionary['name'])
```

```
print(my_dictionary.get('age'))
```

```
tinydict={'name':'john','code':6734,'dept':'sales'}
```

```
print(tinydict)
```

```
print(tinydict.keys())
```

```
print(tinydict.values())
```

```
my_set={1,2,3,4}
```

```
print(my_set)
```

```
A={1,2,3,4}
```

```
B={3,4,5,6}
```

```
print(A|B)
```

```
print(A&B)
```

```
print(A-B)
```

OUT PUT:

```
[2.9, 3000, 'Hello', 'Welcome to python list', True]
```

```
p
```

```
1
```

```
['mouse', [8, 4, 6], ['a', 'b', 'c']]
```

```
mouse
```

```
4
```

```
c
```

```
e
```

```
p
```

```
[1, 3, 5, 7]
```

```
[1, 3, 5, 7, 9, 11, 13]
```

```
[1, 3, 5, 9, 7, 5]
```

```
['re', 're', 're']
```

```
3
```

['apple', 'cherry']

apple

banana

cherry

['banana', 'kiwi', 'mango', 'orange', 'pineapple']

[23, 50, 65, 82, 100]

['apple', 'orange', 'banana', 'cherry']

['apple', 'cherry']

['apple', 'banana']

['banana', 'cherry']

[]

2

2

Original list: [10, 20, 30, 40]

Copied list: [10, 20, 30, 40]

list : [10, 20, 30, 40, 50]

value : 30

index : 2

('hi', 'hello', 'bye')

(1, 2.8, 'Hello world')

((2, 3, 4), (1, 2, 'hi'))

('hi', 'hello', 'bye')

hi

bye

8.9

2

(11, 22, 33, 44, 55, 66, 77, 88, 99)

(33, 44, 55)

(11, 22, 33, 44)

(55, 66, 77, 88, 99)

(55, 66, 77, 88)

(11, 22, 33, 44, 55, 66, 77, 88, 99)

(11, 22, 33, 44, 55, 66, 77, 88, 99)

True

False

True

False

apple

orange

grapes

banana

max value element : zara

max value element : 700

jack

26

{'name': 'john', 'code': 6734, 'dept': 'sales'}

dict_keys(['name', 'code', 'dept'])

dict_values(['john', 6734, 'sales'])

{1, 2, 3, 4}

{1, 2, 3, 4, 5, 6}

{3, 4}

{1, 2}

