

BRAINSTORMING AND IDEATION PHASE

Empathy Map Canvas

Topic: Script Controlled ACL – Restrict Access Based on Field Value

An empathy map is used to understand the experiences, thoughts, needs, and challenges of users involved in controlling access to ServiceNow fields. It helps identify requirements for implementing a script-controlled ACL based on field values.

What does he THINK AND FEEL?

- Sensitive records should be protected from unauthorized users.
- Field-based access control can improve data security.
- Scripted ACLs can provide flexible access control.
- Only authorized users should view or modify specific field values.

What does he HEAR?

- Users requesting access to restricted records or fields.
- Administrators discussing data security requirements.
- Users expecting secure and controlled access to information.

What does he SEE?

- Different users with different roles and access levels.
- Records containing sensitive field values.
- Fields that should be restricted based on specific conditions.
- ACL rules controlling access to records and fields.

What does he SAY AND DO?

- Checks whether the user is authorized to access a field.
- Creates or reviews ACL rules.
- Uses scripts to restrict access based on field values.
- Tests access for different users and conditions.

Empathy Map Canvas – Continued

Pain

- Unauthorized users may access sensitive field values.
- Complex access requirements may be difficult to manage manually.
- Incorrect ACL configuration can cause security issues.
- Different users may require different access permissions.

Gain

- Field-level access can be controlled dynamically.
- Sensitive information is protected from unauthorized users.
- Script-controlled ACLs provide flexible access conditions.
- Improved data security and controlled user access.
- Easier management of complex access requirements.

Expected Outcome: Implement a script-controlled ACL that evaluates a field value and allows or restricts access according to the defined condition.