

Demonstration of Proposed Features

Date	28-09-2026 to 30-09-2026
Team ID	SWTID-2026-9565
Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	

Feature Demonstration Sequence

No.	Feature	Demo Action	Expected Result
1	High Impact UI Policy	Open Incident → set Impact = High	Assignment Group becomes mandatory.
2	Urgency UI Policy Action	Observe Urgency after High Impact	Urgency is read-only while condition is active.
3	onChange Automation	Change Impact to High	Urgency is automatically set to High.
4	onSubmit Validation	Leave Assigned To empty → Submit	Save is blocked with validation message.
5	Reverse Condition	Change Impact High → Medium	Mandatory/read-only controls reverse.
6	onCellEdit Blocking	Incident → All → edit State directly	Alert appears and State remains unchanged.
7	Form-based Update	Open form → change State → Update	State change is saved successfully.

Implementation Evidence — UI Policy

Short description	Table	Conditions	Reverse if false	On load	Updated
UI Policy to hide related feature flags when subaggregation set to true	UX List [sys_ux_list]	hide_pagination=true*EQ	true	true	2021-08-16 14:02:50
Hide fields as mandatory without DB instance	Security tasks [sys_sec_security_task]		false	true	2021-01-28 14:28:42
Always Hide Read-only Related List Field	Relationship [sys_relationship]	sys_ifNOTEMPTY*EQ	false	true	2015-08-21 17:26:31
Hide meta fields	label [sys_label]		true	true	2014-01-21 12:43:35
Set Table column: Read-only	To-do Widget Mapping [sys_to_do_widget_mapping]		true	true	2018-08-02 15:16:50
Clear save signature before action execution value when precondition is not signature	Function [sys_ag_button]	precondition=signature*EQ	true	true	2019-04-18 07:01:21
Control of parameters	HTTP Method [sys_http_method]	http_method=get*ORhttp_method=delete*OR...	true	true	2014-12-14 18:50:12

UI Policy - High Impact Control

High Impact Control View: Advanced

The field specified in the UI policy action is present on the specified form.

More info

Table: Incident Incident

Application: Global

Active: ☒

Short description: High Impact Control

Order: 100

When to Apply

Script

Conditions: Add Filter Condition Add OR Clause

Impact is 1 - High

AND OR

If selected, the UI Policy applies to all form views; otherwise the UI Policy is view-specific.

Apply the UI policy actions when the form is loaded and when the user changes values on the form.

Global: ☒

On load: ☒

Reverse the effects of the UI policy actions when the Conditions evaluate to false:

Reverse if false: ☒

Tables that extend the specified Table inherit this UI Policy

When: ☐

Implementation Evidence — Client Script

3

5. Click **Submit**.

The first screenshot shows the 'Client Scripts' list in the ServiceNow interface. The 'Name' column contains 'Auto set urgency for high impact'. The 'Type' column is set to 'Incident (Incident)'. The 'Active' checkbox is checked. The 'Created By' field is 'System'. The 'Created On' field is '2023-05-23 14:47:03'. The 'Last Modified On' field is '2023-05-23 14:47:03'. The 'Updated On' field is '2023-05-23 14:47:03'. The 'Updated By' field is 'System'. The 'Status' field is 'Active'. The 'Type' field is 'Incident (Incident)'. The 'Table' field is 'incident'. The 'Script' field is 'Auto set urgency for high impact'. The 'Script' field is highlighted with a red box.

The second screenshot shows the 'Client Script - Auto set urgency for high impact' configuration page. The 'Name' field is 'Auto set urgency for high impact'. The 'Table' field is 'incident (Incident)'. The 'Type' field is 'Incident (Incident)'. The 'Active' checkbox is checked. The 'Created By' field is 'System'. The 'Created On' field is '2023-05-23 14:47:03'. The 'Last Modified On' field is '2023-05-23 14:47:03'. The 'Updated On' field is '2023-05-23 14:47:03'. The 'Updated By' field is 'System'. The 'Status' field is 'Active'. The 'Type' field is 'Incident (Incident)'. The 'Table' field is 'incident'. The 'Script' field is 'Auto set urgency for high impact'. The 'Script' field is highlighted with a red box.

```
Script
1 function onSubmit(event) {
2   // Check if the incident is a high impact
3   if (event.isHighImpact) {
4     // Set the urgency to 'High'
5     event.setFieldValue('urgency', 'High');
6     // Save the record
7     event.save();
8   }
9 }
```

Task 4: Create onSubmit Client Script (Save Validation)

Activity 1: Create Client Script