



Site Security Assessment Format — HDFC Bank

Official questionnaire for approval. This is the complete 15-section format used at every HDFC unit. Field staff complete it on phone (Android & iPhone). No login.

PREPARED BY

Agile Security Force Private Limited

PREPARED FOR

HDFC Bank — Branch / ATM security assessment

DOCUMENT

SSA Format — all 15 sections

CLASSIFICATION

Confidential — for HDFC Bank use

Site Security Assessment (SSA) — The "What" and "Where"

An SSA is a broad, investigative evaluation of a specific location. Its main goal is to identify existing security gaps, vulnerabilities, and potential threats to that particular site.

- **Focus:** Threats, vulnerabilities, and physical/operational risks unique to the location (e.g., weak perimeter fencing, poor lighting, blind spots in CCTV coverage, local crime rates).
- **Objective:** To answer the question: "What are our security weaknesses here, and what could go wrong?"
- **Output:** A baseline understanding of risk that helps management decide what security measures need to be implemented.
- **Analogy (comparison):** Like a doctor conducting a general health checkup and diagnosing lifestyle risks for a patient.

How the live assessment is completed

1. Open the assessment → pick **Branch / City** → that branch's **HDFC unit** → Risk Analyst details.
2. Tap **Start Assessment** only after arrival at site (GPS).
3. Complete **all 15 pages** with Previous / Next. Draft auto-saves.
4. **Submit to HOD** appears only on page 15, after all 15 pages are complete.

0 Opening screen (public link — no login)

Pick Branch / City first, then that branch's HDFC unit and Risk Analyst. Then Start Assessment.

Branch / City *	Dropdown — pick branch first
HDFC unit *	That branch's HDFC clients only (from Master Directory)
Risk Analyst / Operations name *	That branch's HOD + operations only (VP, AVP, RM, CGM, OM). No HQ / IT / Director / Control names
Your Name (if not in list)	Typed name is saved for that branch
Email ID (HOD / Operations) *	



SITE SECURITY ASSESSMENT (SSA) FORMAT

External link: www.agilegroup-digital.co.in/mis-hdfc-survey

WhatsApp Number * (10-digit mobile)	
Date of Survey *	Calendar picker
Time now	Auto (IST)
Start Assessment	Press only on arrival at site. Phone asks for GPS (Allow). Coordinates save on the assessment and on client master. If denied, assessment still continues.

1 Location & Identification

Pick HDFC client from Master Directory. Surroundings use Yes/No where possible. No Branch Name / SOL ID / First Floor on this page.

Client (this branch)	Select HDFC client from Master Directory — name / address autofill
Location / Category	Urban / Semi-Urban / Rural
Landmark	
Ground — Left	
Ground — Right	
Ground — Front	
Ground — Back	
Nearest Fire Station	
Fire Station distance (km)	
Nearest Police Station	
Police Station distance (km)	
Wine shop nearby	Yes / No / NA
Bars nearby	Yes / No / NA
24×7 shops nearby	Yes / No / NA
Bus stand nearby	Yes / No / NA
Railway station nearby	Yes / No / NA
Political Party office nearby	Yes / No / NA
Airport nearby	Yes / No / NA



24×7 public movement	High 24x7 / Moderate / Low / Quiet at night / Remote / Isolated at night
Remote / isolated at night	Yes / No / NA
Location risk note	

2 Basic Information

Assessor name / email / date asked once. Holiday opening is on this page only.

Risk Analyst / Surveyed By	Asked once — HOD / operations dropdown; typed name saved for branch
Email (HOD / Operations)	Asked once
Date of Survey	Asked once — calendar
Name of the Manager	
Contact Number	
Bank email	
Branch category	Metro / Urban / Semi-Urban / Rural
Working hours	e.g. 9:30–4:30
Holiday opening is on the file	Yes / No
Whether FA knows the procedure	Yes / No

3 Deployment verification

No ASO / LSG / SG present fields.

Sanctioned strength	1FA / 2FA / 3FA
Actual Day shift start time	6.00 am / 7.00 am / 10.00 am
Actual afternoon shift start time	2.00 pm / 3.00 pm / 6.00 pm
Actual evening shift start time	10.00 pm / 11.00 pm / 2.00 am
FA on duty	Yes / No / NA
Deployment matches sanction	Yes / No / NA
Facility Attendants — Name (Add FA / Edit / Save, max 6)	



Facility Attendants — ID No.	
Facility Attendants — ID card validity	
Deployment gap notes	

4 Registers & Compliance

Mark each register in this order.

Attendance Register	Maintained / Not maintained / NA
HOTO	Maintained / Not maintained / NA
Occurrence Register	Maintained / Not maintained / NA
Break Register	Maintained / Not maintained / NA
Generator Register	Maintained / Not maintained / NA
Cash Loading register	Maintained / Not maintained / NA
Bank Opening and closing Register	Maintained / Not maintained / NA
Compliance File	Maintained / Not maintained / NA
During Bank Holidays — where will FA keep Register & files	ATM under Lock & key / 3 FA Branch / in Branch
Document for all FAs — PVC	Yes / No
Document for all FAs — Medical cert	Yes / No
Document for all FAs — Deployment Order	Yes / No
Compliance gap notes	

5 Bank Physical security

No Strong Room / Emergency Exit / fire questions. Check list for closing Bank is only here.

Main Entrance Door	e.g. Glass / Wooden / Iron
Main door open / close procedure	Documented & followed / Partial / Not followed
Shutter Condition	Working / Not Working / Needs Repair / NA
Shutter open / close procedure	Documented & followed / Partial / Not followed
Windows secured	Yes / No / NA



Windows open / close procedure	Documented & followed / Partial / Not followed / NA
Entry Points to bank	1 / 2 / 3
Normal Main door open position	Fully opened / Half Opened / Chained
Back Yard door	Yes / No / Closed always
Damaged windows (could not be closed)	Yes / No / NA
Check list for closing Bank	Yes / No / NA (this page only — not repeated)
Who Lock the bank	FA / HK / Bank Staff
Who will seal the keys	FA / HK / Bank Staff
Physical security notes	

6 ATM & Lobby

ATM Site	In Branch / Offsite / None
No. of shift	1 / 2 / 3
No. of key sets	1 / 2 / 3
Open wiring	Yes / No / NA
Open Power Socket	Yes / No / NA
ATM has Open Connection	Yes / No / Nil
FAs belonging in ATM	Yes / No
What is in ATM drawer	Empty / old Bank document / Registers (FAs)
ATM lobby is clean	Yes / No / Clean
Unauthorised Stickers found	Yes / No / NA
ATM can be seen from Road	Yes / No / NA
Surround Night Lightings	Good / Fair / Nil
Patrolling system before takeover	Yes / No / NA
No. of Access to ATM	1 / 2 / 3
Can they Access Bank from ATM	Yes / No / Locked
ATM Guarding	3 Shift / 2 Shift (1st & 2nd) / 1 shift (G)



ATM / Lobby notes

.....

7 Generator & Utility

Generator Register Maintained is the last question.

Generator Location	Front side / Back side / Right side / Left side / Basement / NA
Generator Battery	Yes / No / NA
Generator Lock is intact	Yes / No / NA
Generator working	Yes / No / NA
Who is starting the Generator	FA / HK / Bank Staff
Who is getting Diesel for Generator	FA / HK / Bank Staff
Fuel status	Adequate / Low / Empty / NA
UPS present	Yes / No / NA
UPS backup (hours)	
Visibility from the ATM	Yes / No
CCTV coverage to Generator	Yes / No
Generator Area Luminated	Yes / No
Utility notes	
Generator Register Maintained	Yes / No (last question on this page)

8 Perimeter & Patrolling

Perimeter fence / wall	Secure / Partial / None
Perimeter lighting	Adequate / Poor / None
Perimeter CCTV	Working / Not Working / Needs Repair / NA
Patrol frequency	while HOTO & Nights / Nights only / NA
Patrol route followed	Yes / No / NA
Outdoor A/C Unit	visible / Not visible / NA
Lightings Outdoor A/C Unit area	adequate / poor / Nil



CCTV coverage to Outdoor A/C unit	Yes / No / NA
Patrol notes	

9 Fire safety

FE in ATM and Bank with type counts. Closing-bank checklist is not repeated here.

Fire Safety check – ATM — No. of FE in ATM	0 to 15
ATM FE — Types CO2	0 to 15
ATM FE — Types DCP	0 to 15
ATM FE — Types Foam	0 to 15
ATM FE — Types Mixed	0 to 15
Fire Safety check – Bank — No. of FE in Bank	0 to 15
Bank FE — Types CO2	0 to 15
Bank FE — Types DCP	0 to 15
Bank FE — Types Foam	0 to 15
Bank FE — Types Mixed	0 to 15
Cooking / Heating available	Yes / No / NA
Microwave	Yes / No / NA
Recent Fire audit	Calendar date or Not known
Recent Fire Drill	Calendar date or Not known
Smoke Detectors	Working / Not Working / Needs Repair / NA / Not Installed
Fire Alarm	Working / Not Working / Needs Repair / NA
Fire safety notes	

10 Emergency communication

No Panic Switches count/status, Burglar Alarm, or guards escalation.

Router installed	Yes / No / NA
------------------	---------------



SITE SECURITY ASSESSMENT (SSA) FORMAT

External link: www.agilegroup-digital.co.in/mis-hdfe-survey

Panic switch availability in ATM	Yes / No / NA
Agile Control Number	
FA knowledge on Agile Mobile alarm	Yes / No / NA
Emergency Contact Displayed / available with FA	Yes / No / NA
Escalation matrix Known to FA	Yes / No / NA
Bank emergency contact	
Police emergency contact	
Fire emergency contact	
Emergency notes	

11 Electronic Security

No. CCTV camera in ATM	0 to 20
No. of CCTV in Bank	0 to 20
Location of local DVR	ATM / Branch / NA
CCTV cable is open	Yes / No / NA
DVR / NVR — Channels	
DVR / NVR — HDD capacity	
Recording Backup (days)	e.g. 90
CCTV coverage adequate	Yes / No / NA
Electronic security notes	
Surveyor Signature / Name	Same as assessor (auto)
Branch Representative Signature / Name	
General Observations	
Recommendations	

12 Risk check list

Score each item 0 (low risk) to 5 (high risk). Same 180-point checklist as Agile CRM Security Survey. Notes optional.



SITE SECURITY ASSESSMENT (SSA) FORMAT

External link: www.agilegroup-digital.co.in/mis-hdfc-survey

Part 1 — Incidence of Crime (Last 12 Months) (max 50)

Item	0	1	2	3	4	5	Notes
Trespassers during day time 0 = none reported; 5 = frequent / no fence	☐	☐	☐	☐	☐	☐	
Trespassers during night time	☐	☐	☐	☐	☐	☐	
Vandalism or group representations by public/employees	☐	☐	☐	☐	☐	☐	
Theft / burglary or attempt	☐	☐	☐	☐	☐	☐	
Fire near-miss / fire accidents in locality	☐	☐	☐	☐	☐	☐	
Attack on staff or visitors	☐	☐	☐	☐	☐	☐	
Intrusion reported during day time	☐	☐	☐	☐	☐	☐	
Intrusion reported during night time	☐	☐	☐	☐	☐	☐	
Threats or attack on staff	☐	☐	☐	☐	☐	☐	
Hiding places in premises	☐	☐	☐	☐	☐	☐	
Garbage / sewage dumped into premises	☐	☐	☐	☐	☐	☐	
ID cards for staff/workers/contractors/drivers/visitors (Yes=0) 0 if all have ID; higher if missing	☐	☐	☐	☐	☐	☐	

Part 2 — Environment and Building (max 70)

Item	0	1	2	3	4	5	Notes
Crime rate of locality	☐	☐	☐	☐	☐	☐	
Site overlooked from roads / prominent buildings	☐	☐	☐	☐	☐	☐	
Boundaries, fences and gates	☐	☐	☐	☐	☐	☐	
Clearly defined entrances with warning signages	☐	☐	☐	☐	☐	☐	
Visitors & vehicle movements recorded	☐	☐	☐	☐	☐	☐	
Outsiders park vehicles after office hours	☐	☐	☐	☐	☐	☐	



SITE SECURITY ASSESSMENT (SSA) FORMAT

External link: www.agilegroup-digital.co.in/mis-hdfc-survey

Item	0	1	2	3	4	5	Notes
Perimeter protective with warning signages	☐	☐	☐	☐	☐	☐	
Security of critical areas	☐	☐	☐	☐	☐	☐	
Critical areas / water tank remotely monitored by CCTV	☐	☐	☐	☐	☐	☐	
Police patrolling team visits	☐	☐	☐	☐	☐	☐	
Staff use premises after office hours	☐	☐	☐	☐	☐	☐	
Permitted residents/workers on premises	☐	☐	☐	☐	☐	☐	
Drivers permitted to stay on site at night (Yes=5)	☐	☐	☐	☐	☐	☐	
Unauthorized vehicle movements after hours (Yes=5)	☐	☐	☐	☐	☐	☐	

Part 3 — Security Measures (max 60)

Item	0	1	2	3	4	5	Notes
System for reporting suspicious movements	☐	☐	☐	☐	☐	☐	
Security lighting — perimeter, entrances, footpaths	☐	☐	☐	☐	☐	☐	
CCTV surveillance covering perimeter & access points	☐	☐	☐	☐	☐	☐	
CCTV recording retention (less days = higher risk)	☐	☐	☐	☐	☐	☐	
Sensitive areas marked and secured	☐	☐	☐	☐	☐	☐	
Security breach / trespass / strangers recorded & reported	☐	☐	☐	☐	☐	☐	
Crime cases within 5 km	☐	☐	☐	☐	☐	☐	
Type of locals from surrounding area	☐	☐	☐	☐	☐	☐	
Liquor / alcohol / gutka usage on premises	☐	☐	☐	☐	☐	☐	
Record keeping for visitors & vehicle movement	☐	☐	☐	☐	☐	☐	

Item	0	1	2	3	4	5	Notes
Access points locked & recorded after office hours	☐	☐	☐	☐	☐	☐	
Key handling procedures followed	☐	☐	☐	☐	☐	☐	
Public permitted inside (e.g. free water) — No=0	☐	☐	☐	☐	☐	☐	
Perimeter patrolling way available (Yes=0)	☐	☐	☐	☐	☐	☐	

13 Professional assessment

Write or generate the report. Photos are on heading 14.

Generate Professional Report	Optional AI assist on portal
Scientific Risk Analysis	
Executive Summary	
Security Professional Recommendations	
Site observations	
Client Report (Print / PDF)	Review full client letter

14 Site Photos & Documents

Take Photo / Gallery. Delete on every upload. If storage fails, answers still save.

Selfie (surveyor on site)	Take Photo (Flip / front camera) or Gallery — Delete on each
Photo 1 — Bank & ATM from front	Left, right and above visible
Photo 2 — What is in front of the Bank & ATM	
Photo 3 — AC outdoor unit area	
Photo 4 — Any sensitive information area	
Add Photo	Extra site photo if needed
Document 1 — Attendance Register copy	
Document 2 — HOTO register copy	
Document 3 — PVC copies of 3/2 FA	



Document 4 — Closing and Opening register

.....

15 Final Report with suggestions

Includes HOD & AI. Submit to HOD is only on this page on the public link.

HDFC questionnaire summary	Answers from headings 1–11
HOD's suggestions	
Generate system / AI suggestion	Optional
System / AI suggestion	
Executive Summary	From page 13
Photos Preview	
Review the report	Opens full client report (does not submit)
Submit to HOD	Public link only — only on page 15. Blocked until all 15 pages are complete. Confirm: All 15 pages are completed.

This format does not include Strong Room, Emergency Exit, Branch Name / SOL ID / First Floor, ASO/LSG/SG present, Panic Switches count/status, Burglar Alarm, or old Fire extinguisher Type/Quantity columns.