



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



CSC165H1S , Winter 2019

Midterm 1, Version 2

3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



1. [5 marks] Question 1.



2. [5 marks] Question 2.



CSC165H1S , Winter 2019

Midterm 1, Version 2

3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15




Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.


A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



CSC165H1S , Winter 2019

Midterm 1, Version 2

3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



CSC165H1S , Winter 2019

Midterm 1, Version 2

3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



midterm1-v2-test-6-2

CSC165H1S , Winter 2019

Midterm 1, Version 2

Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.



-
2. [5 marks] Question 2.




CSC165H1S , Winter 2019

Midterm 1, Version 2

3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*




CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.



2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.



midterm1-v2-test-8-4

CSC165H1S , Winter 2019

Midterm 1, Version 2

-
2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt
No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.



-
2. [5 marks] Question 2.




CSC165H1S , Winter 2019

Midterm 1, Version 2

-
3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



**University of Toronto
Faculty of Arts and Science**

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 **Duration:** 75 minutes **Instructor(s):** David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15




midterm1-v2-test-10-2

CSC165H1S , Winter 2019

Midterm 1, Version 2

Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*




CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.



-
2. [5 marks] Question 2.




CSC165H1S , Winter 2019

Midterm 1, Version 2

3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt
No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15




Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



CSC165H1S , Winter 2019

Midterm 1, Version 2

3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



1. [5 marks] Question 1.




2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



midterm1-v2-test-13-2

CSC165H1S , Winter 2019

Midterm 1, Version 2

Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



midterm1-v2-test-14-2

CSC165H1S , Winter 2019

Midterm 1, Version 2

Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.




2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.


A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.

A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question.*



1. [5 marks] Question 1.




-
2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
- All statements in predicate logic must have negations applied directly to propositional variables or predicates.
- In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
- For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.


A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15




Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



-
1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 **Duration:** 75 minutes **Instructor(s):** David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.


A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



1. [5 marks] Question 1.




-
2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 Duration: 75 minutes Instructor(s): David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.


A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



University of Toronto
Faculty of Arts and Science

CSC165H1S Midterm 1, Version 2

Date: February 6, 2019 **Duration:** 75 minutes **Instructor(s):** David Liu, François Pitt

No Aids Allowed

Name:

Student Number:

- This examination has **3** questions. There are a total of **6** pages, **DOUBLE-SIDED**.
 - All statements in predicate logic must have negations applied directly to propositional variables or predicates.
 - In your proofs, you may always use definitions we have covered in this course. However, you may **not** use any external facts about these definitions unless they are given in the question.
 - For algorithm analysis questions, you can jump immediately from an exact step count to an asymptotic bound without proof (e.g., write “the number of steps is $3n + \lceil \log n \rceil$, which is $\Theta(n)$ ”).
-

Take a deep breath.

This is your chance to show us
how much you've learned.

We **WANT** to give you the credit
that you've earned.


A number does not define you.

Good luck!

Question	Grade	Out of
Q1		5
Q2		5
Q3		5
Total		15



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.



CSC165H1S , Winter 2019

Midterm 1, Version 2

1. [5 marks] Question 1.



-
2. [5 marks] Question 2.



CSC165H1S , Winter 2019

Midterm 1, Version 2

3. [5 marks] Question 3.



Use this page for rough work. If you want work on this page to be marked, please indicate this clearly *at the location of the original question*.