






File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
index.html
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
lab 4 > index.html > html > body
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<title>CS302JSC - Lab 4</title>
</head>
<body>
<h1>CS302JSC - Lab 4</h1>
Making Decisions in Code: if-else & switch-case
Open the console to see output (F12)
<script src="script.js"></script>
</body>
</html>



File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
script.js
lab 4 > script.js
1 let marks = 68;
2 let result = marks >= 40 ? "pass" : "fail";
3 console.log(result);
4
5 let marks2 = 68;
6 if (marks2 >= 40) {
7 console.log("pass");
8 } else {
9 console.log("fail");
10 }
11
12 console.log("if-else is easier to read");
13
14 let m1 = 45;
15 if (m1 >= 40) {
16 console.log("you passed!");
17 }
18
19 let m2 = 30;
20 if (m2 >= 40) {
21 console.log("you passed!");
22 }
23
24 let childAge = 8;
25 if (childAge >= 18) {
26 console.log("you can watch this movie");
27 }
28
29 let teenAge = 15;
30 if (teenAge >= 18) {
31 console.log("you can watch this movie");
32 }
33
34 let adultAge = 22;
35 if (adultAge >= 18) {
36 console.log("you can watch this movie");
37 }
Restricted Mode
0 0



File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
script.js
lab 4 > script.js
35 if (adultAge >= 18) {
36 console.log("you can watch this movie");
37 }
38
39 let n1 = 7;
40 if (n1 % 2 === 0) {
41 console.log("even number");
42 } else {
43 console.log("odd number");
44 }
45
46 let n2 = 12;
47 if (n2 % 2 === 0) {
48 console.log("even number");
49 } else {
50 console.log("odd number");
51 }
52
53 let n3 = 19;
54 if (n3 % 2 === 0) {
55 console.log("even number");
56 } else {
57 console.log("odd number");
58 }
59
60 let correctPin = 1234;
61
62 let guessPin1 = 1234;
63 if (guessPin1 === correctPin) {
64 console.log("access granted");
65 } else {
66 console.log("access denied");
67 }
68
69 let guessPin2 = 5678;
70 if (guessPin2 === correctPin) {
71 console.log("access granted");
Restricted Mode
0 0



File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
Restricted Mode
0 0
script.js
lab 4 > script.js
if (guessPin2 === correctPin) {
console.log("access granted");
} else {
console.log("access denied");
}
let labMarks = 75;
if (labMarks >= 40) {
console.log("pass");
} else {
console.log("fail");
}
console.log("i like if-else better because it is clear");
let studentScore = 68;
if (studentScore >= 90) {
console.log("grade a");
} else if (studentScore >= 75) {
console.log("grade b");
} else if (studentScore >= 60) {
console.log("grade c");
} else if (studentScore >= 40) {
console.log("grade d");
} else {
console.log("grade f");
}
let movieAge1 = 3;
if (movieAge1 < 5) {
console.log("free");
} else if (movieAge1 < 12) {
console.log("rs. 100");
} else if (movieAge1 < 60) {
console.log("rs. 250");
} else {



File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
script.js
lab 4 > script.js
} else {
}
let movieAge2 = 8;
if (movieAge2 < 5) {
console.log("free");
} else if (movieAge2 < 12) {
console.log("rs. 100");
} else if (movieAge2 < 60) {
console.log("rs. 250");
} else {
console.log("rs. 150");
}
let movieAge3 = 25;
if (movieAge3 < 5) {
console.log("free");
} else if (movieAge3 < 12) {
console.log("rs. 100");
} else if (movieAge3 < 60) {
console.log("rs. 250");
} else {
console.log("rs. 150");
}
let movieAge4 = 65;
if (movieAge4 < 5) {
console.log("free");
} else if (movieAge4 < 12) {
console.log("rs. 100");
} else if (movieAge4 < 60) {
console.log("rs. 250");
} else {
console.log("rs. 150");
}
let movieAge5 = 70;
Restricted Mode
0 0



File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
script.js
lab 4 > script.js
if (movieAge5 < 5) {
console.log("free");
} else if (movieAge5 < 12) {
console.log("rs. 100");
} else if (movieAge5 < 60) {
console.log("rs. 250");
} else {
console.log("rs. 150");
}
let temp1 = 40;
if (temp1 > 35) {
console.log("it's hot! drink water.");
} else if (temp1 > 20) {
console.log("nice weather!");
} else if (temp1 > 10) {
console.log("a bit cold. wear a jacket.");
} else {
console.log("very cold! stay warm.");
}
let temp2 = 28;
if (temp2 > 35) {
console.log("it's hot! drink water.");
} else if (temp2 > 20) {
console.log("nice weather!");
} else if (temp2 > 10) {
console.log("a bit cold. wear a jacket.");
} else {
console.log("very cold! stay warm.");
}
let temp3 = 15;
if (temp3 > 35) {
console.log("it's hot! drink water.");
} else if (temp3 > 20) {
console.log("nice weather!");
Restricted Mode
0 0



File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
Restricted Mode
script.js
lab 4 > script.js
let temp3 = 15;
if (temp3 > 35) {
console.log("it's hot! drink water.");
} else if (temp3 > 20) {
console.log("nice weather!");
} else if (temp3 > 10) {
console.log("a bit cold. wear a jacket.");
} else {
console.log("very cold! stay warm.");
}
let temp4 = 5;
if (temp4 > 35) {
console.log("it's hot! drink water.");
} else if (temp4 > 20) {
console.log("nice weather!");
} else if (temp4 > 10) {
console.log("a bit cold. wear a jacket.");
} else {
console.log("very cold! stay warm.");
}
let dayNumber = 3;
switch (dayNumber) {
case 1:
console.log("monday");
break;
case 2:
console.log("tuesday");
break;
case 3:
console.log("wednesday");
break;
case 4:
console.log("thursday");
break;
case 5:



File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
script.js
lab 4 > script.js
198 switch (dayNumber) {
208 case 4:
211 case 5:
212 console.log("friday");
213 break;
214 case 6:
215 console.log("saturday");
216 break;
217 case 7:
218 console.log("sunday");
219 break;
220 default:
221 console.log("invalid day");
222 }
223
224 let mood = "happy";
225 switch (mood) {
226 case "happy":
227 console.log("keep smiling");
228 break;
229 case "sad":
230 console.log("cheer up");
231 break;
232 case "angry":
233 console.log("take a deep breath");
234 break;
235 case "tired":
236 console.log("get some rest");
237 break;
238 default:
239 console.log("feeling okay");
240 }
241
242 let expDay = 2;
243 switch (expDay) {
244 case 1:
245 console.log("monday");
Restricted Mode
0 0



File Edit Selection View Go Run Terminal Help
javascript lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
Restricted Mode
script.js
lab 4 > script.js
let expDay = 2;
switch (expDay) {
case 1:
console.log("monday");
break;
case 2:
console.log("tuesday");
case 3:
console.log("wednesday");
break;
default:
console.log("invalid day");
}
console.log("break stops the switch statement from running into the next case.");
console.log("without break execution falls through and runs subsequent cases.");
let atmPin = 1234;
let enteredPin1 = 9999;
let balance1 = 5000;
let choice1 = 1;
if (enteredPin1 === atmPin) {
switch (choice1) {
case 1:
console.log(balance1);
break;
case 2:
let withdrawAmount1 = 1000;
if (withdrawAmount1 > balance1) {
console.log("insufficient funds");
} else {
balance1 -= withdrawAmount1;
console.log(balance1);



File Edit Selection View Go Run Terminal Help
javascript lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
Restricted Mode
script.js
lab 4 > script.js
let expDay = 2;
switch (expDay) {
case 1:
console.log("monday");
break;
case 2:
console.log("tuesday");
case 3:
console.log("wednesday");
break;
default:
console.log("invalid day");
}
console.log("break stops the switch statement from running into the next case.");
console.log("without break execution falls through and runs subsequent cases.");
let atmPin = 1234;
let enteredPin1 = 9999;
let balance1 = 5000;
let choice1 = 1;
if (enteredPin1 === atmPin) {
switch (choice1) {
case 1:
console.log(balance1);
break;
case 2:
let withdrawAmount1 = 1000;
if (withdrawAmount1 > balance1) {
console.log("insufficient funds");
} else {
balance1 -= withdrawAmount1;
console.log(balance1);


File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
Restricted Mode
0 0
script.js
lab 4 > script.js
296 if (enteredPin2 === atmPin) {
297 switch (choice2) {
301 case 2:
307 }
308 break;
309 case 3:
310 let depositAmount2 = 2000;
311 balance2 += depositAmount2;
312 console.log(balance2);
313 break;
314 default:
315 console.log("invalid choice");
316 }
317 } else {
318 console.log("wrong pin. access denied.");
319 }
320
321 let enteredPin3 = 1234;
322 let balance3 = 5000;
323 let choice3 = 3;
324 let depositAmount3 = 2000;
325
326 if (enteredPin3 === atmPin) {
327 switch (choice3) {
328 case 1:
329 console.log(balance3);
330 break;
331 case 2:
332 let withdrawAmount3 = 1000;
333 if (withdrawAmount3 > balance3) {
334 console.log("insufficient funds");
335 } else {
336 balance3 -= withdrawAmount3;
337 console.log(balance3);
338 }
339 break;


File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
OUTLINE
TIMELINE
Restricted Mode
0 0
script.js
lab 4 > script.js
296 if (enteredPin2 === atmPin) {
297 switch (choice2) {
301 case 2:
307 }
308 break;
309 case 3:
310 let depositAmount2 = 2000;
311 balance2 += depositAmount2;
312 console.log(balance2);
313 break;
314 default:
315 console.log("invalid choice");
316 }
317 } else {
318 console.log("wrong pin. access denied.");
319 }
320
321 let enteredPin3 = 1234;
322 let balance3 = 5000;
323 let choice3 = 3;
324 let depositAmount3 = 2000;
325
326 if (enteredPin3 === atmPin) {
327 switch (choice3) {
328 case 1:
329 console.log(balance3);
330 break;
331 case 2:
332 let withdrawAmount3 = 1000;
333 if (withdrawAmount3 > balance3) {
334 console.log("insufficient funds");
335 } else {
336 balance3 -= withdrawAmount3;
337 console.log(balance3);
338 }
339 break;


File Edit Selection View Go Run Terminal Help
javascript-lab
EXPLORER
JAVASCRIPT-LAB
lab 1
lab 2
lab 3
lab 4
index.html
script.js
README.md
script.js
lab 4 > script.js
let fixAge = 15;
if (fixAge === 18) {
console.log("adult");
} else {
console.log("minor");
}
let fruit = "apple";
switch (fruit) {
case "apple":
console.log("red fruit");
break;
case "banana":
console.log("yellow fruit");
break;
default:
console.log("unknown fruit");
}
let choiceVal = 2;
switch (choiceVal) {
case 1:
console.log("one");
break;
case 2:
console.log("two");
break;
default:
console.log("invalid");
}
OUTLINE
TIMELINE
Restricted Mode
0 0


Elements
Console
Sources
Network
top
Filter
Default levels
No Issues
pass script.js:3
pass script.js:7
if-else is easier to read script.js:12
you passed! script.js:16
you can watch this movie script.js:36
odd number script.js:43
even number script.js:48
odd number script.js:57
access granted script.js:64
access denied script.js:73
pass script.js:78
i like if-else better because it is clear script.js:83
grade c script.js:91
free script.js:100
rs. 100 script.js:113
rs. 250 script.js:126
rs. 150 script.js:139
rs. 150 script.js:150
it's hot! drink water. script.js:155
nice weather! script.js:168
a bit cold. wear a jacket. script.js:181
very cold! stay warm. script.js:194
wednesday script.js:206
keep smiling script.js:227
tuesday script.js:248
wednesday script.js:250
break stops the switch statement from running into the next case. script.js:256
without break execution falls through and runs subsequent cases. script.js:257
wrong pin. access denied. script.js:288


Elements
Console
Sources
Network
top
Filter
Default levels
No Issues
odd number script.js:57
access granted script.js:64
access denied script.js:73
pass script.js:78
i like if-else better because it is clear script.js:83
grade c script.js:91
free script.js:100
rs. 100 script.js:113
rs. 250 script.js:126
rs. 150 script.js:139
rs. 150 script.js:150
it's hot! drink water. script.js:155
nice weather! script.js:168
a bit cold. wear a jacket. script.js:181
very cold! stay warm. script.js:194
wednesday script.js:206
keep smiling script.js:227
tuesday script.js:248
wednesday script.js:250
break stops the switch statement from running into the next case. script.js:256
without break execution falls through and runs subsequent cases. script.js:257
wrong pin. access denied. script.js:288
insufficient funds script.js:303
7000 script.js:342
minor script.js:355
red fruit script.js:361
two script.js:376
Live reload enabled. lab 4/:43
ctrl i to turn on code suggestions. Don't show again NEW