Booster Vaccine Causes 1 in 35 To Have Myocardial Damage

A thorough and independent Swedish study of 777 people after boosters by the Department of Cardiology Institute of Basil, in study showed it caused a 5.1 percent increased myocardial damage in the blood AND 1 IN 35 (ONE IN THIRTY FIVE) HAD MYOCARDIAL INJURY/DAMAGE. And many suffered adverse myocardial events after exercise, whilst others warned of this didn't exercise and survived better. It was also more prevalent in women than men. And, the Brownstone Institute found that both the Pfizer and Moderna vaccines had DNA contaminations which can cause DNA damage.

So why is the Australian Government in bed with a supporting here in Aussie to produce MRNA vaccines for most vaccinations used in Aussie. Money?, you bet, whilst they lie how well they are protecting Australians, whilst increasing the ill health of Australians and need and use of doctors, specialists, hospital and everything associated with medical health.

Want the visible and verifiable facts, watch this 18 minute video by Copy and paste the following link into your browser and click on skip adds:

Not so cheers

So this is what Australia signed up for

Inbox

00:09 (8 hours ago)

No consulting. No oversight. No release to public of any information. Every single politician in Australia

who voted yes to this legislation needs to be fired... As in fired into the sun!

WHO New Health Regulations



Attachments area

Preview YouTube video WHO New Health Regulations



08:40 (0 minutes ago)

Oh well, I guess someone had to take control and responsibility of de-population, whilst supporting the ongoing expansion of ill health, to support the medical health and foods industries growth of multi trillion-dollar profits. So, WHO better than the CORRUPT WHO, primarily controlled by billionaires and money-making power brokers, BECAUSE, they have TOTAL DIPLOMATIC IMMUNITY, CANNOT BE SUED, like our countries governments and organisations can.

Maybe, I should let it go, because after all, we have overpopulated the world, her resources and are killing the planet, primarily killing mother nature which is the only thing the world survives on. So maybe it's not such a bad thing? But do we all have to go through the extreme pain of all the ill health and pay so dearly from the hip pocket for that luxury?

Not so Cheers

__

E-mails monitored by Kasperski and Malwarebytes

The Long Sad U.S. Corrupt History Of Vaccines and Deaths from the Spanish Flu to Corvid for Money, Power & Control AND since 1986 U.S. Vaccine Companies cannot be sued, so why are we following them?

In a recent podcast, Joe ROGAN interviews Robert Francis Kennedy Jr.—the son of former U.S. attorney general Robert F. Kennedy and nephew of former President John F. Kennedy—is an attorney, environmental and anti-vaccine activist, and syndicated talk radio host. He is a co-founder and former president of Waterkeeper Alliance, an organisation monitoring rivers and waterways and suing polluters, including many on the Hudson River in the U.S. which became so polluted, kilometres caught fire and had no fish in them at all, fortunately it has since recovered as a result. He and his organisation have accessed all the studies and all available data and results on everything covered naturally, as if you are going to litigate successfully as he has done against government agencies, big pharma's and large corporations, you have to be right. His litigation success record has brought about, over the last 18 years, there is no one that he has wanted to challenge in a debate that has been prepared to do so. He is now going to run for the next presidency, let's hope he wins and still lives, however no doubt the money-making power brokers won't allow that to happen.

I have done my best to summarise the verifiable facts discussed in the podcast below this to make it easier. If you wish to listen to it yourself, you need to have at least the free Spotify version to view the podcast and it is 3 hours long but very worthwhile.


SUMMARY:

1932 Mercury was added to vaccines primarily by Big Pharma's such as a preservative and adjuvant which is a toxic substance to enhanced the vaccines immune response.

Mercury is 1,000 times more toxic than lead. Hence, the vaccines have been causing autism and many other life destroying illness and health issues especially for children, crossing the brain barrier

and causing inflammation. In recent years Mercury has been removed from most of their vaccines but replaced with aluminum, which has the same effect.

Mass independent statistics in the U.S. showed (1:37) One in 37, children had some form of vaccine injury. In the U.S. the vaccinations for youth grew to 72 vaccines.



Along with many other toxic substances in air, water and products

eaten and used etc., the U.S. has the highest chronic disease levels of any country in the world.


Re the new MRNA Corvid Vaccines. A Cleveland Clinic study showed that it offered some protection for the first two months, but then wanes rapidly into the negative efficacy especially after 7 months, and without bolstering your immune system gives the vaccinated up to 3.5 times the risk of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated. Even the first of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated to convict of suffering illness than people who are unvaccinated

It also covers some of the same ground re the lies about the Chinese Wuhan Institute leak of Corvid supported by U.S. complicit in funding of gain of function with Bat viruses namely Corvid and lied about it. Together with Interviewer Joe ROGAN, they cover taking anti inflamatories and vitamins to bolster the immune system to deal with corvid, flu etc., instead. It is very hard for a virus or bacterial infections to kill a truly healthy person, but some bacterial infections have a far higher chance than many viruses. The more vaccines you take, the more likely you are to be susceptible to ongoing inflammations.

Other examples were, all the kids in Africa that die are generally malnourished else the disease may not kill them as evidence amongst those not malnourished. In 1963 in the Mississippi delta many children were dying of measles, but again because they were severely malnourished. The 1918, 1919, Spanish Flu, was not a killer virus and this was even again acknowledged by At the time they thought the deaths were as a result of the flu, but after analysis of many samples from thousands of victims, it was established it was a Spanish Flu vaccine (developed in a military research centre in the U.S.) induced flu causing people to die of bacterial pneumonia which could have been prevented with antibiotics. The 1967, 1968 flu pandemic confirmed this.

The NIH, National Institute of Health in America showed a study that Ivermectin was successful in treating adults with moderate Corvid 19, yet the health authorities declared it as ineffective?

Again, Hydroxychloroquine which is used in the treatment of autoimmune conditions such as rheumatoid arthritis and systemic lupus erythematosus, was shown to be effective against Corvid 19. It slows down the progression of the disease and provides relief from pain, swelling, and redness, yet again they declared it as ineffective? Why, because there was a law that said you were not allowed to promote a new drug treatment for a serious illness, if there was another one already available.



people. They slowed the death rates by giving blood transfusions helping to support their claim that it was reasonably effective in prolonging life.

In the case of when Corvid came along, they had got another vaccine approved elsewhere, which was not available in the U.S. But, having an approved vaccine allowed then them to distribute their Corvid 19 vaccine to and collaborate with other government, university, and medical research organisations. They initially promised to do a five-year study, but cut that back to between 4 and 6 months in getting the emergency use approval. They vaccinated 22,000 people and initially used 22,000 people unvaccinated as a control/comparison group, but shortly after it started unblinded it by doing away with the control group, most of which in time got vaccinated, which was a total deception. In the less than 6 months, in the placebo group 1 person died and in the vaccinated group 2 people died, hence they immediately claimed that it was 100 percent effective, because 2 is 100% of 1? Yet when they looked at all-cause mortality in the survey group, the unvaccinated had 17 people die and the vaccine group had 21. From that, 4-5 cardiac arrests occurred in the vaccine group and only 1 in the unvaccinated group?

There was an all-cause mortality deaths records from insurance companies which showed thousands of people including athletes were dying after receiving vaccines. Several records show over 15 million Americans sought medical help after vaccines which has been clearly shown to have been extremely underestimated.

Almost 50% of the FDA's (Food and Drug Administration), budget comes from pharmaceutical companies. The CDC (Centre for Disease Control and Prevention), has a 12 billion budget and almost 5 billion of that goes to buying vaccines in sweetheart deals from the Big 4 Pharma's, and then promoting them to the public. If you are part of the NIH (National Institute of Health) and you work on one of their vaccines or drugs, you can collect royalties on that product, up to U.S. \$150,000 per year, for life, as long as that product continues to sell, i.e. the and waccines. There are 4-6 close colleges of who are collecting that \$150,000 a year. There are no longer any regulatory authorities left in the U.S. that are not corrupt and monetary driven. Drugs are the

number 3 killer in America and yet America spends more money on health care than any other country in the world, yet their overall health record is less than some third world countries.

Other areas covered:

There are numerous studies showing Wi Fi radiation opens-up the blood brain barrier? KENNEDY has represented many hundreds of people for cancers behind the ear that they favour for their cell phones. He has successfully sued the government bodies responsible for mobile phone Wi Fi.

Definitely, Not So Cheers J.P.

Australian Government Initiative Guidelines For Water Quality

in freshwater and marine water

Toxicant default guideline values for protecting aquatic ecosystems

October 2000

Extracted from Section 8.3.7 'Detailed descriptions of chemicals' of the ANZECC & ARMCANZ (2000) guidelines.

The default guideline values (previously known as 'trigger values') and associated information in this technical brief should be used in accordance with the detailed guidance provided in the Australian and New Zealand Guidelines for Fresh and Marine Water Quality.

Description of chemical

Atrazine (CAS 1912-24-9) is a triazine herbicide developed by Ciba-Geigy, with a selective systemic mode of action, being absorbed mainly through the roots (Tomlin 1994). It inhibits photosynthesis and other enzyme processes (Tomlin 1994). A comprehensive draft review of atrazine by NRA (1997b) indicated that a complete set of data was available.

Its IUPAC name is 6-chloro-N2-ethyl-N4-isopropyl-1,3,5-triazine-2,4-diamine, molecular formula is $C_8H_{14}ClN_5$ and molecular weight is 215.7. Atrazine is soluble in water at 33 mg/L at 20°C (Tomlin 1994). It has a pKa of 1.7. The current analytical practical quantitation limit (PQL) for atrazine in water is 0.5 μ g/L (NSW EPA 2000).

Uses and environmental fate

Atrazine is used widely against grasses and broad-leaved weeds in a variety of vines, orchards, plantations and crops, particularly maize and sorghum (NRA 1997a). In Australia, atrazine has over 1600 registered uses as 30 registered products. It is often used in conjunction with other herbicides.

Atrazine is relatively stable in water and persists in groundwater with a DT50 greater than 100 days (Tomlin 1994). Atrazine breaks down only slowly in sunlight with a half-life of around 1 year. Its half-life in fresh water systems is around 2 months, or more at lower temperatures, but is more rapid (<1 month) in estuarine systems (NRA 1997b). It does not bioaccumulate significantly. Atrazine is highly mobile and it has been commonly detected in surface and groundwater samples in Australia (Cooper 1996) usually at less than 1 μ g/L. In fact, it is one of the most commonly detected pesticides in the Murray–Darling Basin.

Aquatic toxicology

Freshwater algae: two species, 48 to 96-hour EC50 (growth) of 21 to 377 μ g/L. The lowest figure was for *Scenedesmus subspicatus* but another figure of 110 μ g/L was also reported for that species.

Freshwater fish: 14 species; 96-hour LC50 between 500 (*Rasbora heteromorpha*, 48-hour LC50) and 71,000 µg/L (*Poecilia reticulata*). A 35-day mortality NOEC of 300 µg/L was obtained for *Brachydanio rerio*; a 21-day mortality NOEC of 60 µg/L for trout *Oncorhynchus mykiss*; a 274-day growth NOEC of 250 µg/L for *Pimephales promelas* but no effect on

reproduction at 2000 μ g/L (highest concentration). An acute-to-chronic ratio (ACR) of 300 was reported.

Freshwater crustaceans: five species, 48 to 96-hour EC50 of 5700 to 54,000 μg/L.

Microcosms and mesocosms: NRA (1997b) reviewed a number of aquatic microcosm and mesocosm studies with different composition and test end-points (Moorhead & Kosinski 1986, Pratt et al. 1988, Stay et al. 1989, Neugebaur et al. 1990, Detenbeck et al. 1996, Gruessner & Watkin 1996). Most reported just LOEC values between 50 and 300 μ g/L but eight NOEC values were reported; 3.2, 5, 17.5, 20, 20, 20 and 80 μ g/L. The lowest figure was a stimulation effect and was not considered. None of these fully satisfied the requirements but they do give added confidence in the trigger value.

Marine fish: two species, 96-hour LC50 between 2000 and 16,200 µg/L.

Marine crustacean: four species, 96-hour LC50 of 94 μ g/L (*Acartia tonsa*) to 13,200 μ g/L; 8-day NOEC (mortality) between 4200 and 17,500 μ g/L for the copepod *Eurytemora affinis*, depending on salinity. Two species of adult crabs were insensitive to atrazine up to its solubility.

Marine diatom: one species, 48 to 72-hour EC50 of 50 to 265 µg/L (PSR, photosynthesis).

Australian and New Zealand data

The 96-h LC50 to the introduced fish *Gambusia holbrooki* was 18,900 μ g/L and to *Hypseleotris gallii* (firetail gudgeon) was 258,000 μ g/L, well above the solubility level. The 48-hour LC50 to the water flea *Ceriodaphnia dubia* was 18,300 μ g/L. The 72-hour EC50 to the alga *Selenastrum capricornutum* was 359 μ g/L. All of those figures were within the range of overseas species, except for the gudgeon, which was particularly insensitive.

Factors that modify toxicity of atrazine

The NRA (1997b) review did not identify any factors modifying atrazine toxicity. Synergy was not demonstrated with the pyrethroid bifenthrin. Hall et al. (1995) demonstrated varying chronic toxicity of atrazine to an estuarine copepod, *Eurytemora affinis*, under different salinity regimes. It was most sensitive (14.6 mg/L) at 5 ppt salinity and of lowest sensitivity (20.9 mg/L) at 15 ppt. Mixtures of atrazine and metribuzin have additive toxicity to algae (Altenburger et al. 1990).

Guidelines

A freshwater **moderate reliability** trigger value of 13 μ g/L was derived for atrazine using the statistical distribution method with 95% protection and an ACR of 20.2.

Although there are marine data on fish, crustaceans and algae (OECD MPD) it was considered preferable to adopt the freshwater figure as a marine **low reliability** trigger value (13 μ g/L). This should be used only as an indicative interim working level.

References

Altenburger R, Bodeker W, Faust M & Grimme LH 1990. Evaluation of the isobologram method for the assessment of mixtures of chemicals. *Ecotoxicology and Environmental Safety* 20, 98-114.

ANZECC & ARMCANZ 2000. <u>Australian and New Zealand Guidelines for Fresh and Marine Water Quality</u>, Australian and New Zealand Environment and Conservation Council and Agriculture and Resource Management Council of Australia and New Zealand, Canberra.

Cooper B 1996. Central and north west regions water quality program 1995/96 Report on pesticides monitoring. Department of Land and Water Conservation, TS 96.048, Parramatta, NSW.

Detenbeck NE, Hermanutz R, Allen K & Swift MC 1996. Fate and effects of the herbicide atrazine in flow-through wetland mesocosms. *Environmental Toxicology and Chemistry* 15, 937-946.

Gruessner B & Watkin MC 1996. Response of aquatic communities from a Vermont stream to environmentally realistic atrazine exposure in laboratory microcosms, *Environmental Toxicology and Chemistry* 15, 330-336.

Hall LW, Ziegenfuss MC, Anderson RD & Tierney DP 1995. The influence of salinity on the chronic toxicity of atrazine to an estuarine copepod: Implications for development of an estuarine chronic criterion. *Archives of Environmental Contamination and Toxicity* 28, 344-348.

Moorhead DL & Kosinski RJ 1986. Effect of atrazine on the productivity of artificial algal communities. *Bulletin of Environmental Contamination and Toxicology* 37, 330-336.

Neugebaur K, Zieris F-J & Huber W 1990. Ecological effects of atrazine on two outdoor artificial freshwater ecosystems. *Zeitschrift fur Wasser-Abwasswer-Forschung* 23, 11-17.

NRA 1997a. Database extraction of selected pesticides: Registered uses in Australia, National Registration Authority, July 1997, Canberra.

NRA 1997b. *Technical report on the NRA review of Atrazine*. Draft for public comment, National Registration Authority, July 1997, Canberra.

NSW EPA 2000. Analytical Chemistry Section, Table of Trigger Values 20 March 2000, LD33/11, Lidcombe, NSW.

Pratt JR, Bowers NJ, Niederlehner BR & Cairns J Jr 1988. Effects of atrazine on freshwater microbial communities. *Archives of Environmental Contamination and Toxicology* 17, 449-457.

Stay FS, Katko A, Rohm CM, Fix MA & Larsen DP 1989. The effects of atrazine on microcosms developed from four natural plankton communities. *Archives of Environmental Contamination and Toxicology* 18, 866-875.

Tomlin C 1994. *The pesticide manual: A world compendium*. 10th edn, British Crop Protection Council & Royal Society of Chemistry, Bath, UK.

Bottom of Form

New Zeal and Government





GOVERNMENT OF WESTERN AUSTRALIA





Queensland Government





- Water Quality Australia
- Accessibility
- Privacy
- <u>Disclaimer</u>
- Contact Us
- © Commonwealth of Australia