

Dashboard – gmail-read-ilia

console.cloud.google.com/home/dashboard?authuser=1&organizationId=0&project=gmail-read-ilia

Google Cloud

gmail-read-ilia

Search

Приостановлена

CUSTOMIZE

Cloud overview

Products & solutions

PINNED PRODUCTS

APIs & Services

Billing

IAM & Admin

Marketplace

Vertex AI

Compute Engine

Kubernetes Engine

Cloud Storage

BigQuery

VPC network

VMs, GPUs, TPUs, Disks

API Error Reporting

Google Cloud Platform status

services normal

to Cloud status dashboard

Monitoring

ate my dashboard

up alerting policies

ate uptime checks

w all dashboards

to Monitoring

Select a project

NEW PROJECT

Search projects and folders

RECENT

STARRED

ALL

Name	ID
✓ ☆ gmail-read-ilia ?	gmail-read-ilia

CANCEL

12:55

24.04.2024

ENG

Project info

Project name
gmail-read-ilia

Enabled APIs & services
Library
Credentials
OAuth consent screen
Page usage agreements

Go to project settings

Resources

BigQuery
Data warehouse/analytics

SQL
Managed MySQL, PostgreSQL, SQL Server

Compute Engine
VMs, GPUs, TPUs, Disks

API APIs

Requests (requests/sec)

1.0
0.8
0.6
0.4
0.2
0

No data is available for the selected time frame.

12 PM 12:15 12:30

Go to APIs overview

Google Cloud Platform status

All services normal

Go to Cloud status dashboard

Monitoring

Create my dashboard

Set up alerting policies

Create uptime checks

View all dashboards

Go to Monitoring

API Error Reporting

Google Cloud gmail-read-ilia

API Library

Welcome to the API Library

The API Library has documentation, links, and a smart search experience.

gmail api

gmail api

Filter Type to filter


Maps [VIEW ALL \(23\)](#)


Visibility


Public (456)


Private (2)

Category

 **Maps SDK for Android**
Google
Maps for your native Android app.

 **Maps SDK for iOS**
Google
Maps for your native iOS app.

 **Maps JavaScript API**
Google
Maps for your website

 **Places API**
Google Enterprise API ?
Get detailed information about 100 million places

API API Library

🔍 gmail api



API Library > "gmail api"

Filter Type to filter

2 results

Visibility



Public

(2)

Category



Google Enterprise APIs

(1)

Google Workspace

(2)

Other

(1)



Gmail API

Google Enterprise API ?



With the Gmail API, you can view and manage Gmail mailbox data like threads, messages, and labels.



Gmail Postmaster Tools API

Google

The Gmail Postmaster API is a RESTful API that provides programmatic access to email traffic metrics (like spam reports, delivery errors etc) otherwise available through the Gmail Postmaster Tools UI currently.



Gmail API

[Google Enterprise API](#)

View and manage Gmail mailbox data.

ENABLE

TRY THIS API

Click to enable this API

OVERVIEW

DOCUMENTATION

SUPPORT

RELATED PRODUCTS

Overview

With the Gmail API, you can view and manage Gmail mailbox data like threads, messages, and labels.

[Learn more](#)

Additional details

Type: [SaaS & APIs](#)

Last product update: 2/6/23

Category: [Google Enterprise APIs](#), [Google Workspace](#)

Service name: gmail.googleapis.com

API APIs & Services

- Enabled APIs & services
- Library
- Credentials
- OAuth consent screen
- Page usage agreements

API/Service Details [DISABLE API](#)

i To use this API, you may need credentials. [CREATE CREDENTIALS](#)



Gmail API

The Gmail API lets you view and manage Gmail mailbox data like threads, messages, and labels.

By Google Enterprise API **?**

Service name

gmail.googleapis.com

Type

Public API

Status

Enabled

Documentation

Explore

[EXPLORER](#)

OAuth client ID

Requests user consent so your app can access the user's data

Service account

Enables server-to-server, app-level authentication using robot accounts

Help me choose

Asks a few questions to help you decide which type of credential to use

METRICS

QUOTAS & SYSTEM LIMITS

CREDENTIALS

[+ CREATE CREDENTIALS](#)

[DELETE](#)

Credentials compatible with this API

API APIs & Services Create OAuth client ID

- Enabled APIs & services
- Library
- Credentials
- OAuth consent screen
- Page usage agreements

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

To create an OAuth client ID, you must first configure your consent screen

CONFIGURE CONSENT SCREEN

API APIs & Services

🔗 Enabled APIs & services

📖 Library

🔑 Credentials

🔗 OAuth consent screen

⚙️ Page usage agreements

Edit app registration

✓ OAuth consent screen — 2 **Scopes** — 3 Test users — 4 Summary

Scopes express the permissions you request users to authorize for your app and allow your project to access specific types of private user data from their Google Account. [Learn more](#)

ADD OR REMOVE SCOPES

Your non-sensitive scopes

API ↑	Scope	User-facing description
No rows to display		

Your sensitive scopes

Sensitive scopes are scopes that request access to private user data.

API ↑	Scope	User-facing description
-------	-------	-------------------------

API Create credentials – APIs & Ser

API Edit app registration – APIs & S

+

← → ↺

console.cloud.google.com/apis/credentials/consent/edit?authuser=1&project=gmail-read-ilia

☆

📁

📄

Приостановлена

⋮

Google Cloud

gmail-read-ilia

Search (/) for resources, docs,

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Edit app registration

OAuth consent screen — 2 Scopes —

Scopes express the permissions you request use app and allow your project to access specific type from their Google Account. [Learn more](#)

ADD OR REMOVE SCOPES

Your non-sensitive scopes

API ↑ Scope User-facing description

No rows to display

Your sensitive scopes

Sensitive scopes are scopes that request access to private information

Update selected scopes

Only scopes for enabled APIs are listed below. To add a missing scope to this screen, find and enable the API in the [Google API Library](#) or use the Pasted Scopes text box below. Refresh the page to see any new APIs you enable from the Library.

Filter Enter property name or value

API ↑ Scope User-facing description

☐

.../auth/userinfo.email

See your primary Google Account email address

☐

.../auth/userinfo.profile

See your personal info, including any personal info you've made publicly available

☐

openid

Associate you with your personal info on Google

☐

Gmail API

https://mail.google.com/

Read, compose, send, and permanently delete all your email from Gmail

☒

Gmail API

.../auth/gmail.modify

Read, compose, and send emails from your Gmail account

☐

Gmail API

.../auth/gmail.compose

Manage drafts and send emails

☐

Gmail API

.../auth/gmail.addons.current.action.compose

Manage drafts and send emails when you interact with the add-on

☐

Gmail API

.../auth/gmail.addons.current.message.action

View your email messages when you interact with the add-on

☐

Gmail API

.../auth/gmail.readonly

View your email messages and settings

Windows Taskbar

13:40 24.04.2024

API Create credentials – APIs & Ser x

API Edit app registration – APIs & S x

+

← → ↺

console.cloud.google.com/apis/credentials/consent/edit?authuser=1&project=gmail-read-ilia

☆

🗂

📄

Приостановлена

⋮

Google Cloud

gmail-read-ilia

Search (/) for resources, docs,

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Edit app registration

OAuth consent screen — 2 Scopes —

Scopes express the permissions you request use app and allow your project to access specific type from their Google Account. [Learn more](#)

ADD OR REMOVE SCOPES

Your non-sensitive scopes

API	Scope	User-facing description
No rows to display		

Your sensitive scopes

Sensitive scopes are scopes that request access to private information

API	Scope	User-facing description
-----	-------	-------------------------

☒

Gmail API

.../auth/gmail.modify

Read, compose, and send emails from your Gmail account

☐

Gmail API

.../auth/gmail.compose

Manage drafts and send emails

☐

Gmail API

.../auth/gmail.addons.current.action.compose

Manage drafts and send emails when you interact with the add-on

☐

Gmail API

.../auth/gmail.addons.current.message.action

View your email messages when you interact with the add-on

☐

Gmail API

.../auth/gmail.readonly

View your email messages and settings

☐

Gmail API

.../auth/gmail.metadata

View your email message metadata such as labels and headers, but not the email body

Rows per page: 10 1 – 10 of 17 < >

Manually add scopes

If the scopes you would like to add do not appear in the table above, you can enter them here. Each scope should be on a new line or separated by commas. Please provide the full scope string (beginning with "https://"). When you are finished, click "Add to table".

ADD TO TABLE

UPDATE

Windows Taskbar

13:41 24.04.2024

API APIs & Services

⚙️ Enabled APIs & services

📖 Library

🔑 Credentials

🔗 OAuth consent screen

⚙️ Page usage agreements

Edit app registration

🔒 Your sensitive scopes

Sensitive scopes are scopes that request access to private user data.

API ↑	Scope	User-facing description
No rows to display		

🔒 Your restricted scopes

Restricted scopes are scopes that request access to highly sensitive user data.

Gmail scopes

API ↑	Scope	User-facing description	
Gmail	.../auth/gmail	Read, compose, and send emails	🗑️
API	.modify	from your Gmail account	

SAVE AND CONTINUE

CANCEL

API

APIs & Services

⚙️ Enabled APIs & services

📖 Library

🔑 Credentials

🔗 OAuth consent screen

⚙️ Page usage agreements

Edit app registration

✓ OAuth consent screen

—

✓ Scopes

—

3 Test users

—

4 Summary

Test users

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

+ ADD USERS

☰ Filter

Enter property name or value

?

User information

No rows to display

SAVE AND CONTINUE

CANCEL

API Create credentials – APIs & Ser x

API Edit app registration – APIs & S x

+

← → ↺

console.cloud.google.com/apis/credentials/consent/edit;newAppInternalUser=false?authuser=1&project=gmail-read-ilia

☆

🗂️

⌵

Приостановлена

⋮

Google Cloud

gmail-read-ilia

Search (/) for resources, docs,

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Edit app registration

✓ OAuth consent screen

✓ Scopes

Test users

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

+ ADD USERS

Filter

Enter property name or value

User information

No rows to display

SAVE AND CONTINUE

CANCEL

×

Add users

⚠️

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app.

LEARN MORE

@gmail.com

?

1 / 100

ADD

⌵

ENG

13:09

24.04.2024

🗨️

← → ↺

console.cloud.google.com/apis/credentials/consent/edit;newAppInternalUser=false?authuser=1&project=gmail-read-ilia

☆

🗂

🔒

Приостановлена

⋮

API

APIs & Services

⚙️ Enabled APIs & services

📖 Library

🔑 Credentials

🔑 OAuth consent screen

⚙️ Page usage agreements

Edit app registration

⏪

✓ OAuth consent screen

 —

✓ Scopes

 —

3 Test users

 —

4 Summary

Test users

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

+ ADD USERS

☰ Filter

Enter property name or value

?

User information

@gmail.com

🗑

SAVE AND CONTINUE

CANCEL

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Edit app registration

OAuth consent screen — Scopes — Test users — 4 Summary

OAuth consent screen EDIT

User type

External

App name

Gmail-Read-Test

Support email

@gmail.com

App logo

Not provided

Application homepage link

Not provided

Application privacy policy link

API APIs & Services

🔗 Enabled APIs & services

📖 Library

🔑 Credentials

👤 OAuth consent screen

⚙️ Page usage agreements

Credentials

+ CREATE CREDENTIALS

🗑 DELETE

↶ RESTORE DELETED CREDENTIALS

Create credentials to access Google APIs

API Keys

No API keys to display

OAuth 2.0 Client IDs

No OAuth clients to display

Service Accounts

No service accounts to display

API key

Identifies your project using a simple API key to check quota and access

OAuth client ID

Requests user consent so your app can access the user's data

Service account

Enables server-to-server, app-level authentication using robot accounts

Help me choose

Asks a few questions to help you decide which type of credential to use

	Restrictions	Actions
--	--------------	---------

	Type	Client ID	Actions
--	------	-----------	---------

[Manage service accounts](#)

API APIs & Services

Enabled APIs & services
Library
Credentials
OAuth consent screen
Page usage agreements

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

- Web application
- Android
- Chrome Extension
- iOS
- TVs and Limited Input devices
- Desktop app**
- Universal Windows Platform (UWP)

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

← Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Desktop app

Name *
Desktop client 1

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

Note: It may take 5 minutes to a few hours for settings to take effect

CREATE CANCEL

API Create credentials – APIs & Ser

API Credentials – APIs & Services

console.cloud.google.com/apis/credentials?highlightClient=702648910331-d6lepg2qcpjflgkgr2qk71qmtv5olqep.apps.googleusercontent.co...

Приостановлена

Google Cloud

gmail-read-ilia

Search (/) for resources, docs, products, and more

Search

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

Credentials

Create credentials to acc

API Keys

No API keys to display

OAuth 2.0 Client ID

No service accounts to

Service Accounts

OAuth client created

The client ID and secret can always be accessed from Credentials in APIs & Services

OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

Client ID

apps.googleusercontent.com

Client secret

Creation date

April 24, 2024 at 1:13:51 PM GMT+3

Status

Enabled

DOWNLOAD JSON

OK

Client ID

702648910331-d6le...

Actions

Manage service accounts

Actions

ENG

13:15

24.04.2024