4. MIN() and MAX() Functions

```
Select department,
        Min(Salary) AS Lowest_Salary,
        Max(Salary) AS Highest_Salary
From 'workspace'.'default'.'employees_table'
group by department;
```

-- Return Results:

department	Lowest_Salary	Highest_Salary
IT	50000	62000
HR	48000	51000
Finance	59000	60000
Marketing	52000	53000

5. Group By Statement

```
Select
        department,
        Sum(Salary) AS total_Salary
From 'workspace'.'default'.'employees_table'
group by department;
```

-- Return Results:

department	total_Salary
IT	220000
HR	99000
Finance	119000
Marketing	105000

6. Group By and Count()

```
Select
        City,
        Count(*) AS total_employees
From 'workspace'.'default'.'employees_table'
group by City;
```

-- Return Results:

City	total_employees
New York	2
Chicago	3
Los Angeles	2
San Francisco	2
Houston	1

7. Group By and ORDER BY

```
Select
        department,
        AVG(salary) AS average_salary
From 'workspace'.'default'.'employees_table'
group by department
order by average_salary desc;
```

-- Return Results:

dep

department	average_salary
Finance	59500
IT	55000
Marketing	52500
HR	49500

8. HAVING Clause

```
Select
        department,
        Sum(salary) AS total_salary
From 'workspace'.'default'.'employees_table'
group by department
having total_salary > 100000.00;
```

-- Return Results:

department	total_salary
IT	220000
Finance	119000
Marketing	105000

9. Combining GROUP BY, HAVING, and ORDER BY

```
Select
        City,
        Count(*) AS total_employees
From 'workspace'.'default'.'employees_table'
group by City
having total_employees > 1
order by total_employees desc
```

-- Return Results:

City	total_employees
Chicago	3
New York	2
Los Angeles	2
San Francisco	2

10. Combining Aggregate functions

```
Select
        department,
        AVG (salary) AS highest_average_salary
from 'workspace'.'default'.'employees_table'
group by department
~~having max(~~
order by highest_average_salary desc
limit 1;
```

-- Return Results:

department	highest_average_salary
Finance	59500