


An abstract network diagram with various sized nodes (black, blue, and grey) connected by thin grey lines. Some nodes are highlighted with larger circles. The background is white with faint grey circles.

Fakultas Ilmu Komputer

Learning is the process of acquiring new understanding, knowledge, behaviors, skills, values, attitudes, and preferences.

Install Xampp *on* Windows 10



What is XAMPP?

XAMPP is the most popular PHP development environment. **XAMPP** is a completely free, easy to install Apache distribution containing MariaDB, PHP, and Perl.

<https://www.apachefriends.org> ▼

[XAMPP Installers and Downloads for Apache Friends](#)

XAMPP is the most popular PHP development environment. **XAMPP** is a completely free, easy to install Apache distribution containing MariaDB, PHP, and Perl.

Download

XAMPP is an easy to install
Apache distribution containing ...

XAMPP Download Success

Windows FAQs - OS X FAQs -
Linux FAQs - ...

Hosting

We want to make hosting PHP
applications created with ...

[More results from apachefriends.org »](#)

Community

Community · Apache Friends
Forums · News & Release ...

XAMPP FAQs for Windows

Instructions on how to install
XAMPP for Windows distributions.

Add-ons

XAMPP Add-ons. Applications.
Install your favorite apps on top ...



XAMPP

Downloadable software

XAMPP is a free and open-source cross-platform web server solution stack package developed by Apache Friends, consisting mainly of the Apache HTTP Server, MariaDB database, and interpreters for scripts written in the PHP and Perl programming languages.

[Wikipedia](#)

Stable release: 8.0.6 / May 11, 2021; 1 day ago

Initial release: September 4, 2002; 18 years ago

Platform: IA-32 (Windows package only) and x64 (macOS and Linux packages only)

Size: Windows: 157 MB; Linux: 154 MB; macOS: 358 MB

License: [GNU General Public License](#)


Available in: 11 languages

What is XAMPP?

XAMPP is an abbreviation for **Cross-Platform (X), Apache, MySQL, PHP and Perl**, and it allows you to build WordPress site offline, on a local web server on your computer. This simple and lightweight solution works on Windows, Linux, and Mac – hence the “*cross-platform*” part.

Visit "Apache Friends" Website


Link: <https://www.apachefriends.org/index.html>



The screenshot shows the Apache Friends website's XAMPP download page. The browser's address bar displays [apachefriends.org/index.html](https://www.apachefriends.org/index.html). The website's navigation bar includes links for Download, Add-ons, Hosting, Community, and About, along with a search bar and a language selector set to EN. The main heading reads "XAMPP Apache + MariaDB + PHP + Perl". Below this, a section titled "What is XAMPP?" explains that it is a popular PHP development environment. The "Download" section features three buttons: "Download" (with a link to other versions), "XAMPP for Windows 8.0.6 (PHP 8.0.6)" (highlighted with a red box), and "XAMPP for Linux 8.0.6 (PHP 8.0.6)". A third button for "XAMPP for OS X" is also visible.

To download the XAMPP server, visit the "[Apache Friends](https://www.apachefriends.org/index.html)" website in your web browser.

Launch XAMPP Installer



Click on "XAMPP for Windows". Then, navigate the downloading location and the file will be automatically downloaded. Double-click the downloaded file to launch the XAMPP installer.

Next Step ...




Follow this link to continue:

Install And Configure XAMPP On Windows 10

<https://www.c-sharpcorner.com/article/how-to-install-and-configure-xampp-in-windows-10/>
<https://www.ionos.com/digitalguide/server/tools/xampp-tutorial-create-your-own-local-test-server/>

Allow Access Apache HTTP SERVER



XAMPP Control Panel

Run as administrator:

XAMPP Control Panel v3.3.0 [Compiled: Apr 6th 2021]

Service	Module	PID(s)	Port(s)	Actions
	Apache	14204	80, 443	Stop Admin Config Logs
	MySQL	7512	3306	Stop Admin Config Logs
	FileZilla			Start Admin Config Logs
	Mercury			Start Admin Config Logs
	Tomcat			Start Admin Config Logs

Log:


- 12:26:42 PM [Apache] Installing service...
- 12:26:43 PM [Apache] Successful!
- 12:26:45 PM [mysql] Installing service...
- 12:26:46 PM [mysql] Successful!
- 12:26:47 PM [Apache] Attempting to start Apache service...
- 12:26:48 PM [Apache] Status change detected: running
- 12:26:50 PM [mysql] Attempting to start MySQL service...
- 12:26:50 PM [mysql] Status change detected: running

The default XAMPP server settings should work for most users. When you start the related modules (services) then, the color of the related modules (service) becomes change into the green color and the PID(s) and the Port(s) number will also be shown to the user.

**Please test *your* XAMPP
installation**

Check whether your test server is installed

Link: <http://localhost/dashboard/>



The screenshot shows a web browser window with the address bar set to `localhost/dashboard/`. The page has a dark blue header with the text "Welcome to XAMPP" and a navigation menu with links: "Applications", "FAQs", "HOW-TO Guides", "PHPInfo", and "phpMyAdmin". Below the header, the main content area features the XAMPP logo (an orange square with a white 'X') followed by the text "XAMPP Apache + MariaDB + PHP + Perl". The page then displays the heading "Welcome to XAMPP for Windows 8.0.6" and a paragraph stating: "You have successfully installed XAMPP on this system! Now you can start using Apache, MariaDB, PHP and other components. You can find more info in the [FAQs](#) section or check the [HOW-TO Guides](#) for getting started with PHP applications." Below this, another paragraph explains: "XAMPP is meant only for development purposes. It has certain configuration settings that make it easy to develop locally but that are insecure if you want to have your installation accessible to others. If you want have your XAMPP accessible from the internet, make sure you understand the implications and you checked the [FAQs](#) to learn how to protect your site. Alternatively you can use [WAMP](#), [MAMP](#) or [LAMP](#) which are similar packages which are more suitable for production." The page concludes with the instruction "Start the XAMPP Control Panel to check the server status." and a section titled "Community" which states: "XAMPP has been around for more than 10 years – there is a huge community behind it. You can get involved by joining our [Forums](#), adding yourself to the [Mailing List](#), and liking us on [Facebook](#), following our exploits on [Twitter](#), or adding us to your [Google+ circles](#)."

Check whether your test server is installed

```
Select Command Prompt

Autoconfiguration Enabled . . . . : Yes


Wireless LAN adapter 區域連線* 11:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . : 
Description . . . . . : Microsoft Wi-Fi Direct Virtual Adapter #2
Physical Address. . . . . : C2-91-33-84-32-87
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes

Wireless LAN adapter Wi-Fi:


Connection-specific DNS Suffix . : 
Description . . . . . : Realtek 8821CE Wireless Network Adapter
Physical Address. . . . . : 80-91-33-84-32-87
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . : fe80::e1c4:e561:579a:339d%11
IPv4 Address. . . . . : 192.168.43.129 (Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : Friday, May 28, 2010 10:10:10 AM
Lease Expires . . . . . : Friday, May 28, 2010 10:10:10 AM
Default Gateway . . . . . : 192.168.43.105
DHCP Server . . . . . : 192.168.43.105
DHCPv6 IAID . . . . . : 142643507
DHCPv6 Client DUID. . . . . : 00-01-00-01-26-BC-00-00-00-00-00-00
DNS Servers . . . . . : 192.168.43.105
NetBIOS over Tcpip. . . . . : Enabled
```

<http://192.168.43.129/dashboard/>




Open XAMPP Directory

- ❑ Open the XAMPP directory through the 'Explorer' button in the Control Panel and choose the folder **htdocs** (**C:\xampp\htdocs for standard installations**).
- ❑ This directory will store file data collected for web pages that you test on your XAMPP server.
- ❑ The *htdocs* folder should already contain data to help configuration of the web server. But you should store your own projects in a new folder (like 'Test Folder' for example).



Open in Browser Again





The image shows a web browser window displaying the 'Index of /' for a directory. The browser's address bar shows 'localhost'. Below the title, there is a table with columns: Name, Last modified, Size, and Description. The table lists several files and directories, including 'Project#1/', 'applications.html', 'bitnami.css', 'dashboard/', 'favicon.ico', 'img/', 'no.php', 'webalizer/', and 'xampp/'. At the bottom of the browser window, it says 'Apache/2.4.47 (Win64) OpenSSL/1.1.1k PHP/8.0'. Overlaid on the bottom right of the browser window is a Notepad++ window titled 'C:\xampp\htdocs\no.php - Notepad++'. The Notepad++ window shows PHP code. A red box highlights the following code block:

```
1 <?php
2 if (!empty($_SERVER['HTTPS']) && ('on' == $_SERVER[
   'HTTPS'])) {
3     $uri = 'https://';
4 } else {
5     $uri = 'http://';
6 }
7 $uri .= $_SERVER['HTTP_HOST'];
8 header('Location: '.$uri.'/dashboard/')
9 exit;
```

Below the highlighted code, the text 'Something is wrong with the XAMPP installation :-(' is visible.

Create a PHP Test Page


You can create a new PHP page easily by using the following content below using the editor and storing it as index.php in your 'Project#1' folder (C:\xampp\htdocs\test):

A screenshot of a Notepad++ editor window. The title bar reads 'C:\xampp\htdocs\Project#1\index.php - Notepad++'. The menu bar includes File, Edit, Search, View, Encoding, Language, Settings, Tools, Macro, Run, Plugins, Window, and ?. The toolbar contains various icons for file operations. The editor shows the following HTML code:

```
1 <html>
2 <head>
3   <title>PHP-Test</title>
4 </head>
5 <body>
6   <?php echo '<p>Hello World</p>'; ?>
7 </body>
8 </html>
```

The status bar at the bottom shows 'Ln: 8 Col: 8 Sel: 0 | 0', 'Windows (CR LF)', 'UTF-8', and 'INS'.


Open PHP Test Page in Browser



Load your PHP page via <http://localhost/Project%231/index.php>

Check PHP Version Used on Xampp

Link: <http://localhost/dashboard/phpinfo.php>



PHP 8.0.6 - phpinfo()

localhost/dashboard/phpinfo.php



PHP Version 8.0.6

System	Windows NT LAPTOP-FED59LFH 10.0 build 19042 (Windows 10) AMD64
Build Date	May 4 2021 23:24:42
Build System	Microsoft Windows Server 2016 Standard [10.0.14393]
Compiler	Visual C++ 2019
Architecture	x64
Configure Command	cscript /nologo /e:javascript configure.js "--enable-snapshot-build" "--enable-debug-pack" "--with-pdo-oci=c:\php-snap-build\dep-aux\oracle\x64\instantclient_19_9\sdk,shared" "--with-oci8-12c=c:\php-snap-build\dep-aux\oracle\x64\instantclient_12_1\sdk,shared" "--with-oci8-19=c:\php-snap-build\dep-aux\oracle\x64\instantclient_19_9\sdk,shared" "--enable-object-out-dir=../obj/" "--enable-com-dotnet=shared" "--without-analyzer" "--enable-pgsql"
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	no value
Loaded Configuration File	C:\xampp\php\php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20200930
PHP Extension	20200930
Zend Extension	420200930
Zend Extension Build	API420200930,TS,VS16
PHP Extension Build	API20200930,TS,VS16
Debug Build	no
Thread Safety	enabled

Xampp Database Management Tools

phpMyAdmin adalah sebuah aplikasi web yang digunakan untuk mengelola dan mengelola database MySQL melalui antarmuka grafis. Dengan menggunakan phpMyAdmin, *users* dapat membuat, mengedit, menghapus, dan mengelola tabel, kolom, indeks, dan pengguna dalam database MySQL.

Link: <http://localhost/phpmyadmin/>



Apakah proses untuk cara
install Xampp di Window dan
di Ubuntu 20.04 (*server*) sama
atau beda??

Install Linux, Apache, MySQL, PHP
(LAMP) stack on Ubuntu 20.04

**Can we test and deploy
PHP code on Ubuntu
servers at the same
time?**

END PRESENTATION

Thank you for your attention

Instructor: S – W – T

THANK YOU

