

Hemp Quality Assurance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED 11/04/2024

SAMPLE NAME: Erth Wellness - Broad Spectrum - 3000mg - Unflavored

Infused, Liquid Edible

CULTIVATOR / MANUFACTURER

Business Name: License Number:

Address:

SAMPLE DETAIL

Batch Number:

Sample ID: 241029K018

DISTRIBUTOR / TESTED FOR

Business Name: Erth, LLC

License Number:

Address: CA

Date Collected: 10/29/2024 Date Received: 10/29/2024

Batch Size:

Sample Size: 1.0 units

Unit Mass: 30 milliliters per Unit

Serving Size:







Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: Not Detected

Total CBD: 3014.670 mg/unit

Total Cannabinoids: 3152.730 mg/unit

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:

Total THC = Δ^9 -THC + (THCa (0.877)) Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa + Sum of Cannabinoids: 3152.730 mg/unit THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBN Total Cannabinoids = $(\Delta^9$ -THC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) +

(CBDV+0.877*CBDVa) + Δ ⁸-THC + CBL + CBN

Density: 0.9542 g/mL

SAFETY ANALYSIS - SUMMARY

 Δ^9 -THC per Unit: \bigcirc PASS

Residual Solvents: PASS

Foreign Material: PASS

Pesticides: PASS

Heavy Metals: PASS

Mycotoxins: PASS

Microbiology (PCR): PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following $decision\ rules\ are\ applied:\ PASS-Results\ within\ limits/specifications,\ FAIL-Results\ exceed\ limits/specifications.$

LQC verified by: Josh Antunovich Job Title: Laboratory Director Date: 11/04/2024

Approved by: Josh Wurzer Title: Chief Compliance Officer Date: 11/04/2024

Amendment to Certificate of Analysis 241029K018-001







Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: Not Detected Total THC (Δ⁹-THC+0.877*THCa)

TOTAL CBD: 3014.670 mg/unit

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 3152.730 mg/unit

$$\label{eq:total_constraint} \begin{split} & Total \ Cannabinoids \ (Total \ THC) + (Total \ CBD) + (Total \ CBC) + (Total \ CBC) + (Total \ CBDV) + \Delta^8 - THC + CBL + CBN \end{split}$$

TOTAL CBG: 75.540 mg/unit

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: <LOQ
Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 14.070 mg/unit

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 10/30/2024

	COMPOUND	LOD/LOQ (mg/mL)	MEASUREMENT UNCERTAINTY (mg/mL)	RESULT (mg/mL)	RESULT (%)
Ī	CBD	0.004 / 0.011	±3.7482	100.489	10.5312
	CBG	0.002 / 0.006	±0.1221	2.518	0.2639
	CBN	0.001 / 0.007	±0.0464	1.615	0.1693
Ī	CBDV	0.002 / 0.012	±0.0191	0.469	0.0492
Ī	СВС	0.003 / 0.010	N/A	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
	∆ ⁹ -THC	0.002 / 0.014	N/A	ND	ND
Ī	Δ ⁸ -THC	0.01 / 0.02	N/A	ND	ND
Ī	THCa	0.001 / 0.005	N/A	ND	ND
t	THCV	0.002/0.012	N/A	ND	ND
נ -	THCVa	0.002/0.019	N/A	ND	ND
Ī	CBDa	0.001 / 0.026	N/A	ND	ND
	CBDVa	0.001 / 0.018	N/A	ND	ND
Ī	CBGa	0.002 / 0.007	N/A	ND	ND
	CBL	0.003/0.010	N/A	ND	ND
	CBCa	0.001 / 0.015	N/A	ND	ND
	SUM OF CANNA	BINOIDS	105.091 mg/mL	11.0135%	

Unit Mass: 30 milliliters per Unit

Δ^9 -THC per Unit	110 per-package limit	ND	PASS
Total THC per Unit		ND	
CBD per Unit		3014.670 mg/unit	
Total CBD per Unit		3014.670 mg/unit	
Sum of Cannabinoids per Unit		3152.730 mg/unit	
Total Cannabinoids per Unit		3152.730 mg/unit	

DENSITY TEST RESULT

0.9542 g/mL

Tested 10/30/2024

Method: QSP 7870 - Sample



Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED 11/04/2024





Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

PESTICIDE TEST RESULTS - 11/02/2024 PASS

Abamectin 0.03/0.10 0.3 N/A ND PASS Acequinocyl 0.02/0.07 5 N/A ND PASS Acequinocyl 0.02/0.07 4 N/A ND PASS Acetamiprid 0.02/0.08 ≥LOD N/A ND PASS Aldicarb 0.03/0.08 ≥LOD N/A ND PASS Acetamiprid 0.02/0.07 40 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.05 ≥LOD N/A ND PASS Carboryl 0.02/0.05 ≥LOD N/A ND PASS Chlordnam² 0.03/0.08 ≥LOD N/A ND PASS	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (μg/g)	RESULT
Acequinocyl 0.02/0.07 4 N/A ND PASS Acetamiprid 0.02/0.05 5 N/A ND PASS Aldicarb 0.03/0.08 ≥ LOD N/A ND PASS Azoxystrobin 0.02/0.07 40 N/A ND PASS Bifenzate 0.01/0.04 5 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.05 ≥ LOD N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chloratramiliprole 0.04/0.12 40 N/A ND PASS Chlorepyrifos 0.03/0.08 ≥ LOD N/A ND PASS Chlorepyrifos 0.02/0.06 ≥ LOD N/A ND PAS	Abamectin	0.03 / 0.10	0.3	N/A	ND	PASS
Acetamiprid 0.02 / 0.05 5 N/A ND PASS Aldicarb 0.03 / 0.08 ≥ LOD N/A ND PASS Azoxystrobin 0.02 / 0.07 40 N/A ND PASS Bifenthrin 0.02 / 0.05 0.5 N/A ND PASS Boscalid 0.03 / 0.09 10 N/A ND PASS Boscalid 0.03 / 0.09 10 N/A ND PASS Captan 0.19 / 0.57 5 N/A ND PASS Carbaryl 0.02 / 0.06 0.5 N/A ND PASS Carbofuran 0.02 / 0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04 / 0.12 40 N/A<	Acephate	0.02 / 0.07	5	N/A	ND	PASS
Aldicarb 0.03/0.08 ≥ LOD N/A ND PASS Azoxystrobin 0.02/0.07 40 N/A ND PASS Bifenazate 0.01/0.04 5 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.05 ≥ LOD N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlordenapyr* 0.03/0.08 ≥ LOD N/A ND PASS Chlordenapyr* 0.03/0.08 ≥ LOD N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND	Acequinocyl	0.02 / 0.07	4	N/A	ND	PASS
Azoxystrobin 0.02 / 0.07 40 N/A ND PASS Bifenazate 0.01 / 0.04 5 N/A ND PASS Bifenthrin 0.02 / 0.05 0.5 N/A ND PASS Boscalid 0.03 / 0.09 10 N/A ND PASS Captan 0.19 / 0.57 5 N/A ND PASS Carbaryl 0.02 / 0.06 0.5 N/A ND PASS Carborua 0.02 / 0.05 ≥ LOD N/A ND PASS Chlordane* 0.03 / 0.08 ≥ LOD N/A ND PASS Chlordene* 0.03 / 0.08 ≥ LOD N/A ND PASS Chlordene* 0.03 / 0.09 0.5 N/A ND	Acetamiprid	0.02 / 0.05	5	N/A	ND	PASS
Bifenazate 0.01/0.04 5 N/A ND PASS Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chloratraniliprole 0.04/0.12 40 N/A ND PASS Chlordne* 0.03/0.08 ≥ LOD N/A ND PASS Chlordne* 0.03/0.08 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Cypermethrin 0.12/0.38 1 N/A ND P	Aldicarb	0.03 / 0.08	≥LOD	N/A	ND	PASS
Bifenthrin 0.02/0.05 0.5 N/A ND PASS Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carboryl 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlorfenapyr* 0.03/0.10 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Colfentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND <t< th=""><th>Azoxystrobin</th><th>0.02 / 0.07</th><th>40</th><th>N/A</th><th>ND</th><th>PASS</th></t<>	Azoxystrobin	0.02 / 0.07	40	N/A	ND	PASS
Boscalid 0.03/0.09 10 N/A ND PASS Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlorfenapyr* 0.03/0.10 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND <th>Bifenazate</th> <th>0.01 / 0.04</th> <th>5</th> <th>N/A</th> <th>ND</th> <th>PASS</th>	Bifenazate	0.01 / 0.04	5	N/A	ND	PASS
Captan 0.19/0.57 5 N/A ND PASS Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlorfenapyr* 0.03/0.01 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Diazinon 0.02/0.07 ≥ LOD N/A ND	Bifenthrin	0.02 / 0.05	0.5	N/A	ND	PASS
Carbaryl 0.02/0.06 0.5 N/A ND PASS Carbofuran 0.02/0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04/0.12 40 N/A ND PASS Chlordane* 0.03/0.08 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.07 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Cypermethrin 0.01/0.02 1 N/A ND PASS Diazinon 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND	Boscalid	0.03 / 0.09	10	N/A	ND	PASS
Carbofuran 0.02 / 0.05 ≥ LOD N/A ND PASS Chlorantraniliprole 0.04 / 0.12 40 N/A ND PASS Chlordane* 0.03 / 0.08 ≥ LOD N/A ND PASS Chlorpyrifos 0.03 / 0.09 ≥ LOD N/A ND PASS Clofentezine 0.03 / 0.09 0.5 N/A ND PASS Coumaphos 0.02 / 0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12 / 0.38 1 N/A ND PASS Cypermethrin 0.11 / 0.32 1 N/A ND PASS Diazinon 0.02 / 0.07 ≥ LOD N/A ND PASS Diazinon 0.02 / 0.05 0.2 N/A	Captan	0.19 / 0.57	5	N/A	ND	PASS
Chlorantraniliprole 0.04 / 0.12 40 N/A ND PASS Chlordane* 0.03 / 0.08 ≥ LOD N/A ND PASS Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND PASS Colfentezine 0.03 / 0.09 0.5 N/A ND PASS Coumaphos 0.02 / 0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12 / 0.38 1 N/A ND PASS Cypermethrin 0.11 / 0.32 1 N/A ND PASS Diazinon 0.02 / 0.07 ≥ LOD N/A ND PASS Diazinon 0.02 / 0.05 0.2 N/A ND PASS Dimethorso (DDVP) 0.03 / 0.09 ≥ LOD N/	Carbaryl	0.02 / 0.06	0.5	N/A	ND	PASS
Chlordane* 0.03 / 0.08 ≥ LOD N/A ND PASS Chlorfenapyr* 0.03 / 0.10 ≥ LOD N/A ND PASS Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND PASS Clofentezine 0.03 / 0.09 0.5 N/A ND PASS Coumaphos 0.02 / 0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12 / 0.38 1 N/A ND PASS Cypermethrin 0.11 / 0.32 1 N/A ND PASS Daminozide 0.02 / 0.07 ≥ LOD N/A ND PASS Diazinon 0.02 / 0.05 0.2 N/A ND PASS Dieschlorvos (DDVP) 0.03 / 0.09 2 LOD N/A <th>Carbofuran</th> <td>0.02 / 0.05</td> <td>≥LOD</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Carbofuran	0.02 / 0.05	≥LOD	N/A	ND	PASS
Chlorfenapyr* 0.03/0.10 ≥ LOD N/A ND PASS Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.05 0.2 N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethodre 0.03/0.08 ≥ LOD N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND	Chlorantraniliprole	0.04 / 0.12	40	N/A	ND	PASS
Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Etofenprox 0.03/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenexycarb 0.03/0.08 ≥ LOD N/A ND	Chlordane*	0.03 / 0.08	≥LOD	N/A	ND	PASS
Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.111/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenexycarb 0.03/0.08 ≥ LOD N/A ND	Chlorfenapyr*	0.03 / 0.10	≥LOD	N/A	ND	PASS
Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenexycarb 0.03/0.08 ≥ LOD N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND	Chlorpyrifos	0.02 / 0.06	≥LOD	N/A	ND	PASS
Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.09 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND	Clofentezine	0.03 / 0.09	0.5	N/A	ND	PASS
Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenexamid 0.03/0.09 10 N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND	Coumaphos	0.02 / 0.07	≥LOD	N/A	ND	PASS
Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND	Cyfluthrin	0.12 / 0.38	1	N/A	ND	PASS
Diazinon 0.02 / 0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03 / 0.09 ≥ LOD N/A ND PASS Dimethoate 0.03 / 0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03 / 0.09 20 N/A ND PASS Ethoprophos 0.03 / 0.10 ≥ LOD N/A ND PASS Etofenprox 0.02 / 0.06 ≥ LOD N/A ND PASS Etoxazole 0.02 / 0.06 1.5 N/A ND PASS Fenhexamid 0.03 / 0.09 10 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.10 2 N/A ND PASS Fludioxonil 0.03 / 0.10 30 N/A ND PASS Imazalil 0.02 / 0.06 ≥ LOD N/A	Cypermethrin	0.11 / 0.32	1	N/A	ND	PASS
Dichlorvos (DDVP) $0.03/0.09$ ≥ LOD N/A ND PASS Dimethoate $0.03/0.08$ ≥ LOD N/A ND PASS Dimethomorph $0.03/0.09$ 20 N/A ND PASS Ethoprophos $0.03/0.10$ ≥ LOD N/A ND PASS Etofenprox $0.02/0.06$ ≥ LOD N/A ND PASS Etoxazole $0.02/0.06$ 1.5 N/A ND PASS Fenhexamid $0.03/0.09$ 10 N/A ND PASS Fenoxycarb $0.03/0.08$ ≥ LOD N/A ND PASS Fipronil $0.03/0.08$ ≥ LOD N/A ND PASS Fludioxonil $0.03/0.08$ ≥ LOD N/A ND PASS Fludioxonil $0.03/0.08$ ≥ LOD N/A ND PASS Imazalil $0.03/0.09$ 2 N/A ND PASS Imidacloprid $0.04/0.11$ 3 N/A<	Daminozide	0.02 / 0.07	≥LOD	N/A	ND	PASS
Dimethoate 0.03 / 0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03 / 0.09 20 N/A ND PASS Ethoprophos 0.03 / 0.10 ≥ LOD N/A ND PASS Etofenprox 0.02 / 0.06 ≥ LOD N/A ND PASS Etoxazole 0.02 / 0.06 1.5 N/A ND PASS Fenhexamid 0.03 / 0.09 10 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02 / 0.06 2 N/A ND PASS Flonicamid 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.01 30 N/A ND PASS Imazalil 0.02 / 0.07 2 N/A ND PASS Imidacloprid 0.04 / 0.11 3 N/A	Diazinon	0.02 / 0.05	0.2	N/A	ND	PASS
Dimethomorph 0.03 / 0.09 20 N/A ND PASS Ethoprophos 0.03 / 0.10 ≥ LOD N/A ND PASS Etofenprox 0.02 / 0.06 ≥ LOD N/A ND PASS Etoxazole 0.02 / 0.06 1.5 N/A ND PASS Fenhexamid 0.03 / 0.09 10 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02 / 0.06 2 N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.10 2 N/A ND PASS Fludioxonil 0.03 / 0.10 30 N/A ND PASS Hexythiazox 0.02 / 0.07 2 N/A ND PASS Imazalil 0.02 / 0.06 ≥ LOD N/A ND PASS Kresoxim-methyl 0.02 / 0.07 1 N/A	Dichlorvos (DDVP)	0.03 / 0.09	≥LOD	N/A	ND	PASS
Ethoprophos 0.03 / 0.10 ≥ LOD N/A ND PASS Etofenprox 0.02 / 0.06 ≥ LOD N/A ND PASS Etoxazole 0.02 / 0.06 1.5 N/A ND PASS Fenhexamid 0.03 / 0.09 10 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02 / 0.06 2 N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.10 2 N/A ND PASS Fludioxonil 0.03 / 0.10 30 N/A ND PASS Imazalil 0.02 / 0.07 2 N/A ND PASS Imidacloprid 0.04 / 0.11 3 N/A ND PASS Kresoxim-methyl 0.02 / 0.07 1 N/A ND PASS Metalaxyl 0.02 / 0.07 15 N/A N	Dimethoate	0.03 / 0.08	≥LOD	N/A	ND	PASS
Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Dimethomorph	0.03/0.09	20	N/A	ND	PASS
Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Ethoprophos	0.03 / 0.10	≥LOD	N/A	ND	PASS
Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Etofenprox	0.02/0.06	≥LOD	N/A	ND	PASS
Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Etoxazole	0.02 / 0.06	1.5	N/A	ND	PASS
Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fenhexamid	0.03 / 0.09	10	N/A	ND	PASS
Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fenoxycarb	0.03 / 0.08	≥LOD	N/A	ND	PASS
Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fenpyroximate	0.02 / 0.06	2	N/A	ND	PASS
Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fipronil	0.03 / 0.08	≥LOD	N/A	ND	PASS
Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Flonicamid	0.03 / 0.10	2	N/A	ND	PASS
Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Fludioxonil	0.03 / 0.10	30	N/A	ND	PASS
Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Hexythiazox	0.02 / 0.07	2	N/A	ND	PASS
Kresoxim-methyl 0.02 / 0.07 1 N/A ND PASS Malathion 0.03 / 0.09 5 N/A ND PASS Metalaxyl 0.02 / 0.07 15 N/A ND PASS	Imazalil	0.02/0.06	≥LOD	N/A	ND	PASS
Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Imidacloprid	0.04 / 0.11	3	N/A	ND	PASS
Metalaxyl 0.02/0.07 15 N/A ND PASS	Kresoxim-methyl	0.02 / 0.07	1	N/A	ND	PASS
·	Malathion	0.03 / 0.09	5	N/A	ND	PASS
Methiocarb 0.02 / 0.07 ≥ LOD N/A ND PASS	Metalaxyl	0.02 / 0.07	15	N/A	ND	PASS
	Methiocarb	0.02 / 0.07	≥LOD	N/A	ND	PASS

Continued on next page







Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 11/02/2024 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Methomyl	0.03 / 0.10	0.1	N/A	ND	PASS
Mevinphos	0.03 / 0.09	≥LOD	N/A	ND	PASS
Myclobutanil	0.03 / 0.09	9	N/A	ND	PASS
Naled	0.02 / 0.07	0.5	N/A	ND	PASS
Oxamyl	0.04 / 0.11	0.2	N/A	ND	PASS
Paclobutrazol	0.02 / 0.05	≥LOD	N/A	ND	PASS
Parathion-methyl	0.03 / 0.10	≥LOD	N/A	ND	PASS
Pentachloronitro- benzene (Quintozene)*	0.03 / 0.09	0.2	N/A	ND	PASS
Permethrin	0.04 / 0.12	20	N/A	ND	PASS
Phosmet	0.03 / 0.10	0.2	N/A	ND	PASS
Piperonyl Butoxide	0.02 / 0.07	8	N/A	ND	PASS
Prallethrin	0.03 / 0.08	0.4	N/A	ND	PASS
Propiconazole	0.02 / 0.07	20	N/A	ND	PASS
Propoxur	0.03 / 0.09	≥LOD	N/A	ND	PASS
Pyrethrins	0.04 / 0.12	1	N/A	ND	PASS
Pyridaben	0.02 / 0.07	3	N/A	ND	PASS
Spinetoram	0.02 / 0.07	3	N/A	ND	PASS
Spinosad	0.02 / 0.07	3	N/A	ND	PASS
Spiromesifen	0.02 / 0.05	12	N/A	ND	PASS
Spirotetramat	0.02 / 0.06	13	N/A	ND	PASS
Spiroxamine	0.03 / 0.08	≥ LOD	N/A	ND	PASS
Tebuconazole	0.02 / 0.07	2	N/A	ND	PASS
Thiacloprid	0.03 / 0.1 <mark>0</mark>	≥LOD	N/A	ND	PASS
Thiamethoxam	0.03/0.10	4.5	N/A	ND	PASS
Trifloxystrobin	0.03/0.08	30	N/A	ND	PASS



Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: OSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS

MYCOTOXIN TEST RESULTS - 11/02/2024 PASS

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (μg/kg)	MEASUREMENT UNCERTAINTY (μg/kg)	RESULT (μg/kg)	RESULT
Aflatoxin B1	2.0 / 6.0		N/A	ND	
Aflatoxin B2	1.8 / 5.6		N/A	ND	
Aflatoxin G1	1.0 / 3.1		N/A	ND	
Aflatoxin G2	1.2 / 3.5		N/A	ND	
Ochratoxin A	6.3 / 19.2	20	N/A	ND	PASS
Total Aflatoxin		20		ND	PASS







Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

RESIDUAL SOLVENTS TEST RESULTS - 11/02/2024 **⊘ PASS**

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Propane	10/20	5000	N/A	ND	PASS
n-Butane	10/50	5000	N/A	ND	PASS
n-Pentane	20/50	5000	N/A	ND	PASS
n-Hexane	2/5	290	N/A	ND	PASS
n-Heptane	20/60	5000	±1.9	63	PASS
Benzene	0.03 / 0.09	1	N/A	ND	PASS
Toluene	7/21	890	N/A	ND	PASS
Total Xylenes	50 / 160	2170	N/A	ND	PASS
Methanol	50/200	3000	N/A	ND	PASS
Ethanol	20/50	5000	N/A	ND	PASS
2-Propanol (Isopropyl Alcohol)	10/40	5000	N/A	ND	PASS
Acetone	20/50	5000	N/A	ND	PASS
Ethyl Ether	20/50	5000	N/A	ND	PASS
Ethylene Oxide	0.3 / 0.8	1	N/A	ND	PASS
Ethyl Acetate	20/60	5000	N/A	ND	PASS
Chloroform	0.1 / 0.2	1	N/A	ND	PASS
Dichloromethane (Methylene Chloride)	0.3/0.9	1	N/A	ND	PASS
Trichloroethylene	0.1 / 0.3	1	N/A	ND	PASS
1,2-Dichloroethane	0.05 / 0.1	1	N/A	ND	PASS
Acetonitrile	2/7	410	N/A	ND	PASS



Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

HEAVY METALS TEST RESULTS - 11/02/2024 PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Arsenic	0.02 / <mark>0.1</mark>	1.5	N/A	ND	PASS
Cadmium	0.02 / 0.05	0.5	N/A	ND	PASS
Lead	0.04/0.1	0.5	N/A	ND	PASS
Mercury	0.002/0.01	3	N/A	ND	PASS



Microbiology Analysis

PCF

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

MICROBIOLOGY TEST RESULTS (PCR) - 11/04/2024 PASS

COMPOUND	ACTION	LIMIT RESUL	T RESULT
Salmonella spp.	Not Detecte	ed in 1g ND	PASS
Shiga toxin-producing Escheric	chia coli Not Detecte	ed in 1g ND	PASS







Visual analysis includes, but is not limited to, sand, soil, cinders, dirt, mold, hair, insect fragments, and mammalian excreta.

Method: QSP 1226 - Analysis of Foreign Material in Cannabis and Cannabis Products

FOREIGN MATERIAL TEST RESULTS - 11/01/2024 PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
Hair Count	> 1 per 3 grams	0.0	PASS
Insect Fragment Count	> 1 per 3 grams	0.0	PASS
Mammalian Excreta Count	> 1 per 3 grams	0.0	PASS
Total Sample Area Covered by an Imbedded Foreign Material	>25%	None	PASS
Total Sample Area Covered by Mold	>25%	None	PASS
Total Sample Area Covered by Sand, Soil, Cinders, or Dirt	>25%	None	PASS

NOTES

Reason for Amendment: Add/Remove Test(s)