Diagram Documentation

phpMyAdmin SQL Dump
version 4.7.4
https://www.phpmyadmin.net/
Host: 127.0.0.1
Generation Time: Jul 12, 2018 at 09:37 PM
Server version: 10.1.26-MariaDB
PHP Version: 7.0.22

admin

!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT
!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS
!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION
!40101 SET NAMES utf8mb4
Database: `onlinehospitalmanagementsystem`
Table structure for table `admin`

Field	Description	Type	Default	Other
adminid		int(10)		
adminname		varchar(25)		
loginid		varchar(25)		
password		varchar(25)		
status		varchar(10)		
usertype		varchar(30)		

appointment

Dumping data for table `admin`
Table structure for table `appointment`

Field	Description	Type	Default	Other
appointmentid		int(10)		
appointmenttype		varchar(25)		
patientid		int(10)		
roomid		int(10)		
departmentid		int(10)		
appointmentdate		date		
appointmenttime		time		
doctorid		int(10)		
status		varchar(10)		
app_reason		text		

billing

Dumping data for table `appointment`
Table structure for table `billing`

Field	Description	Type	Default	Other
billingid		int(10)		
patientid		int(10)		
appointmentid		int(10)		
billingdate		date		
billingtime		time		
discount		float(10,2)		
taxamount		float(10,2)		
discountreason		text		
discharge_time		time		
discharge_date		date		

billing_records

Dumping data for table `billing`
Table structure for table `billing_records`

Field	Description	Type	Default	Other
billingservice_id		int(10)		
billingid		int(10)		
bill_type_id		int(10)		
bill_type		varchar(250)		
bill_amount		float(10,2)		
bill_date		date		
status		varchar(10)		

department

Dumping data for table `billing_records`
Table structure for table `department`

Field	Description	Type	Default	Other
departmentid		int(10)		
departmentname		varchar(100)		
description		text		
status		varchar(10)		

doctor

Dumping data for table `department`
Table structure for table `doctor`

Field	Description	Type	Default	Other
doctorid		int(10)		
doctorname		varchar(50)		

Field	Description	Type	Default	Other
mobileno		varchar(15)		
departmentid		int(10)		
loginid		varchar(25)		
password		varchar(25)		
status		varchar(10)		
education		varchar(25)		
experience		float(11,1)		
consultancy_charge		float(10,2)		

doctor_timings

Dumping data for table `doctor`
Table structure for table `doctor_timings`

Field	Description	Type	Default	Other
doctor_timings_id		int(10)		
doctorid		int(10)		
start_time		time		
end_time		time		
available_day		varchar(15)		
status		varchar(10)		

medicine

Dumping data for table `doctor_timings`
Table structure for table `medicine`

Field	Description	Type	Default	Other
medicineid		int(10)		
medicinename		varchar(25)		
medicinecost		float(10,2)		
description		text		
status		varchar(10)		

orders

Dumping data for table `medicine`
Table structure for table `orders`

Field	Description	Type	Default	Other
orderid		int(10)		
patientid		int(10)		
doctorid		int(10)		
prescriptionid		int(10)		

Field	Description	Type	Default	Other
orderdate		date		
deliverydate		date		
address		text		
mobileno		varchar(15)		
note		text		
status		varchar(10)		
payment_type		varchar(20)		
card_no		varchar(20)		
cvv_no		varchar(5)		
expdate		date		
card_holder		varchar(50)		

patient

Dumping data for table `orders`
Table structure for table `patient`

Field	Description	Type	Default	Other
patientid		int(10)		
patientname		varchar(50)		
admissiondate		date		
admissiontime		time		
address		varchar(250)		
mobileno		varchar(15)		
city		varchar(25)		
pincode		varchar(20)		
loginid		varchar(50)		
password		varchar(25)		
bloodgroup		varchar(20)		
gender		varchar(10)		
dob		date		
status		varchar(10)		

Free plan table limit reached. SUBSCRIBE for more.