

Country	RMNCH					Infectious diseases		
	Family Planning	Antenatal care, 4+ visits	Child immunization (DTP3)	Care seeking behaviour for ARI	Tuberculosis treatment ⁺	HIV anti-retroviral therapy ⁺	Insecticide treated nets use ¹	Access to at least basic sanitation
Algeria	72	70	≥80	47	79	≥80		≥80
Angola	29	61	45	49	55	41	14	52
Benin	29	52	76	29	54	≥80	56	19
Botswana	≥80	73	≥80	14	39	≥80		≥80
Burkina Faso	55	47	≥80	56	69	≥80	45	24
Burundi	46	49	≥80	58	54	≥80	58	46
Cabo Verde	77	≥80	≥80	53	≥80	≥80		≥80
Cameroon	38	65	69	30	50	78	59	43
Central African Republic	35	41	42	35	45	67	54	14
Chad	22	31	58	18	57	75	52	13
Comoros	38	49	≥80	38	47	61	68	36
Congo	43	79	77	28	55	23	66	21
Côte d'Ivoire	40	51	76	44	59	76	71	36
Democratic Republic of the Congo	28	56	65	34	70	≥80	58	16
Equatorial Guinea	29	67	53	54	42	41	32	66
Eritrea	30	57	≥80	45	60	71	35	12
Eswatini	≥80	76	77	60	47	≥80		64
Ethiopia	63	43	65	30	73	78	14	9
Gabon	43	78	75	68	42	54	12	50
Gambia	41	77	≥80	64	57	33	41	48
Ghana	48	≥80	≥80	56	30	71	55	25
Guinea	34	58	47	69	79	52	43	30
Guinea-Bissau	51	≥80	67	48	33	45	20	28
Kenya	79	62	≥80	66	57	78	50	36
Lesotho	≥80	77	≥80	58	32	≥80		50
Liberia	43	≥80	66	58	46	61	51	22
Madagascar	68	60	55	52	59	15	59	14
Malawi	≥80	50	≥80	71	55	≥80	47	47
Mali	43	43	77	35	66	53	74	48
Mauritania	26	38	68	43	65	38	37	53
Mauritius	57	78	≥80	76	58	26		≥80
Mozambique	55	51	61	56	≥80	71	51	36
Namibia	79	62	≥80	68	58	≥80		36
Niger	40	38	≥80	59	64	≥80	77	15
Nigeria	37	57	56	39	44	≥80	45	45
Rwanda	75	47	≥80	65	69	≥80	57	66
Sao Tome and Principe	60	≥80	≥80	≥80	32	≥80		48
Senegal	54	56	≥80	48	70	79	50	60
Seychelles	53	≥80	≥80	79	≥80	76		≥80
Sierra Leone	49	79	≥80	76	72	61	60	25
South Africa	≥80	76	≥80	66	57	74		77
South Sudan	19	17	49	48	72	27	52	16
Togo	42	55	≥80	39	≥80	76	77	19
Uganda	59	57	≥80	71	≥80	≥80	65	21
United Republic of Tanzania	60	62	≥80	52	65	≥80	45	31
Zambia	70	64	≥80	75	≥80	≥80	49	36
Zimbabwe	≥80	72	≥80	48	54	≥80	31	35

Note: Values in italics correspond to imputed values. Country index values of 80 and over are reported as ≥80 for presentation purposes and to avoid comparisons that are not meaningful given the inability of the index to adequately distinguish between countries with high level of service coverage provision.

* Proxy indicators; + Values are rescaled for incorporation into the index calculations.

1 Pertains only to countries with highly endemic malaria in sub-Saharan Africa.

Legend

Very high coverage (80+)

High coverage (60-79)

Medium coverage (40-59)

Low coverage (20-39)

Very low coverage (<20)