

Country	RMNCH					Infectious diseases		Access to at least basic sanitation
	Family Planning	Antenatal care, 4+ visits	Child immunization (DTP3)	Care seeking behaviour for ARI	Tuberculosis treatment <sup>+</sup>	HIV anti-retroviral therapy <sup>+</sup>	Insecticide treated nets use <sup>1</sup>	
Australia	≥80	≥80	≥80	≥80	≥80	≥80		≥80
Brunei Darussalam	76	≥80	≥80	≥80	≥80	≥80		≥80
Cambodia	63	76	≥80	69	45	≥80		71
China	≥80	≥80	≥80	≥80	75	≥80		≥80
Cook Islands	65	≥80	≥80	≥80	1	55		≥80
Fiji	65	≥80	≥80	68	56	45		≥80
Japan	59	≥80	≥80	≥80	≥80	67		≥80
Kiribati	47	67	≥80	≥80	60	55		45
Lao People's Democratic Republic	72	62	75	40	58	54		79
Malaysia	57	≥80	≥80	≥80	65	55		≥80
Marshall Islands	72	68	≥80	66	58	55		≥80
Micronesia (Federated States of)	61	≥80	72	69	80	55		≥80
Mongolia	71	≥80	≥80	76	19	38		70
Nauru	51	54	≥80	69	≥80	55		66
New Zealand	≥80	≥80	≥80	≥80	≥80	≥80		≥80
Niue	38	≥80	≥80	70	1	55		≥80
Palau	58	≥80	≥80	77	≥80	55		≥80
Papua New Guinea	50	49	31	63	68	65		19
Philippines	58	≥80	57	66	43	41		≥80
Republic of Korea	≥80	≥80	≥80	≥80	≥80	76		≥80
Samoa	31	≥80	≥80	72	≥80	55		≥80
Singapore	77	≥80	≥80	≥80	≥80	80		≥80
Solomon Islands	53	65	≥80	79	≥80	55		35
Tonga	48	≥80	≥80	≥80	≥80	55		≥80
Tuvalu	43	60	≥80	72	72	55		≥80
Vanuatu	60	52	62	72	64	55		32
Viet Nam	77	≥80	≥80	73	46	72		≥80

Note: Values in italics correspond to imputed values. Country index values of 80 and over are reported as ≥80 for presentation purposes and to avoid comparisons that are not meaningful given the inability of the index to adequately distinguish between countries with high level of service coverage provision.

\* Proxy indicators; + Values are rescaled for incorporation into the index calculations.

1 Pertains only to countries with highly endemic malaria in sub-Saharan Africa.

#### Legend

Very high coverage (80+)
High coverage (60-79)
Medium coverage (40-59)
Low coverage (20-39)
Very low coverage (<20)