TENDER DOCUMENT

PROVISION OF EQUIPMENT/FURNITURE FOR REHABILITATION OF SPEICAL CHILDREN SCHOOL WITH SPECIAL CHILDREN TEACHER TRAINING SCHOOL SWAT

SAUDI FUND FOR DEVELOPMENT

Supply of Machinery and Equipment for Administrative and Resource room, physically Handicapped Children, Visually Handicapped, Hearing & Speech Impaired Children, Tailoring Trade, Electrical Trade/Computer Lab, Mechanical Trade, Furniture & Fixture, Kitchen (Utensils) & Crockery on Turn Key Basis

`

Detail of Machinery/Furniture

Sr#	Name of Packages	Amount in Million
1.	Machinery and Equipment for Administration and Resource Room	8.005 m
2.	Machinery and Equipment for physically Handicapped Children	13.819 m
3.	Machinery and Equipment for Visually Handicapped	7.670 m
4.	Machinery and Equipment for Hearing & Speech Impaired Children	6.816 m
5.	Machinery and Equipment for Tailoring Trade	4.517 m
6.	Machinery and Equipment for Electrical Trade/Computer Lab	6.575 m
7.	Machinery and Equipment for Mechanical Trade	2.860 m
8.	Furniture & Fixture	20.110 m
9.	Kitchen (Utensils) & Crockery	1.875m
TOTAL		**72.247**

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

DD (ADMIN)
SW, SE & WED PESHAWAR

Contents

1 INTRODUCTION 4

2 INVITATION FOR BIDDING 4

3 TYPE OF COMPETATIVE BIDDING 5

4 INSTRUCTIONS TO BIDDERS 5

5 DESCRIPTION OF GOODS 7

6 GENERAL TERMS AND CONDITIONS 18

7 GENERAL AND SPECIAL CONDITIONS OF THE CONTRACT 19

8 TECHNICAL AND FINANCIAL PROPOSAL 25

9 MINNIUM ELIGIBILITY CRITERIA… 32

10. TECHNICAL EVALUATION CRITERIA 34

11. TENDER SUBMISSION FORM 35

12. AFFIDAVIT… 36

13. TENDER SECURITY FORM 37

14. PERFORMANCE SECURITY 38

15. AGREEMENT… 39

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

`

1 INTRODUCTION

The Saudi Government (Saudi fund for Development) has funded Rs**. 72.247 Million** to Social Welfare Special Education and Women Department Peshawar for the scheme of **"**Provision of Equipment/Furniture for Rehabilitation of Special Children School with Special Children Teacher Training School Swat"

INVITATION FOR BIDDING

Sealed bids for the Supply of Machinery and Equipment for Administrative and Resource room, physically Handicapped Children, Visually Handicapped, Hearing & Speech Impaired Children, Tailoring Trade, Electrical Trade/Computer Lab, Mechanical Trade, Furniture & Fixture, Kitchen (Utensils) & Crockery on Turn Key Basis (all lots) are invited from eligible bidders as per KPPRA Rules. **Single Stage-Two Envelope Procedure** shall be followed for the procurement of above mentioned goods. All prospective bidders are instructed to carefully read the bidding documents in details before proceeding with the submission of bid.

i. A complete set of bidding documents may be obtained by the interested bidders on the submission of a written application on firm letterhead to the undersigned.
ii. Bidding documents and any other information may be obtained from the office of the Directorate of SW, SE & WED, Peshawar, opposite Islamia College gate Peshawar
iii. The provisions given in the instructions to Bidders also contain the general of contract which are in strict compliance with the provisions of KPPRA and its rules made there under.
iv. Bids must be submitted on EPADS before **10:30 am** on **26-02-2026**. Security deposit of 2% of the total value of the contract in the name of the Director Social Welfare, Peshawar, must be accompanied.
v. Bids will be opened in the presence of bidders, in the office of the undersigned.
vi. Bids will be opened in the presence of bidders' representatives who choose to attend at **11:00 AM on 26-02-2026,** at the office of the Director SW Peshawar.
vii. The bidders musts submitted the bid rates in Pak Rupees.
viii. The bidders are requested to give their best and final prices as no negotiations are expected.

DD (ADMIN)
SW, SE & WED PESHAWAR

2 TYPEOF COMPETITIVE BIDDING

As per KPPRA Rule, **Single Stage-Two Envelopes** Procedure shall be followed. This is as follows:

i. The bid shall comprise of a single package containing two separate envelopes. Each envelope shall contain separately the **Financial Proposal** and the **Technical Proposal**;
ii. Initially, only the envelope marked "TECHNICAL PROPOSAL" shall be opened;
iii. The envelope marked as "FINANCIAL PROPOSAL" shall be retained in the custody of the procuring agency without being opened;
iv. The procuring agency shall evaluate the Technical Proposal in a manner prescribed in Section evaluation of this document, without reference to the price and reject any proposal which does not conform to the specified requirements
v. During the technical evaluation no amendments in the Technical Proposal shall be permitted.
vi. The Financial Proposals of bids shall be opened publicly at a time, date and venue announced and communicated to the bidders in advance
vii. After the evaluation and approval of the Technical Proposal the procuring agency, shall at a time within the bid validity period, publicly open the financial proposals of the technically accepted bids only. The Financial Proposal of bids found technically nonresponsive shall be returned un-opened to the respective bidders; and the bid found to be the technically qualified and financially best evaluated bid shall be accepted i-e (**Technical Evaluation marks + Financial evaluation Marks**).

In accordance with these rules, interested companies (hereinafter referred to as "Contractors") applying for bids should submit two separate bids/envelopes for Financial Proposal and Technical Proposal.

الصندوق السعودي للتنمية
Saudi Fund for Development

Bidding Details

All the bids must:

- Be accompanied by a call deposit (CDR) of 02% of quoted price in favor of "Director Social Welfare Peshawar".
- Be submitted along with the CDR, Tender Forms, Affidavits, etc.,
- Be delivered to Director Social Welfare Spl Edu& Women Empowerment Deptt Peshawar.
- The Technical bids will be publicly opened in the office of the Director SW Peshawar, at **11:00 AM hours** on **26-02-2026**.

The Purchaser will not be responsible for any costs or expenses incurred by bidders in connection with the preparation or delivery of bids.

The Purchaser reserves the right to reject all bids or proposals at any time prior to the acceptance of a bid or proposal.

Failure to supply services within the specified time period will invoke penalty as specified in this document. In addition to that, Call Deposit Receipt (CDR) amount will be forfeited and the Company will not be allowed to participate in future tenders as well.

3 INSTRUCTIONS TO BIDDERS

i. The bidders must submit the proposals in sealed envelopes as per specified procurement method (single stage two envelopes) The bid shall comprise of a single package containing two separate envelopes. Each Envelope shall contain separately the **Financial Proposal** and the **Technical Proposal**; The envelopes shall

be marked as **"FINANCIAL PROPOSAL"** and **"TECHNICAL PROPOSAL"** in bold and legible letters to avoid confusion

ii. The envelopes should be in the name address and contact details of the head of the procuring entity i.e. Director Social Welfare, Special Education & Women Empowerment Deptt, Peshawar.

iii. The rates offered should be Exclusive of all applicable taxes, Saudi Fund for Development will not pay any kind of taxes.

iv. The successful bidder must offer comprehensive warranty

v. The quoted prices should remain valid for 180 days.

vi. The bid security provided by the bidders in the form of call deposit Receipt will be verified from the bank concerned.

vii. Collusion between the firms is strictly prohibited. Any firm/group of firms found involved in creating a cartel or any other collusion arrangements against the interest of the project/government, will be blacklisted and debarred.

viii. The proposal should be in accordance with enclosed specifications.

ix. Response time shall be strictly observed.

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

x. The bidder shall submit an affidavit on stamp paper that the firm is not black listed.

xi. All the pages of the bid documents must be signed and stamped by the bidders.

xii. While Transitioning the goods, any damages occurred shall be born by successful bidder being a registered under insurance

xiii. Preference will be given to Saudi Products (produce by Saudi supplier) as per Loan Agreement No. (12/556),

xiv. The successful bidder will provide a performance bank guarantee 10 % of the total contract value.

xv. Contract will be signed with the successful bidders and its terms and conditions will govern the execution of the contract.

`

4 DESCRIPTION OF GOODS

Director SW requires the following goods and Supplier will quote for the whole Package (Turn Key Basis)

MACHINERY AND EQUIPMENT FOR ADMINISTRATION AND RESOURCE ROOM

S. #	Item	Specification
A.	**Main Office**	
1	LED TV Branded warranty 55”	With latest Wifi connectivity features Display Resolution 3840 x 2160,HD, 4K, USB port. or Equivalent
2	Multimedia Latest Branded	Native Resolution : 1280 x 800 Maximum Resolution: 1920 x 1200 Standard Mode Brightness: 4000 lm, Native Aspect Ratio: 16:10 Compatible Aspect Ratio: 4:3 , Compatible Aspect Ratio: 16:9 Contrast Ratio: 20,000:1 , Throw Ratio: 1.54 to 1.72 (1524 mm@2000 mm) Digital Zoom: 2x, Vertical Keystone Correction: -40°/+40° Maximum Vertical Sync: 120 Hz, Maximum Horizontal Sync: 100 kHz ,Minimum Vertical Sync: 24 Hz, Minimum Horizontal Sync: 15 kHz , Colour Supported: 1.07 Billion Colors (30-bit) Lamp Type: OSRAM Number of Lamps: 1 Lamp Power: 220 W Normal Mode Lamp Life: 6000 Hour Economy Mode Lamp Life: 7000 Hour ExtremeEco Mode Lamp Life: 10000 Hour Interfaces/Port HDMI: Number of USB Ports: 1 USB: Yes USB Connector Type: 1 x Type-A Composite Video: Yes Number of VGA Inputs: 1 VGA In: Yes Number of VGA Outputs: 1 VGA Out: Yes Number Of Audio Inputs: 1 Number Of Audio Outputs: 1 Audio Line In: Yes Audio Line Out: Yes Total Number of HDMI Ports: 1 Audio Number of Speakers: 1 Speaker Output Power: 3 W or Equivalent
3	Photostat Machine heavy duty	51 Pages Per Minute 4,200 Sheet Paper Drawers Auto Duplex (2 Sided Copying) Duplexing Single Pass Document Feeder (DSPF) Reduction and Enlargement 25% - 400% 1200x1200 dpi Copy Resolution Electronic Sorting Paper Size: 5-1/2 x 8-1/2/12 x 18 128 MB RAM System Memory Network Print/Scan (Optional) Scan to Email/File/Folder (Optional) Fax (Optional) Stapler Finisher / Booklet Finisher (Optional) 2/3 Hole Punch Finisher (Optional) 4,000 Sheet LCT (optional) or Equivalent
4	Core i7 12th Generation 8GB RAM 1TB HDD DOS	Processor Type / Chip Intel Processor Speed RAM size 8GB Memory 1TB Operating system DOS PROCESSOR Processor Model Intel Core i7 12th Generation i7-12700 Processor Speed, Max Turbo Frequency Processor Threads No of Cores L2 cache L3 cache Processor Type / Chip Intel MEMORY Number of memory slots Type of memory DDR4 RAM size 8GB STORAGE Memory 1TB Type HDD Memory card Slot, GRAPHICS CARD Dedicated graphics memory DESIGN Colors Black Dimensions (WxHxD) Fingerprint Reader Numeric keyboard Backlit keyboard CONNECTORS Display Port Type C Port HDMI 3.5 mm headphone jack, Thunderbolt USB,USB 2.0, USB 3.0 Ports SOFTWARE Included software Operating system DOS or Equivalent
5	Laser Printer	Maximum Print Resolution 1200 x 1200 DPI Max Print Resolution Color 1200x1200

	3 in 1	Graphics Memory 234 Input Tray Capacity (papers) 201 Sheet and up Paper Handling A 210mm X 297mm,Double Sided Printing or Equivalent
6	Generator 25 KVA or above with allied items, installation	Power 25,000 Watt Standby Power 20,000 Watt Prime Power Output 120/240 Volts (Standard) 120/208 Volts (3 Phase Optional) 277/480 Volts (3 Phase Optional) 357/600 Volts (3 Phase Optional) Engine Caterpillar C2.2 | Turbodiesel | 2.2 L | EPA Tier 4 Final Approved Alternator Meccalte Industrial Brushless with automatic voltage regulator Instrumentation & Control DynaGen TG410 Generator Controller provides complete instrumentation and control with simple manual or automatic start, 150 event log and user field programmable Enclosure Sound attenuated, steel, powder coated, central lifting point Fuel Tank 50 Gallon Sub-Base Tank Weight / Dimensions 1850 lbs | 73” x 40” x 57” or Equivalent
7	CCTV (System) NVR 16 channel with cameras(14 cameras IP 4 miga pixel & 2 PTZe 2 miga pixel) 4 TB Hard disk & 43"LED & allied items and installation,	CCTV (System) NVR 16 channel with cameras(14 cameras IP 4 miga pixel & 2 PTZe 2 miga pixel) 4 TB Hard disk & 43"LED & allied items and installation
8	2KVA UPS with Two Dry batteries (200 AMH) for CCTV cameras	branded UPS with 200 watt Dry Batteries or Equivalent

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

MACHINERY AND EQUIPMENT FOR PHYSICALLY HANDICAPPED CHILDREN		
S. No	**Item**	**Specification**
1	BP App/Stetho Set Digital	Product designation: Wrist blood pressure monitor Automatic switch-off: yes Number of memory spaces: 2 x 60 Arrhythmia detection: yes Batteries: yes Low battery indicator: yes Date and time: yes Calculating the average value: yes, 7 days Large, easy-to-read display: yes Cuff size in cm13.5 - 19.5 Medical device: yes Incorrect usage message: yes Risk indicator: yes or Equivalent
2	Biodex System 3	Speed: 0-36” per second (0-90 cm/sec) @ 4500 /sec Force: Up to ~200 lbs. (890 Newtons) Stroke: 18” (46 cm) accommodates pediatric to 6’4” (195 cm) patients Force Conversion: Force (lbs.) = 2.6181 x torque (ft. lbs.) Distance Conversion: Distance (in) = .08 x degrees of rotation velocity Conversion: Vel (in/sec) = .08 x angular velocity (deg/sec) or Equivalent
3	Shoulder Pulley Simple	Professional Shoulder pulley which can be used for shoulder exercises. Best for clinical setup and physiotherapy Clinics.
4	Shoulder Pulley Simple with Adjustable Weight	Shoulder pulley which can be used for shoulder exercises. Best for clinical setup and physiotherapy Clinics
5	Quadriceps Bench with Single Arm	The Quadriceps Bench is a functional muscle exerciser, allowing a large number of exercises to be performed within minimum floor surface.The bench enables exercises in a sitting position (for instance knee stretching) as well as exercises in a reclining position (for instance knee flexion and hip stretching).The adjustment of the seat and back, provides a comfortable and stable position. or Equivalent
6	Quadriceps Bench with Double Arm	This Quadriceps Pro version is suitable for the strength training of Quadriceps and hamstring muscles and it has a function on incline Angle which is very comfortable for the patients of any age. It is made of best quality stainless Steel and knee flexion and Extension angles can be adjusted with pro model. Now patient can do strength training in any Range either it is inner outer of middle range. or Equivalent
7	Bo-bath Beds Hydraulic	Height: 100cm Length: 205cm Width: 105cm Product weight: 155kg Maximum user weight: 225kg(35½st) Maximum load weight: 250kg(39st) Additional dimensions: Overall Length: 2000mm (78¾'). Plinth Section Length: 1350mm (53'). Head Section Length: 650mm (25'). Height Range: 460-1000mm (18-39½'). Head Section Angle Adjustment: 0-+75°. Size: Width: 1050mm (41') Type: Hydraulic or Equivalent
8	Bo-bath Beds Electrical	Electric Height Adjustment:46cm~95cm (Dewert) Pneumatic Headrest Angle Adjustment:-70°-30° Metal Towel Hanger Accessories: Breath-hole Filler,Regular Hand Controller Options: Castors System, Walk Free Foot Controller, Safe System, Hand Controller, Side Controller,Paper Roll Holder or Equivalent

	Standing Frame Baby Size	Length, 83cm ; Width, 67cm ; Height range (suggested user height), 79cm – 105cm ; Chest width, 39cm ; Sandals – Length, 20cm. or Equivalent
10	Tilt Table Electrical	• Two electric motors, standard supports "Timotion" brands for Hi-Lo & Tiling. • Tilting provides a actuators of 12000N push, angle adjustable from -2° to +90°. • Hi-Lo provides a actuators of 8000N push, height adjustable from +48 to +95.5°. • Hi-Lo and tilting by single hand switches. • This updating table provides a adjustable foot rest from -10° to +30°, comfortable for different situation. • Accessories: adjustable belts and active table. • Able to lift up to 175kg working weight from its lowest height. • Retractable castors 75mm for excellent mobility and safety. • Fire/stain/mildew/oil/water/wear resistant Med PVC available in 9 kinds of colors. • Table goes horizontal for people recovery in emergency situations. or Equivalent
11	Baby Walker	As General/ Local
12	Electronic Manual Therapy	Main Supply: 220 V 50Hz • Frequency: 27.12 MHz • Output: Continuous, Maximum : 500 watts, • Intensity: Adjustable in 5 steps. Electrodes: One pair Condenser pads with felt Spacer & cover size: 15 cm X 25 cm. Tuning: Manual, with tuning control knob. Timer: 30 minutes timer with Auto-cut • Cooling: with 10 cm dia. or Equivalent
13	Traction Unit Electrical with electrical High Low Sliding	Complete Bed length with Traction Plate form Length 237 cm ,Width 60cm Height adjustable 48 cm to 100 cm The frame and leg all made of heavy duty crc (Cold Rolled Coil) pipe with Powder coated finish. The top made mattress of High-density stretchy sponge and Artificial pu synthetic Leather 4 pcs adjustable levelling feet for stability on uneven floors. 2 pcs gas spring adjustable & 1 Stainless Steel rod head board section , 2 pcs gas spring & 1 Stainless Steel rod adjustable foot board section head board section incline adjustable: 0° to 85 ° (±5°) Leg board section incline adjustable: 0° to 85° (±5°) & decline 0° to 45° Sliding distance of the bed is at least 22 cm. Bed sliding lock handle Use of permanent lubricated bearings for bed sliding or Equivalent
14	Examination Couches Electrical	Product Name: Electrical Examination Couch Product Size(LxWxH): 1920*650*530-780mm Gross weight: 75kg Frame material: cold rolled steel , coated with electrostatic spray, Mattress material: sponge and covered with artificial leather Caster: 4*mute caster with brakes Back section adjustable: -30° to 45° Bed height adjustable: 53-78cm Power : 110V-220V 1, The bed frame is made of high quality rectangular pipe. 2, Carbon steel surface treatment: epoxy powder coating, degreasing, pickling, second phosphating before spraying, the coating surface is bright and clean. 3,

		The bed surface is foaming bed surface, smooth and easy to clean. 4, The overall lifting is controlled by a safe voltage motor, and the motor is controlled by wired controller, which is easy to operate. The motor is noise free. 5, The back lift is controlled by the gas spring, the maximum folded angle of the back plate is: the up or Equivalent
15	Moist Heat Pack Unit (Hydro-collator) Small	Hot Pack – Cervical Size 24" contains a filling that evenly distributes and retains heat for up to 30 minutes. These thermal packs are constructed from heavy-duty nylon thread and 100 percent cotton canvas which makes them comfortable and durable. Features: Cervical Size easily conforms to the neck area. Whitehall's Thermal Packs are fabricated of 100% cotton canvas and sewn with heavy duty nylon thread. Moist heat packs are best when used with Whitehall's Thermalator heating unit. Provide as much as 30 minutes of deep moist heat therapy. Each of the packs have color coded tabs for quick identification and easy removal from the Themalator. or Equivalent
16	Tri-Cycle	Three wheel ridged frame of 18" gauge round and square pipe • 26" rear wheel with stainless chain • Fabric seat base filled with foam and tarpaulin • 18" front wheel • Adjustable fabric backrest filled with foam and tarpaulin or Equivalent
17	Wheel Chair	FRAME: • Four wheels • Folding/rigid frame with mechanism/s to fold/dismantle • Push handles optional requirement and may be integrated or add-on • Armrests (arm supports) design minimal profile • Footrests (foot supports) • Overall length shorter/similar to transport wheelchair • Wheelbase longer than transport wheelchair, footrests (foot supports) behind front castors. • Footrests (foot supports). Rear Wheels: • Quick-release/removable without tools for rigid frames • Quick-release/removable without tools, optional requirement for folding frames • Camber: suggested range 0 degrees (rear wheel perpendicular to ground) to 1-3 degrees (off from the vertical) • Diameter: appropriate for self-propelling and size of wheelchair, e.g. 20-26" (508- 660 mm) • Width: e.g. 1.38-1.75" (35-44 mm). Frame/rear wheel adjustments Multiple adjustment options. Frame size range: • Size width range to be appropriate for the population profile and include child, adult and bariatric sizes as appropriate • Size range in 1-2" (25-50 mm) increments • Seat depth adjustable or seat extension options or range of frame seat depth options. or Equivalent
18	Bicycle	As General

MACHINERY AND EQUIPMENT FOR VISUALLY HANDICAPPED CHILDREN CENTRE		
Sr. #	**Name of Item**	**Specification**
1.	Perkins Braillers	The Standard Perkins Brailler will meet the needs of most people. It is sturdy and portable and can emboss 25 lines with 42 cells on an 11" x 11 1/2" sheet of paper. Includes dust cover and wooden eraser. ** The Standard Perkins Brailler comes in three colors, Gray, Blue and Green. When ordering online please specify which color you would prefer in the comments section. or Equivalent
2.	Stylus	This Saddle-Shaped stylus is easy to grip and has a flat plastic handle to prevent rolling. or Equivalent
3.	Urdu Braille Trainer Plate	Measures 6.5 x 7.5 inches and over a quarter-inch thick or Equivalent
4.	English Braille Trainer Plate	Measures 6.5 x 7.5 inches and over a quarter-inch thick or Equivalent
5.	Word Building	• puzzle your way to reading success! Our self-correcting puzzles • feature kid-friendly pictures with corresponding 3-letter words. • Children just fit the pieces together to complete the pictures and spell simple words! • You get 16 sturdy chipboard puzzles • Puzzle dimensions: 5" x 5" • For Age: 3+ years or Equivalent
6.	Glob (Braille)	Glob Map
7.	Braille Maps	Braille Maps one each of Khyber Pakhtunkhwa, Asia, World and two of Pakistan, or Equivalent
8.	Braille Embosser	25 characters/second – the fastest embosser at the price. Quality single-sided braille. High-resolution tactile graphics – multiple dot heights for greater detail. Multiple paper options – use tractor or single cut-sheet paper. Portable personal embosser – small and compact to take with you. Add optional carrying case for ultimate portability. Imported from USA (Sizes & Specifications are based on the USA Market) or Equivalent
9.	Braille Display	40 cells refreshable Braille display or Equivalent
10.	Smart Brailler	Perkins SMART Brailler with Video Screen Allows blind and sighted people to communicate Video screen displays SimBraille and large print Audio feedback speaks letters/words as they are typed Edit, save, and transfer electronic documents via USB Also operates as a mechanical brailler Rechargeable and removable battery • Screen size: 4.3 in (10.9 cm)

		• Resolution: 480 X 272 pixels • Available in Midnight Blue, Raspberry Red, Blue (APH only). or Equivalent
11.	Braille Writing Slates	durable and lightweight, odorless and safe for your use. Medium size, easy to carry.Excellent hand feel and durable. Style: simple and modern Scope of application: stationery Single Page Size: 22x10cm/8.6x3.9inch Expanded Size: 43.5x10cm/17.1x3.9inch Thickness After Folding: 0.6cm colour:green Material:plastic Package Contents: 1 x Braille Writing Slate 1 x Stylus or Equivalent
12.	Four Liner Frames	Four Liner Frames made with plastic.
13.	Mathematics Slates with pages	Mathematics Slates with pages
14.	Braille Boards	Braille Boards made of wood
15.	Sixer	Wooden made with plastic dots
16.	Braille Papers (RIMS)	Imported High Quality Braille Papers - 160 grams per square meter. 11x11.5 inches (One ream of paper contains 500 identical sheets)
17.	Abacus	Usable plastic frame with numerous columns of beads. Used for solving math problems when calculators are not available or permitted. Less umbersome than Brailler and paper.Readily substitutes for pen and paper.Works extremely well for blind students.Two sizes available: with 13 or 15 columns.Both sizes work equally well for solving math problems. Measures about 6 in by 3-1/2 in by 1/2 in.
18.	Latest Electric Key Board with Sound System	Keys: 61 full size.Velocity sensitive: No,Number of sounds: 120 Number of rhythms / styles: 70, Educational features: 'Step-Up' lesson system and Voice Prompt, Casio Music Academy lesson voucher, Maximum polyphony: 32 Speaker wattage: 2W Bluetooth: No Connectivity: 6.3mm headphone output Weight: 3.3kg Dimensions: 946 x 307 x 92mm
19.	Magnifying Mirrors Large	Magnifying Mirrors Large size with plastic handle and batteries operated light

MACHINERY AND EQUIPMENT FOR HEARING IMPAIRED CHILDREN

Sr. #	Name of item	Specification

`

1.	BERA Audiometer	Brand RMS or Equivalent Total pixels 2.1 megapixels, Scanning system, Progressive scanning, Frame rate (1920x1080)25p, (1920x1080)30p SNR 50dB Video output, CVBS, HDMI, VGA, DVI Camera Interface , Compatible with adapter F18, F20, F22, F24, F26, F28, F32, F35, Light Source Power Rate 35w Working humidity -10DegC~+50DegC/20%-90%RH Storage humidity -20DegC~+60DegC/20%-95%RH
2.	BP App/Sheltho Set Digital	Product designation: Wrist blood pressure monitor, Automatic switch-off:,Number of memory spaces: 2 x 60, Arrhythmia detection: yes, Batteries: yes Low battery indicator: yes, Date and time: yes , Calculating the average value: yes, 7 days, Large, easy-to-read display: yes, Cuff size in cm13.5 - 19.5, Medical device: yes , Incorrect usage message: yes,Risk indicator: yes or Equivalent
3.	Hearing Aid	Resound BTE key 388 Denmark upto 120db with ear mould or Equivalent
4.	Typanometer	Probe Frequency and Intensity 226 Hz ± 1 %, 85 dBSPL (69 dBHL) ± 1.5 dB 678 Hz ± 1%, 72 dBSPL (69 dBHL) ± 1.5 dB 800 Hz ± 1%, 70.5 dBSPL (69 dBHL) ± 1.5 dB Optional High Frequency 1 kHz ± 1%, 69 dBSPL (69 dBHL) ± 1.5 dB, Pressure Range - 600 to + 400 daPa, Accuracy of Measurement ± 5 % or 0.1 ml , Volume Range 0.1 to 6.0 ml Tymp Compliа0nce Range 0.1 to 8.0 ml at 226 Hz, Test Time 3 - 5 seconds or Equivalent
5.	Otoscope	SHORT DESCRIPTION: Riester Penscope Otoscope 2.7v with Pouch – Black VOLTAGE: 2.7v POWER SOURCE: AA Battery or Equivalent
6.	Stetoclip	Material: plastic, Tube length: 390mm, Color: Transparent OEM: Yes, Sample Time: 3 Days Advantage: Test the hearing aids and convenience to carry, Suitable for BTE ITE,ITC,CIC or Equivalent

MACHINERY AND EQUIPMENTS FOR TAILORING TRADE		
Sr. #	**Name of item**	**Specifications**
1.	Sewing Machine	• Brand: Singer or Equivalent • SKU: 423178253_PK-2002681591 • Sewing Machine Type: Sewing Machine • Sewing Machine Features: Heavy Duty • Sewing Speed: 500-1000 Stiches Per Minute • Made: Japan or Equivalent
2.	Zigzag Machine	• SKU: 360065451_PK-1987223609 • Sewing Machine Type: Embroidery, Sewing Machine, Overlocker • Sewing Machine Features: Oversized Table • Number of Stiches: 10 to 50 • Sewing Speed: 500-1000 Stiches Per Minute or Equivalent
3.	Embroidery Machine with Paddle	Singer Sewing Machine Apricot Computer Series 1 Year Motor Warranty LCD Screen shows stitch selections and settings Best for Normal Sewing, with 200 Embroidery patterns ,basic, stretch, decorative, Letters & numbers along with Small Diagrams for kids suiting Picot, over-lock, button hole Perfect builtin mechanism for putting thread in needle. Built-in Thread Cutter trims top and bottom threads Speed Control system for precision or volume Programmable Needle Up/Down for applique, quilting, and more Push button control for Start/Stop LED light for night work. Spare Parts available or Equivalent
4.	Knitting Machine with Card	Maker: Fukuhara (Japan) or Equivalent Model: VXSD3BY Dia: 30”Gauge: 20 & 28 Year: 2001, Basic 4 Color S/Jersey Mini jacquard Auto striper Quantity: 3 Set Mini Jacquard auto striper S/Jersey both in 20 & 28 Gauge Running condition open for inspection 28 Gauge Cylinder with each machine or Equivalent
5.	Qualt Machine (JUKI)	Computerized, 165 Built-In Stitches, LCD Display, Wide Table, 8 Included Presser Feet, White, Product Code : 22697410 or Equivalent
6.	Wood Made Frame for Embroidery	As General
7.	Iron	As General

8.	Over Lock & Kaj	Applicable Industries: Garment Shops, Manufacturing Plant, Shops, Home Use Place of Origin: Jiangsu Type: Industrial Sewing Machine, Brand Name: SENKE Stitch Formation: Lock Stitch, Mechanical Configuration: Flat-Bed, Max. Sewing Thickness: 6MM, Stitch Length: 5MM,Power: 750W,Overall Dimensions: 47*37*45CM,Feed Mechanism: Automatic, Warranty: 3 years Weight (KG): 36.6 KG Operation: Electronic Features: HIGH-SPEED Max sewing speed: 6500.Stitch width: 5.Differential ratio: 0.7-2.Stitch length: 4 Needle: DCx 11 27#.Thread: 4, Function: Multifunction or Equivalent
9.	Peko Machine	Stitch type: 1-needle over lock.Stitch style in the U.S.A.: 504.Max. Sewing speed: 7,000rpm.Stitch length: 0.8 - 4mm Over edging width (mm): 1.6, 3.2, 4.0, 4.8 Differential feed ratio: For gathering 1:2 (Max. 1:4), For stretching 1:0.7 (Max. 1:0.6) Needle bar stroke : 24.5mm,Inclination angle of the needle: 20° Needle mechanism: Needle bar method and upper/lower bushing Needle: DC 27 (excluding some subclass model) Max. Lift of the presser foot: 7mm (excluding some subclass model) Max. Presser foot pressure: 63.7N (6.5kg) Stitch adjusting method: By push-button Differential-feed adjusting method: By lever (with micro-adjustment) Lubrication: Automatic or Equivalent

الصندوق السعودي للتنمية
Saudi Fund for Development

MACHINERY AND EQUIPMENTS FOR ELECTRICAL TRADE/COMPUTER LAB		
Sr.#	**Name of item**	**Specifications**
A.	**Electrical Trade**	
1.	Power Hacksaw	Capacity Round steel 250mm Square steel 220x220mm Sawing speed 39,49,63,78,98,126 Blade size 450x45x2.25mm Main motor 2.4/3.0KW Coolant pump motor 0.04KW, 2 Poles Saw blade rapid down0.25KW, 4 Poles Packing size 1900x890x1250mm N.W. / G.W. 598/690kg or Equivalent
2.	Pedestal Drill Machine	Voltage/frequency 220-240V~50/60Hz Rated, Power 450w,Max. Drilling Capacity 16mm,Spindle Travel 80mm,Spindle Taper MT2, No Load Speed210-2220/min(12 Speed) Overall height 1570mm,Table size 270x270mm,Base size273x456mm or Equivalent
3.	Generator Caterpillar 10 KVA	Self-Starting Diesel Generator, Installation Method: Fixed Stroke: Four Stroke, Cooling Method: Water Cooling Output Type: AC Single Phase,Speed:1500rpm or Equivalent
4.	Stabilizer 20000 watt	Ac Universal Stabilizer For Low Voltage, Input 100v .Output 220v,Havey Duty Quality Automatic Controller, Design for low voltage or Equivalent
5.	Hand Drill Machine	type: pistol grip drill usage type: home & professional power source: corded chuck size: 13 mm max. drilling capacity - steel - 13 mm , wood - 20 mm blows - 0-18850 / min no-load speed - 0-1450 r/min rated power input - 500 w or equivalent
B.	**Computer Lab**	
6.	Core i3 12th Generation 8GB RAM 1TB/512 SSD HDD	Processor Type / Chip Intel Processor Speed RAM size 8GB Memory 1TB/512 GB SSD Operating system Windows PROCESSOR Processor Model Intel Core i3 12th Generation i3-12700 Processor Speed, Max Turbo Frequency Processor Threads No of Cores L2 cache L3 cache Processor Type / Chip Intel MEMORY Number of memory slots Type of memory DDR4 RAM size 8GB STORAGE Memory 1TB Type HDD Memory card Slot, GRAPHICS CARD Dedicated graphics memory DESIGN Colors Black Dimensions (WxHxD) Fingerprint Reader Numeric keyboard Backlit keyboard CONNECTORS Display Port Type C Port HDMI 3.5 mm headphone jack, Thunderbolt USB,USB 2.0, USB 3.0 Ports SOFTWARE Included software Operating system DOS or Equivalent
7.	Laser Jet Printer 3 in 1	Maximum Print Resolution 1200 x 1200 DPI Max Print Resolution Color 1200x1200 or Equivalent

`

8.	Scanner	Upto 1200 DPI or Equivalent
9.	Multimedia	3300 Lumens or Higher
10.	Networking Computer Lab	As per requirement for 15 Computers, one Printer ,Scanner and Multimedia

MACHINERY AND EQUIPMENTS FOR MECHANICAL TRADE		
Sr.#	**Name of item**	**Specifications**
1.	Digital Micrometer	Resolution: 0.01mm/0.0004" Measuring Range: 0-12.7mm/5" Power: One button battery (SR44/LR44) with work voltage 1.5V Operating temperature : 0℃ - 40℃ Storage temperature :-20℃ - 70℃ Relative humidity: ≤ 80% Package includes: 1PC X Portable Precise Digital Thickness Gauge Meter Tester Micrometer 0 to 12.7mm Material: Plastic digital module, Stainless steel measuring head or Equivalent
2.	Digital Venire Caliper	Digital vernier caliper carbon fiber w/ depth guage (6 inch) electronic digital caliper made of hardened carbon fiber internal, external and height dimensions can be easily and accurately measured linear capacitive measuring system zero setting in any position material: -plastic or equivalent
3.	CNC Lathe Machine Small Size	Max. Length of Workpiece (mm):2000, Range of Spindle Speed(r.p.m):,25 - 2000 r.p.m, Machining Capacity: Medium Duty Spindle Bore(mm): 58 Width of bed (mm): 300 Max. Turned Length (mm):1850 mm,.Type:, Horizontal Spindle Motor Power(kW):5.5 Dimension(L*W*H): 3300*1120*1620mm or Equivalent

FURNITURE & FIXTURE		
Sr.#	**Name of item**	**Specifications**
1	Officer Chair	Structure made of 20 x 20 mm steel (20 Gauge) with Aluminum Painted Square
2	Officer Table	Size 1520x 760 x 760 mmh Structure made of 25 x 25 mm steel square pipe with Aluminum painted . One Side drawer box in three drawer upper drawer lockable
3	Steel Almari/ Cupboard	Size 6‘ x 3’ Pak Made or Equivalent
4	Beds (Single) with side table	Size 6‘ x 3’ Pak Made or Equivalent
5	Mattress foam for beds 3''	Pak Made 6‘ x 3’ x 3” or Equivalent

6	Quilt	Pak made for single person or Equivalent
7	Pillows & Bed Sheet	Pak Made or Equivalent
8	Curtains	As per requirement
9	Trunk Full-size 7x4	7’ x 4’ Pak Made or Equivalent
10	Computer tables	Size: 2’ x 4 ’x 2’1/2” made of Lamination
11	Computer chairs	Imported medium back hydraulic revolving chair
12	Teachers/ Staff Chairs	Structure made of 20 x 20 mm steel (20 Gauge) with Aluminum Painted Square
13	Teachers Tables	Size 1520x 760 x 760 mmh Structure made of 25 x 25 mm steel square pipe with Aluminum painted . One Side drawer box in three drawer upper drawer lockable
14	Students Desks	Height: 28-30 inches (71-76 cm) for sitting desks. Width: 48-72 inches (122-183 cm) Depth: 24-30 inches (61-76 cm)
15	Students chairs (tablet)	Structure made of 20 x 20mm (20 Gauge) steel Square pipe seat and Back made of MDF Lamination with MDF Arm
16	Chairs for Conferenc e Room	Imported medium back hydraulic revolving chair or Equivalent
17	Round Table for Conferenc e Room	Size 4’x 16’x 2’ ½” structure made of solid wood. Top and slides made of lamination Licker Polish finish
18	Chair for guests at Conferenc e Room	Structure made of 20 x 20 mm steel (20 Gauge) with Aluminum Painted Square
19	Dice	Size 640x515xx1230 mmh
20	Chairs for stage	Structure made of 20 x 20 mm steel (20 Gauge) with Aluminum Painted Square
21	Dice for stage	Size 640x515xx1230 mmh
22	Sofa set	Wooden frame Foam covered with fabric/leatherette (One Seater)
23	Participan ts chairs	Structure made of 20 x 20 mm steel (20 Gauge) with Aluminum Painted Square
24	Dinning Chair	18-22 inches (46-56 cm) wide, 20-24 inches (51-61 cm) deep, and 32-38 inches (81-97 cm) high
25	Dinning Tabel	10 Seats: 92-110" long made of wooden/Lamination

KITCHEN & CROCKERY UTENSILS		
Sr.#	**Name of item**	**Specifications**
1	Plates (rice)	Stainless steel Pak Made or Equivalent
2	Plates (Sauce)	Stainless steel Pak Made or Equivalent
3	Bawl sweet dish	Stainless steel Pak Made or Equivalent
4	Spoon (steel)	Stainless steel Pak Made or Equivalent
5	Tea cup	Pak Made or Equivalent
6	Jug	Stain less steel Pak Made or Equivalent
7	Hotpot	Plastic Pak Made or Equivalent
8	Thermos 2 liter	Imported or Equivalent
9	Big Balty Bathing	Plastic Pak Made or Equivalent
10	Steel Balty (Salan)	Stain less steel Pak Made or Equivalent
11	Vessel	Plastic Pak Made or Equivalent
12	Burner with stand	Pak Made or Equivalent
13	Micro Wave Ovan	Imported 10 liter or higher or Equivalent
14	Deep Freezer full size	10 cubic feet or Higher or Equivalent
15	Juicer Commercial	Imported or Equivalent
16	Tooster 4 slice	Pak Made or Equivalent
17	KaduKash	Pak Made or Equivalent
18	Pateelas (5 Kg, 10 Kg, 3 Kg, 2 Kg)	Silver Pak made or Equivalent
19	Electrical Kettle	1000w or Equivalent
20	Tea Trolley	Pak Made or Equivalent
21	Tawa Large	Nonstick Pak Made or Equivalent
22	Chamta Steel	Stain less steel Pak Made or Equivalent
23	Wooden Ballon	Pak Made or Equivalent
24	Karahe Set Steel	Stain less steel Pak Made

25	Drum for flour	Plastic pak made or Equivalent
26	Cutlary Set	Stain less steel Pak Made or Equivalent
27	Waste bin	Plastic pak made or Equivalent
28	Plastic tub	Plastic pak made or Equivalent
29	Steel tubs	Steel Pak Made or Equivalent
30	Fry fan	Nonstick or Equivalent
31	Pressure cooker	Silver Pak made or Equivalent
32	Tandur Set	5 Roti used Pak Made or Equivalent
33	Masala Jar Boxes	Plastic Pak Made or Equivalent
34	Langri	Wooden Pak made or Equivalent

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

5 GENERAL TERMS AND CONDITIONS

a. Bidding Process will be through National Competitive Bidding as per NCB Khyber Pakhtunkhwa Procurement of Goods, Works & Services Rules 2014.

b. The supplier (s) must be registered with the taxes authorities.

c. Bid document is for local bidders and International bidder both.

d. Inspection of the supplied items will be at final destination.

e. Warranty of Goods shall be provided along with quotation.

f. The quote (s) must remain valid for 180 days.

g. The request for quotation is non-transferable.

h. Payment will be made after completion of said items (Lot wise payment will be made).

i. Quotation must be submitted on or before the given time and date to the officer-designate for the

purpose. No late quotation for any reason whatsoever will be considered.

j. The quotation must carry the authorized signatures of the representative of the supplier.
k. The invitation and submission period of the bid is sixty (60) days for local suppier and Ninety (90) days for international bidders
l. Each & Every page of the bid document must be signed by the concerned bidder / bidding firm.Purchase committee has the right to accept or reject any or all offers reasons for which will be communicated to the bidders if requested per rule: 47(1) of KPPRA Rules, 2014.
m. All bids may be rejected in the following cases:
    1. When the bids are inconsistent with the objectives and requirements of the tender documents.
    2. When there is insufficient competition, as evidenced by the submission of fewer than three bids.
    3. When the lowest bid price exceeds the estimated cost, and there is reasonable justification to expect lower prices.

DD (ADMIN)
SOCIAL WELFARE SE & WED,
PESHAWAR

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

6 GENERAL AND SPECIAL CONDITIONS OF THE CONTRACT

A. LANGUAGE: All communication and documentations related to procurements shall be in English.

B. PLACE AND TIME OF DELIVERY: The supplier shall be required to deliver items to the office of the Director Social Welfare Peshawar, within 120 days after issuance of supply order without any damage otherwise call deposit shall be forfeited and penalty shall be imposed as per procurement Rules.

Delivery Schedule

Sr #	Item Deliverable	Date of Delivery	Place of delivery	Verification	Acceptance
1					
2					
3					

`

C. VARIATION/REPEAT ORDERS

The procuring entity may during the execution of the contract, by notice in writing may direct the supplier to alter, omit, add to or otherwise vary any part of the schedule, in agreement with the service provider, and the service provider shall carry out such variations and be bound by the same conditions.

D. INSPECTION OF GOODS ON DELIVERY (WHOLE APPLICABLE)

The goods shall be inspected by the technical Committee of the procuring entity for quality/quantity etc at their final destination.

Inspection of goods shall be conducted without prejudice to the buyer's right to lodge quantity and quality claims. In case the goods are not found in conformity with the contracted quality/specifications, procuring entity shall have the right to lodge claims within 30 days from the date of inspection of the goods.

In case of dispute by the supplier, joint re-inspection of the supplied material shall be carried out, at the cost of the supplier, in presence his or his authorized representative either at a laboratory designated by the procuring entity or by a neutral independent entity as jointly agreed.

E. PACKAGING

Material should be packed suitably in appropriate boxes; in such a manner that the goods are not lost or damaged in handling/transportation and the packing should be suitable enough to reach at the stores of procuring entity safely.

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

Each pack or container should clearly indicate the following information:

- Purchase order Number and date.
- Name of Product/Deliverable.
- Quantity.
- Gross and net weights.
- Name of manufacturer/service providers.

Manufacturer instructions regarding the maximum storage life of the product and the storage conditions must be followed.

Material should be delivered at the stores of procuring entity in original packing of the manufacturer.

Where applicable, manuals containing instructions of the manufacturer about the application in use of the item should be provided in English. If required by procuring entity, technical experts should be sent by the manufacturer for application/installation of the item at site.

F. PERFORMANCE BANK GUARANTEE OR CDR.

Successful bidders shall furnish a performance Bank Guarantee 10% of value of purchase order on the prescribed Performa provided that the guarantee is issued by any of the approved Banks within 20 days of issuance of the letter of acceptance. The performance guarantee shall be returned within 10 days after the Completion of supply of goods. If such guarantee is issued by a foreign Bank, it should be countersigned by a Pakistani bank on the approved list of banks.

G. FORFEITURE OF PERFORMANCE BANK GUARANTY

The performance Bank Guarantee may be forfeited if the service provider fails to deliver or supply goods in accordance with the terms and conditions of the purchase order or commits any breach of the contract/purchase order.

H. PAYMENT CLAUSE

Payment shall be made on the production of the following documents.

a. The supplier/vendor submits manually signed invoice in triplicate certifying that merchandise supplied is in accordance with the contract. The invoice must show the purchase order No___, Material Receiving Report No_____, and acceptance note No_____, with date, price/rate of each item.
b. Material/Deliverables receiving report (in original) signed by the Authorized Representative of procuring entity in acknowledgment of having received all supplies/deliveries in accordance with the purchase order/contract agreement.
c. Authenticated sales tax invoice in original as prescribed in the sales tax Act 1990.
d. Valid income tax exemption certificate (otherwise income tax at current applicable rates shall be deducted from the invoice. (Where applicable).
e. National Tax Number.
f. Sales tax registration number.
g. Certificate in original issued by the independent inspection team (where applicable).
h. Bank Account Number and Branch.
i. Recovery of all applicable taxes at source should be made as per rules.
j. Certificate from procuring entity stating goods as per standard/professional requirements.
k. 5 % payment of the contract value will be retain until completion of warranty period.
l. Implementation period of contract is one year, prices shall remain fixed. However, prices do not exceed twenty percent (20%) of the original contract value.

DETAIL OF STANDARDS

Sr. #	Meets best quality standards (5)	Meets acceptable quality standards (4)	Meets un acceptable quality standards (3)	Does not meet acceptable quality standards (2)
1.				
2.				

Delivery/Deliverable accepted since it meets acceptable/best quality standards (5/4)

Assessment /evaluation officers

Name and Designation

I. OBLIGATIONS AND OPTIONS IN CASE OF NON FULFILLMENT OF CONTRACTUAL OBLIGATIONS BY THE SUPPLIER

- The supplier shall perform services in accordance with recognized standard, applicable laws and regulations.
- The supplier shall appoint a focal person who shall coordinate with procuring entity at ball times during the execution of project.
- The supplier shall carry out the services with due diligence and efficiency and in conformity with sound practice.
- The supplier shall act at all times so as to protect the interest of clients and shall take all reasonable steps to keep all expenses to minimum consistent with sound economic and other practices. The supplier shall furnish the client such information relating to the services as the client may from time to time reasonably request.
- Except with the prior written approval of the client, the supplier shall not assign or transfer the agreement for good or any part thereof nor engage any other independent supplier or subcontractor to perform any part of services without prior consent of the procuring entity.
- The supplier agrees that no proprietary and confidential information received by the supplier from the client shall be disclosed to a third party unless the supplier received a written permission from the client to do so.

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

The procuring entity may take any of the following actions if after the placement of the purchase order the supplier fails to deliver the goods within the prescribed period, according to the specifications, quantities and other terms and conditions given in the purchase order/contract agreement.

a) Recover from the supplier as stipulated in the relevant purchase order/contract agreement, equivalent to 0.067% per day (2% per month) of the total value of contract in case of failure to deliver as per agreed timelines, provided that the total penalty shall not be imposed beyond maximum 10% of the total contract value.
b) Purchase from any other source, at the risk and cost of the supplier, the goods not delivered or other goods of equivalent specification, without canceling the purchase order / contract agreement.
c) Cancel the purchase order / contract agreement at supplier's risk and cost. In such case, procuring entity reserves the right to take any action against supplier which it may deem fit under the circumstances including the blacklisting of the supplier; or
d) Recover any consequential losses / damages incurred by procuring entity by withholding any or all amounts otherwise due to the supplier against this or any other purchase order / contract.

J. DISPUTES AND CONTROVERSIES / DISPUTE RESOLUTION

i. Procuring entity shall constitute a committee consisting of odd number of persons with proper powers and authorizations to redress complaints of bidders that may arise prior to issuance of purchase order / contract agreement, in accordance with the KPPRA Rules 2014.
ii. If a bidder is not satisfied with the decision of the committee he may take recourse to the KPPRA.
iii. The mere fact of lodging a complaint shall not warrant suspension of procurement process.

iv. Any dispute or difference arising out of the agreement which cannot be amicably settled between the parties, shall be finally settled by KPPRA whose decision will final and bidding on both the parties.

v. In the event that an amicable settlement cannot be reached, the dispute shall be referred to an arbitration panel composed of three (3) arbitrators, each party appointing one arbitrator, and the third—who shall act as Chairperson—being jointly appointed by both parties.

K. INDEMNITY

The supplier shall at all times indemnify the procuring entity against the claims which may be made in respect of the goods for infringement of any right protected by patent, registration of design or trade mark and shall take all risks of accident of damages which may cause a failure of the supply for whatever cause arising and the entire responsibility for the sufficiency of all.

The means used by him for the fulfillment of the contract; provided always that in event of any claim in respect of alleged breach of a patent reregistered design or trade mark being made against the procuring entity, it shall notify the supplier of the same and the supplier shall be at liberty at his own expense to conduct negotiations for settlements of any litigation that may arise there from.

L. SUB-LETTING OF THE CONTRACT

The supplier shall not sub-let or assign this contract or any part thereof without the written permission of the procuring entity. In the event of the service provider sub-letting or assigning this contract or any part thereof without such permission, the procuring entity shall be entitled cancel the contract and to purchase the goods elsewhere on the supplier's risk and cost and the supplier shall be liable for any loss or damage which the procuring entity may sustain in consequence of arising out of such purchase.

M. BRIBES COMMISSION ETC

Any bribe, commission, gift or advantage given, promised or offered by or on behalf of the contractor or his partner, agent or servant, or any one on his or their behalf to any officer servant, representative or agent of the procuring entity or any person on its behalf in relation to the obtaining or to the execution of this or any other contract with procuring entity, shall in addition to any criminal liability which he may incur, subject the contractor to cancellation of this and all other contracts and also to payments of any loss or damage resulting from such cancellation and the procuring entity shall be entitled to deduct the amounts so payable from any moneys, otherwise due to the supplier under this or any other contract. Any question or

Dispute to as to the commission of any offence under these clues shall be settled by the procuring entity in such manner as it shall think fit in sufficient, and its decision shall be final and conclusive.

N. TERMINATION END OF SERVICES

The agreement shall get terminated when, pursuant to the provisions of hereof, the services have been

completed in full and final payment has been made.

TERMINATION BY THE SUPPLIER

The supplier may suspend the agreement by a written notice of thirty days only if the supplier does not receive payments under this agreement within thirty days of submission of its invoice. If the payment is still not made to the supplier after thirty days of notice of suspension, the supplier/Vendor may terminate this agreement in whole or in part by giving fifteen days advance notice of intent to terminate. If the Agreement is suspended by the supplier under such circumstances, the procuring entity shall pay, within a period of thirty days of the date of such notice of intent to terminate referred above, all payments due to the supplier.

O. FORCE MAJEURE

The term "FORCE MAJURE" as employed herein shall mean acts of GOD, strikes, lockout, or other industrial disturbance, act of public enemy, wars, blockades, insurrections, riots, epidemics, landslides, earthquakes, storms, lightning, floods, washouts, civil disturbance, explosions and any other similar events not within the control of either party and which by the exercise of due diligence neither party is able to overcome.

If either party is temporarily unable by reason of force majeure to meet any of its obligations under the agreement, and if such party gives to the other party written notice, of the event within fifteen days after its occurrence, such obligations of the party, as it is unable to perform by reason of the event, shall be suspended for as long as the inability continuous. Neither party shall be liable to the other party for loss or damage sustained by such other party arising from any event referred to as force majeure or delays arising from such events. Force Majeure shall not include insufficiency of funds or failure to make any payment required under agreement

P. APPLICABLE LAWS

This agreement shall, in all respects be read and constructed and shall operate in conformity with the KPPRA Act 2012 and KPPRA Rules 2014.

Q. CONTRACT AMENDMENT

No variation in or modifications to the terms of the agreements shall be made, accept by a written amendment signed by the parties hereto.

R. NOTICES

Any notice given by any of the parties hereto shall be sufficient only if in writing and delivered in person or through registered mail as follows:

To: The Client _____

To: The Supplier _____

Or to such other address as either of these parties shall designate by notice given as required herein. Notice shall be effective when delivered.

S. QUALIFICATION CRITERIA

Following is the qualification criteria.

a. Bidders should be registered entities with the government (contractor with PEC; Company with SECP or any other authority).
b. Carrying National Tax Number (NTN) or a FBR Tax Exemption Certificate.
c. Sale tax certificate
d. Financial Health (Bank Statement for the current fiscal years);
e. Should demonstrate similar experience and shall furnished certificate and attested documents evidence of successful supplier of these items to Government organizations.
f. Shall provide on a stamp paper an Affidavit stating that the bidder/ bidder firms is not black listed by any Government/Semi Government Organizations (procuring entities under the administrative control of the federal/Provincial Governments) since 10 years

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

7 TECHNICAL AND FINANCIAL PROPOSAL

TECHNICAL PROPOSAL

The technical proposal shall include company's profile, company's registrations and certificates, references to past experiences, technical specifications and brochures for the goods to be supplied, affidavit mentioned at **annexure-II**

FINANCIAL PROPOSAL

The financial proposal shall include the Proposal submission form **(Annexure – I)**, bid security valuing 2% of the total quoted price and the quote the price in the following table using company's official letter head:

Price schedule in Pak. Rupees (Machinery & Equipment)

Lot # 1 MACHINERY AND EQUIPMENT FOR ADMINISTRATION AND RESOURCE ROOM				
S. No	**Item**	**Qty**	**Unit Price without Taxes**	**Total Price without Taxes**
A.	**Main Office**			
1	LED Branded warranty 55"	3		
2	Multimedia Latest	3		
3	Photostat Machine heavy duty	1		
4	Computer latest Generation with 19" LED & Genuine MS Window 11	15		
5	Laser Printer 3 in 1	15		
6	Generator 25 KVA or above with allied items, installation	1		
7	CCTV (System) NVR 16 channel with cameras(14 cameras IP 4 mega pixel & 2 PTZe 2 mega pixel) 4 TB Hard disk & 43"LED & allied items and installation,	1		
8	2KVA UPS with Two Dry batteries (200 AMH)	1		
	Sub-Total Lot # 1			

Lot # 2 MACHINERY AND EQUIPMENT FOR PHYSICALLY HANDICAPPED CHILDREN				
S. No	**Item**	**Qty**	**Unit Price without Taxes**	**Total Price without Taxes**

`

1	BP App/Stetho Set Digital	2		
2	Biodex System	1		
3	Shoulder Pulley Simple	1		
4	Shoulder Pulley Simple with Adjustable Weight	1		
5	Quadriceps Bench with Single Arm	1		
6	Quadriceps Bench with Double Arm	1		
7	Bo-bath Beds Hydraulic	2		
8	Bo-bath Beds Electrical	2		
9	Standing Frame Baby Size	4		
10	Tilt Table Electrical	2		
11	Baby Walker	20		
12	Electronic Manual Therapy	2		
13	Traction Unit Electrical with electrical High Low Sliding	1		
14	Examination Couches Electrical	2		
15	Moist Heat Pack Unit (Hydro-collator) Small	1		
16	Tri-Cycle	20		
17	Wheel Chair	20		
18	Bicycle	2		
	Sub-Total Lot # 2			

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

`

Lot # 3 MACHINERY AND EQUIPMENT FOR VISUALLY HANDICAPPED CHILDREN CENTRE				
Sr. #	**Name of Item**	**Qty**	**Unit Price without Taxes**	**Total Price without Taxes**
1.	Perkins Braillers	3		
2.	Stylus	50		
3.	Urdu Braille Trainer Plate	50		
4.	English Braille Trainer Plate	50		
5.	Word Building	50		
6.	Glob (Braille)	2		
7.	Braille Maps	5		
8.	Braille Embosser	1		
9.	Braille Display	1		
10.	Smart Brailler	2		
11.	Braille Writing Slates	30		
12.	Four Liner Frames	10		
13.	Mathematics Slates with pages	100		
14.	Braille Boards	100		
15.	Sixer	100		
16.	Braille Papers (RIMS)	50		
17.	Abacus	2		
18.	Latest Electric Key Board with Sound System	1		
19.	Magnifying Mirrors Large	30		
	Sub-Total Lot # 3			

Lot # 4 MACHINERY AND EQUIPMENT FOR HEARING IMPAIRED CHILDREN

Sr.#	**Name of item**	**Qty**	**Unit Price without Taxes**	**Total Price without Taxes**
1.	BERA Audiometer	1		
2.	BP App/Shetho Set Digital	2		
3.	Hearing Aid	70		
4.	Typanometer	1		
5.	Otoscope	3		
6.	Stetoclip	4		
	Sub-Total Lot # 4			

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

Lot # 5 MACHINERY AND EQUIPMENTS FOR TAILORING TRADE				
Sr.#	**Name of item**	**Qty**	**Unit Price without Taxes**	**Total Price without Taxes**
1.	Sewing Machine	40		
2.	Zigzag Machine	6		
3.	Embroidery Machine with Paddle	8		
4.	Knitting Machine with Card	4		
5.	Qualt Machine (JUKI)	3		
6.	Wood Made Frame for Embroidery	6		
7.	Iron	8		
8.	Over Lock & Kaj	2		
9.	Peko Machine	3		
	Sub-Total Lot # 5			

Lot # 6 MACHINERY AND EQUIPMENTS FOR ELECTRICAL TRADE/COMPUTER LAB				
Sr.#	**Name of item**	**Qty**	**Unit Price without Taxes**	**Total Price without Taxes**
A.	**Electrical Trade**			
1.	Power Hacksaw	1		
2.	Pedestal Drill Machine	2		
3.	Generator Caterpillar 10kva	1		
4.	Stabilizer 20000 watt	2		
5.	Hand Drill Machine	10		
	Total			
B.	**Computer Lab**			
6.	Computers (Branded) latest Generation with 19" LED along with accessories	15		
7.	Laser Jet 3 in 1 Printer	1		
8.	Scanner HP	1		
9.	Multimedia	1		
10.	Networking Computer Lab	-		
	Sub-Total Lot # 6			

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

Lot # 7 MACHINERY AND EQUIPMENTS FOR MECHANICAL TRADE				
Sr.#	**Name of item**	**Qty**	**Unit Price without Taxes**	**Total Price without Taxes**
1.	Digital Micrometer	10		
2.	Digital Vernier Caliper	10		
3.	CNC Lathe Machine Small Size	1		
	Sub-Total Lot # 7			

Lot # 8 FURNITURE & FIXTURE				
Sr.#	**Name of item**	**Qty**	**Unit Price without Taxes**	**Total Price without Taxes**
1	Officer Chair	8		
2	Officer Table	8		
3	Steel Almari/Cupboard	8		
4	Beds (Single) with side table	60		
5	Mattress foam for beds 3''	60		
6	Quilt	60		
7	Pillows & Bed Sheet	60		
8	Curtains	15		
9	Trunk Full-size 7x4	2		
10	Computer tables	25		
11	Computer chairs	25		
12	Teachers/Staff Chairs	50		
13	Teachers Tables	20		
14	Students Desks	200		
15	Students chairs (tablet)	200		
16	Chairs for Conference Room	40		
17	Round Table for Conference Room	1		
18	Chair for guests at Conference Room	10		

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

19	Dice	4		
20	Chairs for stage	8		
21	Dice for stage	2		
22	Sofa set	8		
23	Participants chairs	200		
24	Dinning Chair	40		
25	Dinning Tabel	2		
	Sub-Total Lot # 8			

Lot # 9 (KITCHEN & CROCKERY)

Sr.#	Name of item	Qty	Unit Price without Taxes	Total Price without Taxes
1	Plates (rice)	150		
2	Plates (Sauce)	150		
3	Bawl sweet dish	150		
4	Spoon (steel)	150		
5	Tea cup	150		
6	Jug	15		
7	Hotpot	15		
8	Thermos 2 liter	10		
9	Big Balty Bathing	25		
10	Steel Balty (Salan)	5		
11	Vessel	50		
12	Burner with stand	5		
13	Micro Wave Ovan	3		
14	Deep Freezer full size	3		
15	Juicer Commercial	2		
16	Tooster 4 slice	1		
17	KaduKash	2		
18	Pateelas (5 Kg, 10 Kg, 3 Kg, 2 Kg)	4		
19	Electrical Kettle	5		
20	Tea Trolley	5		
21	Tawa Large	2		
22	Chamta Steel	1		
23	Wooden Ballon	5		
24	Karahe Set Steel	5		
25	Drum for flour	2		
26	Cutlary Set	6		

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

`

27	Waste bin	50		
28	Plastic tub	25		
29	Steel tubs	10		
30	Fry fan	5		
31	Pressure cooker	5		
32	Tandur Set	2		
33	Masala Jar Boxes	20		
34	Langri	3		
	Sub-Total Lot # 9			
	GRAND TOTAL= Lot # (1 to 9)			

Signature of Bidder……..

Note: in case of discrepancy between unit price and total, the unit price shall prevail.

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

8 MINIMUM ELIGIBILITY CRITERIA

The Bidder(s) (Only Supplier) should meet the following Eligibility preliminary Criteria to participate in the Bid Process and must enclose documentary proof for fulfilling the Eligibility in the Technical Proposal:

S. No	Mandatory Criteria	Documentary Evidence	Check List	
			Yes	No
1	Bidder Registration under the Laws of Pakistan	Certificate of Registration with SECP/ Registrar of firm		
2	Registration with Income & Sale Tax Department	Certificate of Registration and in Active Tax-payer List.		
3	Pakistan Engineering Council(PEC)	Certificate of Registration		
4	The Bidder should have Total working capital/ Network of PK RS.100 million in the previous Three audited year.	Annual Report including Balance Sheet ,income statement and profit & Loss accounts along with auditors notes for the last Year audited year should be submitted		
5	The Bidder should have Total annual supply of Machinery Equipment/Fixtures PK RS. 100 million in the previous Three audited years.	Supply Order of Machinery Equipment/ Fixtures		
6	The Bidder should have paid Total Income/Sale Tax and other Taxes of PK Rs. 10 million in Pakistan in the last Three audited years	Annual Report including Balance Sheet, income statement and profit & Loss accounts along with auditor's notes for the last three audited Years should be submitted.		
7	Can provide the item within the time i.e 120 days	Mention days on firm letterhead		
8	Specification Compliance with Bidding Documents	Specification quoted by the firm/Brochures		
9	Undertaking on affidavit that the firm is not blacklisted since 10 years and 2% original CDR is attached with financial Proposal	The firm is not blacklisted since 10 years and 2% original CDR is attached with financial Proposal		

Note: Failing to qualify on any of the above criteria will not be considered for further evaluation.

8.1 EVALUATION CRITERIA

There will be a single stage two envelope procedure (Technical Proposal + Financial proposal).

Detailed technical evaluation will be done for firms who qualify the preliminary evaluation mentioned above. These firms will be asked to give presentations on their solution (if required). Ratings for the technicalevaluation will be as follows:

	Marks
Technical Evaluation	70%
Financial Evaluation	30%

Financial bids of firms who score at least 70 % on the technical evaluation (as a whole) will be opened before the representatives who wish to attend the tender opening. While financial proposal of disqualify firms will return unopened. 30 % weight age will be given to financial proposals of responding organizations. The formula for financial scoring is that the lowest bidder gets 30 points and the other bidders score 30 multiplied by the ratio of the lowest bid divided by the quoted price.

Example:

Value quoted by lowest bidder = A

Value quoted by second lowest bidder = B

Value quoted by third lowest bidder = C

Financial scoring of the lowest bidder will be = 30

Financial scoring of the second lowest bidder will be= (A/B) *30

Financial scoring of the third lowest bidder will be = (A/C) *30

Technical scoring out of 100 = A

Carried Forward & Prorated Technical scoring = A x 0.7

Points obtained in the detailed technical evaluation will be carried forward & prorated. Tender will be awarded to the Responding Organization with maximum accumulative points (**Technical Score + Financial Score**). **The decision of this Committee will be binding on all concerned and will in no case be challengeable in any forum.**

SFD
الصندوق السعودي للتنمية
Saudi Fund for Development

`

TECHNICAL EVALUATION CRITERIA

S.No	Criteria	Marks
1	**EXPERIENCE**	
	a. Year of Experience (1 Mark for each year up to Max 10 years)	10
	b. No of projects of Same Nature(Machinery & IT Equipment & Fixtures) in Government Sector (5 Marks for each project max 5 projects) (Each Project Value Min 10.00 m)	25
	c. No of other projects in Government Sector (3 Marks for each project max 5 projects)(Each Project Value Min 10.00 m)	15
2	**FINANCIAL CAPABILITIES**	
	a. Available Bank Credit Line / Bank Balance Statement (Closing Bank Balance on 30th June 2025 (up to 10.00m=2 Marks,20.00m=4 Marks, 30.00m=6 Marks, 40.00m=8 marks, 50 .00m=10 Marks)	10
	b. Income tax paid last financial year 2024-25(up to 1.20 m=2 Marks, 2.40 m = 4 Marks ,3.60 m=6Marks, 4.80 m= 8 Marks,6.00 m=10 Marks)	10
	c. Audit Reports Last Financial Year 2024-25 Working Capital Only Supplies (up to 20.00 m=2 Marks, 40.00 m = 4 Marks ,60.00=6 Marks,80.00= 8 Marks,100.00=10 Marks)	10
3.	**PERSONAL/HUMAN RESOURCE**	
	a. Registered Engineers (3) (Two mark for each) and Technical trained staff(4) (one mark for each)	10
4.	**OFFICE/WORKSHOP FACILITY**	
	a. Availability of office/workshop and service Centers in Khyber Pakhtunkhwa to be verified with Ownership / Rent Agreement at Khyber Pakhtunkhwa	10
	TOTAL MARKS	**100**
	PASSING MARKS	**70**

DD (ADMIN)
SOCIAL WELFARE SE & WED,
PESHAWAR

TENDER SUBMISSION FORM (Annexure – I)

The tender submission form should be placed in the financial proposal of the tender. Following is the sample of tender submission form:

To

The Director,
Social Welfare, Special Education and Women Empowerment,
Peshawar.

We, [_____], having read, understood and accepted the Tender Document, offer to supply **Machinery Equipment,** with the said Tender Document, to [**Name and Address of the Purchaser**], for the Total Tender Price of PKR (**in figures_____**) **in words** _____), in accordance with the Price Schedule and the timeline, attached hereto and made part of the Tender.
We undertake that the Tender shall have a minimum validity period of _____ from the last date for submission of the Tender and may be accepted at any time before the expiration of that period.
We undertake to provide the Performance Security to give satisfactory assurance of our ability and intention, for due performance / execution of the Contract in accordance with the terms and conditions of the Contract, in case of acceptance of the Tender.

We undertake to be bound by the Tender and the Acceptance Letter, which shall constitute a contract, until execution of the formal Contract.
Date this _____day of 2025.

CONTRACTOR	**WITNESSES**	
	Signature _____	Signature _____
Signature _____	CNIC #_____	CNIC #_____
Stamp _____	Name_____	Name_____
CNIC # _____	Designation_____	Designation _____
Name _____	Address _____	Address _____
Designation_____		
Address _____		

AFFIDAVIT FORM (Annexure – II)

We, [**Name and Address of the Contractor**], do hereby declare on solemn affirmation that:

1. We have not ever been black listed from any Government Department / Agency since last 10 Years.
2. We have not been involved in litigation with any private or public sector during the last 10 years.
3. We acknowledge that we have read, understood and accepted the Tender Document.
4. We understand that the Purchaser shall have the right, at his exclusive discretion, to require, in writing, further information or clarification of the Tender, from any or all the Contractor(s).
5. We understand that the Purchaser shall have the right, at his exclusive discretion, to accept / reject any or all tender(s), cancel / annul the Tendering process at any time prior to award of Contract, without assigning any reason or any obligation to inform the Contractor of the grounds for the Purchaser's action, and without thereby incurring any liability to the Contractor and the decision of the Purchaser shall be final.

Date this _____day of 2025.

CONTRACTOR

Signature _____ Stamp _____

CNIC # _____ Name _____

Designation _____ Address _____

WITNESSES

Witness 1

Signature _____

CNIC # _____

Name _____

Designation _____

Address _____

Witness 2

Signature _____

CNIC # _____

Name _____

Designation _____

Address _____

Tender Security Form (Annexure – III)

WHEREAS [**Name and Address of the Contractor**] (hereinafter called "the Contractor") has Submitted Tender against Tender No. _____ (hereinafter called "the Tender") to the [**Name and Address of the Purchaser**] (hereinafter called "the Purchaser") for the Total Tender Price of PKR (**in figures** _____) (**in words** _____).

AND WHEREAS [**Name of the Bank**] having registered office at [**Address of the Bank**] (Hereinafter called "the Guarantor") has agreed to give the Contractor a Guarantee;

THEREFORE the Guarantor hereby affirms to bind himself, his successors and his assigns to the

Purchaser, for the sum of PKR (**in figures** _____) (**in words**

_____) and undertakes to pay to the Purchaser, upon receipt of his written demand(s), any sum(s) as specified by him, not exceeding the above limit in aggregate, without cavil / argument and without the Purchaser having to substantiate / prove or to show grounds / reasons for such claim(s), on the occurrence of any / all of the following conditions:

1. If the Contractor withdraws the Tender during the period of the Tender validity specified by the Contractor on the Tender Form; or
2. If the Contractor does not accept the corrections of his Total Tender Price; or
3. If the Contractor, having been notified of the acceptance of the Tender by the Purchaser

   during the period of the Tender validity, fails or refuses to furnish the Performance

Security, in accordance with the Tender Document.

Provided that the Purchaser shall specify the occurred condition(s) owing to which the said sum is due to him. Provided further that any demand(s) / claim(s) from the Purchaser shall reach the Guarantor within thirty working days after the expiry of the Guarantee. This guarantee shall remain valid up to _____ or until furnishing of the Performance Security, whichever is later.

GUARANTOR

Signature _____ Stamp _____

CNIC # _____ Name _____

Designation _____ Address _____

Performance Security (Annexure – IV)

WHEREAS [**Name and Address of the Contractor**] (hereinafter called "the Contractor") has agreed to supply the Goods and render the Services against Tender No. _____ (hereinafter called "the Contract") for the Contract value of PKR (in **figures _____) (in words _____).**

AND WHEREAS it has been stipulated in the Tender Document that the successful Contractor shall furnish Performance Security, within three working days of the receipt of the Acceptance Letter from the Purchaser, in the form of a Bank Guarantee, issued by a scheduled bank operating in Pakistan, for a sum equivalent to 10% of the contract value, valid from the date of issue until all obligations have been fulfilled in accordance with the Contract;

AND WHEREAS [**Name of the Bank**] having registered office at [**Address of the Bank**] (hereinafter called "the Guarantor") has agreed to give the Contractor a Guarantee;

THEREFORE the Guarantor hereby affirms to bind himself, his successors and his assigns to the Purchaser, for the sum of PKR (in figures _____) (in words _____) and undertakes to pay to the Purchaser, upon receipt of his written demand(s), any sum(s) as specified by him, not exceeding the above limit in aggregate, without cavil / argument and without the Purchaser having to substantiate / prove or to show grounds / reasons for such claim(s), on the occurrence of any / all of the following conditions:

1. If the Contractor commits a default under the Contract;
2. If the Contractor fails to fulfill any of the obligations under the Contract;
3. If the Contractor violates any of the provisions of the Contract.

Provided that the Purchaser shall specify the occurred condition(s) owing to which the said sum is due to him.

Provided further that any demand(s) / claim(s) from the Purchaser shall reach the Guarantor within thirty working days after the expiry of the Guarantee.

This guarantee shall remain valid up to _____ or until all obligations have been fulfilled in accordance with the Contract, whichever is later.

Date this _____day of 2025.

Authorize quarter

Signature _____ Stamp _____

CNIC # _____ Name _____

Designation _____ Address _____

AGREEMENT FOR PROVISION OF EQUIPMENT/FIXTURE FOR THE FINANCIAL YEAR (2024-25)

This Agreement, together with APPENDICES A and B which constitute an integral part thereof (herein referred to as the Agreement), is entered between the _____ (Herein referred to as the "purchaser") of the first part; and _____(herein referred to as "Supplier"), of the second part

The parties hereto agree as under:-

1. THE PROCUREMENT

The purchaser intends to procure _____, as per supply order attached for which services of the second party is required to be performed under this Agreement during the financial year 2022-23. The increase/decrease in the number of items will be made keeping in view of requirements/limits.

2. EFFECTIVE DATE OF COMMENCEMENT OF SUPPLY

The Supplier shall deliver the _____ at designated place as indicated by Purchaser for inspection..

3. TERMS & CONDITION OF TENDER (INSTRUCTIONs TO BIDDER)

The terms & condition of tender is Appendix-A.

4.1 OBLIGATION OF THE SUPPLIER

i. The Supplier shall perform services in accordance with recognized international standards, applicable and regulations.

ii. The Supplier shall carry out the supply with due diligence and efficiency and in conformity with sound professional practices.

iii. The Supplier shall act at all times so as to protect the interests of the purchaser shall take all reasonable steps to keep all expenses to a minimum and consistent with sound economic and professional practices.

iv. The Supplier shall furnish the purchaser such information relating to the supply as the purchaser may from time reasonably request.

v. Except with the prior written approval to time of the purchaser , the Supplier shall not assign or transfer the Agreement or any part thereof nor engage any other independent Supplier or subcontractor to perform any part of the thereof.

vi. The Supplier agrees that proprietary and confidential information received from the purchaser shall not be disclosed to a third party unless the Supplier receives a written permission from the purchaser to do so.

4.2 OBLIGATIONS OF THE PURCHASER

i. The purchaser shall provide to the Supplier:

ii. All necessary data as listed in Appendix A & B that may be required by the Supplier for affecting the supply within the aforementioned time schedule.

iii. The purchaser shall take all necessary measures to make timely payments to the Supplier. The payment will however be made after Inspection of the supply by the inspection committee.

iv. The supplier shall submit 10% bank security CDR in favour of purchaser

v. After completion of the whole supply, the Bank security (CDR) will be released to contractor concerned.

5. ADDITIONAL SERVICES

The purchaser may ask the Supplier for additional Supply during this Agreement. Such additional Supply shall be performed with the prior concurrence of both the parties. The Supplier shall submit an estimate of the additional supply and time (if any) which shall be approved in writing by the purchaser before the commencement of the additional supply.

6. END OF SERVICES

The Agreement shall terminate when, pursuant to the provisions hereof, the Supply completed and the payment made.

7. FORCE MAJEURE

The term "Force Majeure as employed herein shall mean acts of God, strikes, lock-out or other industrial disturbances, acts of public enemy, wars ,blockades ,insurrection, riots , epidemics, landslides, earthquake ,storms , lighting, floods washouts, civil disturbances, explosions and any other similar events ,not within the control of either Party and which by the exercise of due diligence neither Party is able to overcome. If either Party is temporarily unable by reason of Force Majeure or the laws or regulations of Pakistan to meet any of its obligations under the Agreement, and if such Party gives to the other Party written notice, of the event within fifteen(15)days after its occurrence , such obligations of the Party ,as its inability continues . Neither Party shall be liable to the other Party for loss or damage sustained by such other Party arising from any event referred to as Force Majeure or delays arising from such event. Force Majeure shall not include insufficiency of funds or failure to make any payment required under the Agreement.

8. RESOLUTION OF DISPUTES

Any dispute or difference arising out of the Agreement which cannot be amicably settled between the Parties shall be finally settled under the provisions of the Arbitration Act, 1940 (Act

No. X of 1940) and Rules make there under as amended form time to time. The venue of arbitrations shall be in Pakistan.

9. APPLICABLE LAWS

This Agreement shall, in all respects, be read and construed and shall operate in conformity with the laws of Govt: of Khyber Pakhtunkhwa.

10. CONTRACT AGREEMENT

No variation in or modification to the terms of the Agreement shall be made, except by a written amendment signed by the Parties hereto.

11. NOTICES

Any notice given by any of the Parties hereto shall be sufficient only if in writing and delivered in person or though registered mail as follows:

12. This agreement is for the supply of _____and as per approved sample selected in tender and rebated rates under _____

To **The Purchaser: _____**

To **The Supplier: _____.**

Or to such other address as either of these Parties shall designate by notice given as required herein. Notices shall be effective when delivered.

IN WITNESS WHEREOF, The Parties have executed this Agreement, in two (02) identical counterparts, each of which shall be deemed as original, as of the day, month and year first above written.

(PURCHASER) (The SUPPLIER)

Signed by _____ Signed by _____

Designation_____

DATED _____2025

Name_____