

/openapi.json

auth



```
Code
               Description
                                                                                                      Links
                   "username": "string"
422
               Validation Error
                                                                                                      No links
               Media type
                 application/json
               Example Value Schema
                  "detail": [
                        "loc": [
                          "string",
                       "msg": "string",
"type": "string"
                     }
                  ]
                }
 POST
             /auth/google Google Auth
                                                                                                 Try it out
Parameters
No parameters
Request body required
                                                                                  application/json
Example Value Schema
   "utm_source": "string",
"utm_medium": "string",
"utm_campaign": "string",
  "utm_term": "string",
"utm_content": "string",
"ref": "string",
   "token": "string"
Responses
               Description
Code
                                                                                                      Links
200
                                                                                                      No links
               Successful Response
               Media type
```

```
Code
              Description
                                                                                               Links
                application/json
              Controls Accept header.
              Example Value Schema
                 "user_id": "string",
"token": "string",
"email": "string",
                 "username": "string"
422
              Validation Error
                                                                                               No links
              Media type
                application/json
              Example Value Schema
                 "detail": [
                      "loc": [
                        "string",
                      ],
"msg": "string",
"type": "string"
                   }
                 ]
               }
 POST
            /auth/submit_token Submit Token
Parameters
                                                                                           Try it out
No parameters
Request body required
                                                                            application/json
Example Value Schema
   "token": "string"
Responses
```



transcripts



Name **Description** Authorization * required Authorization string (header) Request body required application/json Example Value Schema {} Responses Code Description Links 200 Transcript segments successfully ingested No links Media type application/json Controls Accept header. Example Value Schema "status": "success",
"segments_ingested": 5 Invalid request No links 400 Media type application/json **Example Value** "detail": "Each segment must contain 'content'" Content not found No links 404 Media type application/json **Example Value**

```
Code
            Description
                                                                                     Links
               "detail": "Content not found with external_id meeting123 an
             d type meeting"
422
            Validation Error
                                                                                     No links
            Media type
              application/json
            Example Value Schema
               "detail": [
                    "loc": [
                      "string",
                    "msg": "string",
"type": "string"
               ]
             }
           /api/transcripts/segments/{external_id_type}/{external_id}
 GET
           Get Transcript Segments
Parameters
                                                                                 Try it out
                              Description
Name
external_id * required
                               external_id
string
(path)
external_id_type * required
                               external_id_type
string
(path)
last_msg_timestamp
                               last_msg_timestamp
string | (string | null)
($date-time)
(query)
authorization * required
                               authorization
string
(header)
Responses
```

Code Description Links

200 Successfully retrieved transcript segments

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
"content": "Hello everyone, welcome to the weekly team me
eting.",
    "start_timestamp": "2024-03-25T10:00:00Z", 
"end_timestamp": "2024-03-25T10:00:05Z",
    "speaker": "John Doe",
    "confidence": 0.95,
    "words": [
         "word": "Hello",
"start": 0,
         "end": 0.5
         "word": "everyone",
         "start": 0.5,
         "end": 1
    "server_timestamp": "2024-03-25T10:00:00Z",
    "present_user_ids": [
      "user1",
       "user2"
  }
```

400 Invalid request

No links

Media type

application/json

Example Value

```
{
  "detail": "Invalid external_id_type: invalid_type"
}
```

404 Content not found

No links

Media type

application/json

Example Value

```
{
  "detail": "Content not found with external_id meeting123 an
d type meeting"
}
```

```
Code
            Description
                                                                                    Links
            Validation Error
                                                                                    No links
422
            Media type
              application/json
            Example Value Schema
               "detail": [
                   "loc": [
                     "string",
                    "msg": "string",
                    "type": "string"
               ]
             }
           /api/transcripts/transcripts/{transcript_id}/access
  PUT
           Update Transcript Access
                                                                                Try it out
Parameters
Name
                          Description
transcript_id * required
                           transcript_id
string($uuid)
(path)
authorization * required
                           authorization
string
(header)
Request body required
                                                                   application/json
Example Value Schema
  "access_level": "read",
  "target_user_id": "123e4567-e89b-12d3-a456-426614174000"
Responses
```

Code **Description** Links 200 Successfully updated transcript access No links Media type application/json Controls Accept header. Example Value Schema "status": "success" 400 Invalid request No links Media type application/json **Example Value** "detail": "Invalid access level" Access denied No links 403 Media type application/json **Example Value** "detail": "Access denied" Transcript not found No links 404 Media type application/json **Example Value** "detail": "Transcript not found" Validation Error 422 No links Media type application/json Example Value Schema

Code Description Links

```
Schemas
```

```
AccessLevel ^ Collapse all string
```

```
#0="owner"
#1="shared"
#2="removed"
```

AuthResponse ^ Collapse all object

```
user_id* string

token* string

email* string

username ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null
```

DefaultAuthRequest ^ Collapse all object

```
email* string email

username ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

first_name ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

last_name ^ Collapse all (string | null)
```

```
Any of ↑ Collapse all (string | null)
         #0 string
         #1 null
   utm_source ^ Collapse all (string | null)
      Any of ^ Collapse all (string | null)
         #0 string
         #1 null
   utm_medium ^ Collapse all (string | null)
      Any of ^ Collapse all (string | null)
         #0 string
         #1 null
   utm_campaign ^ Collapse all (string | null)
      Any of ↑ Collapse all (string | null)
         #0 string
         #1 null
   utm_term ^ Collapse all (string | null)
      Any of ↑ Collapse all (string | null)
         #0 string
         #1 null
   utm_content ^ Collapse all (string | null)
      Any of ↑ Collapse all (string | null)
         #0 string
         #1 null
   ref ^ Collapse all (string | null)
      Any of ^ Collapse all (string | null)
         #0 string
         #1 null
GoogleAuthRequest ^ Collapse all object
   utm_source ^ Collapse all (string | null)
      Any of ^ Collapse all (string | null)
         #0 string
         #1 null
   utm_medium ^ Collapse all (string | null)
      Any of ↑ Collapse all (string | null)
         #0 string
         #1 null
   utm_campaign ^ Collapse all (string | null)
      Any of ↑ Collapse all (string | null)
         #0 string
```

```
#1 null
   utm_term ^ Collapse all (string | null)
     Any of ↑ Collapse all (string | null)
        #0 string
        #1 null
   utm_content ^ Collapse all (string | null)
      Any of ↑ Collapse all (string | null)
         #0 string
        #1 null
   ref ↑ Collapse all (string | null)
      Any of ↑ Collapse all (string | null)
        #0 string
        #1 null
   token* string
HTTPValidationError ^ Collapse all object
   detail ^ Collapse all array<object>
      Items ^ Collapse all object
         loc* ^ Collapse all array<(string | integer)>
            Items ↑ Collapse all (string | integer)
               Any of ↑ Collapse all (string | integer)
                 #0 string
                 #1 integer
         msg* string
         type* string
SubmitTokenRequest ^ Collapse all object
  token* string
TokenResponse ^ Collapse all object
   user_id* string
   user_name* string
   email* string
   image ↑ Collapse all (string | null)
      Any of ↑ Collapse all (string | null)
         #0 string
        #1 null
```

```
target_user_id* string uuid
   access_level* ^ Collapse all string
      Enum ^ Collapse all array
        #0="owner"
         #1="shared"
        #2="removed"
   Example ^ Collapse all object
      access_level="read"
      target_user_id="123e4567-e89b-12d3-a456-426614174000"
ValidationError ^ Collapse all object
   loc* ^ Collapse all array<(string | integer)>
      Items ↑ Collapse all (string | integer)
         Any of ^ Collapse all (string | integer)
           #0 string
           #1 integer
   msg* string
```

type* string