

RLS Policy Documentation

Justin Ramas | John Anthony Romeo | Joel Franco Navales

Nearly **All** Programmers **Sleeping**

profiles Table RLS Policies

profiles			Disable RLS	Create policy	
NAME	COMMAND	APPLIED TO			
profiles_select_policy	SELECT	authenticated			
profiles_update_policy	UPDATE	authenticated			

Table Name	Operation	Policy SQL Expression	Rule Description
profiles	SELECT	alter policy "profiles_select_policy" on "public"."profiles" to authenticated using (true);	Allows any logged in user to view any user profile.
profiles	UPDATE	alter policy "profiles_update_policy" on "public"."profiles" to authenticated using ((auth.uid() = id));	Allows a logged in user to update only their own profile data.

posts Table RLS Policies

 posts

Disable RLS

Create policy



NAME	COMMAND	APPLIED TO	
posts_delete_policy	DELETE	authenticated	⋮
posts_insert_policy	INSERT	authenticated	⋮
posts_select_policy	SELECT	authenticated	⋮

Table Name	Operation	Policy SQL Expression	Rule Description
posts	SELECT	alter policy "posts_select_policy" on "public"."posts" to authenticated using (true);	Allows any logged in user to view all posts on the platform.
posts	INSERT	alter policy "posts_insert_policy" on "public"."posts" to authenticated with check ((auth.uid() = user_id));	Allows a logged in user to create posts only under their own account.
posts	DELETE	alter policy "posts_delete_policy" on "public"."posts" to authenticated using ((auth.uid() = user_id));	Allows a logged in user to delete only the posts they created.

likes Table RLS Policies

likes Disable RLSCreate policy		
NAME	COMMAND	APPLIED TO
likes_delete_policy	DELETE	authenticated
likes_insert_policy	INSERT	authenticated
likes_select_policy	SELECT	authenticated

Table Name	Operation	Policy SQL Expression	Rule Description
likes	SELECT	alter policy "likes_select_policy" on "public"."likes" to authenticated using (true);	Allows any logged in user to see who liked the posts.
likes	INSERT	alter policy "likes_insert_policy" on "public"."likes" to authenticated with check ((auth.uid() = user_id));	Allows a logged in user to add a like under their own account.
likes	DELETE	alter policy "likes_delete_policy" on "public"."likes" to authenticated using ((auth.uid() = user_id));	Allows a logged in user to remove only their own likes.

comments Table RLS Policies

comments			Disable RLS	Create policy	
NAME	COMMAND	APPLIED TO			
comments_delete_policy	DELETE	authenticated			
comments_insert_policy	INSERT	authenticated			
comments_select_policy	SELECT	authenticated			

Table Name	Operation	Policy SQL Expression	Rule Description
comments	SELECT	alter policy "comments_select_policy" on "public"."comments" to authenticated using (true);	Allows any logged in user to read comments left on posts.
comments	INSERT	alter policy "comments_insert_policy" on "public"."comments" to authenticated with check ((auth.uid() = user_id));	Allows a logged in user to write comments under their own account.
comments	DELETE	alter policy "comments_delete_policy" on "public"."comments" to authenticated using (((auth.uid() = user_id) OR (auth.uid() = (SELECT	Allows a comment to be deleted only by the user who wrote it or by the owner of the post.

		<pre>posts.user_id FROM posts WHERE (posts.id = comments.post_id)))));</pre>	
--	--	---	--

follows Table RLS Policies

follows			Disable RLS	Create policy	
NAME	COMMAND	APPLIED TO			
follows_delete_policy	DELETE	authenticated			
follows_insert_policy	INSERT	authenticated			
follows_select_policy	SELECT	authenticated			

Table Name	Operation	Policy SQL Expression	Rule Description
follows	SELECT	<pre>alter policy "follows_select_policy" on "public"."follows" to authenticated using (true);</pre>	Allows any logged in user to see who follows who.
follows	INSERT	<pre>alter policy "follows_insert_policy" on "public"."follows" to authenticated with check ((auth.uid() = follower_id));</pre>	Allows a logged in user to follow another account as themselves.

follows	DELETE	alter policy "follows_delete_policy" on "public"."follows" to authenticated using ((auth.uid() = follower_id));	Allows a logged in user to unfollow another account as themselves.
---------	--------	---	--

comment_likes Table RLS Policies

comment_likes

Disable RLS

Create policy

NAME	COMMAND	APPLIED TO	
comment_likes_delete_policy	DELETE	authenticated	
comment_likes_insert_policy	INSERT	authenticated	
comment_likes_select_policy	SELECT	authenticated	

Table Name	Operation	Policy SQL Expression	Rule Description
comment_likes	SELECT	alter policy "comment_likes_select_policy" on "public"."comment_likes" to authenticated using (true);	Allows any logged in user to view likes on comments.
comment_likes	INSERT	alter policy "comment_likes_insert_policy"	Allows a logged in user to like a comment under their own

		on "public"."comment_likes" to authenticated with check ((auth.uid() = user_id));	account.
comment_likes	DELETE	alter policy "comment_likes_delete_ policy" on "public"."comment_likes" to authenticated using ((auth.uid() = user_id));	Allows a logged in user to remove only their own comment likes.

reposts Table RLS Policies

reposts			Disable RLS	Create policy	
NAME	COMMAND	APPLIED TO			
reposts_delete_policy	DELETE	authenticated			
reposts_insert_policy	INSERT	authenticated			
reposts_select_policy	SELECT	authenticated			

Table Name	Operation	Policy SQL Expression	Rule Description
reposts	SELECT	alter policy "reposts_select_policy" on "public"."reposts" to authenticated	Allows any logged in user to see all reposts.

		<pre>using (true);</pre>	
reposts	INSERT	<pre>alter policy "reposts_insert_policy" on "public"."reposts" to authenticated with check ((auth.uid() = user_id));</pre>	Allows a logged in user to share a repost under their own account.
reposts	DELETE	<pre>alter policy "reposts_delete_policy" on "public"."reposts" to authenticated using ((auth.uid() = user_id));</pre>	Allows a logged in user to remove only their own reposts.

notifications Table RLS Policies

 notifications

Disable RLS

Create policy



NAME	COMMAND	APPLIED TO	
notifications_insert_policy	INSERT	public	⋮
notifications_select_policy	SELECT	public	⋮
notifications_update_policy	UPDATE	public	⋮

Table Name	Operation	Policy SQL Expression	Rule Description
notifications	SELECT	alter policy "notifications_select_policy" on "public"."notifications" to public using ((recipient_id = auth.uid()));	Allows a user to view only the notifications sent to them.
notifications	INSERT	alter policy "notifications_insert_policy" on "public"."notifications" to public with check ((auth.role() = 'authenticated'::text));	Allows any logged in user to create a new notification.
notifications	UPDATE	alter policy "notifications_update_policy" on "public"."notifications" to public using ((recipient_id = auth.uid()));	Allows a user to update only the notifications they received.