Pantry Pal: what happens next

Six steps from here to finished user tests. Tick the boxes as you go. Anything technical is Christopher's job; just ask him.

1 The app is ready

WHO: Christopher (nothing for you to do)

The app is online. Christopher won't change it on testing days, so every tester sees the same app.

- ☐ Open the Version A and Version B links (bottom of this page) once, so you know what testers will see

2 Agree on the A/B test

WHO: the whole team

The app comes in two versions. They only differ in **how you add groceries**:
Version A: a big round **+** button in the middle of the bottom bar.
Version B: no + button. Instead, an **Add** button at the top of the Pantry page.
The question: *which one helps people add their spinach faster, with fewer wrong taps?*

- ☐ Agree that this is the A/B question (or tell Christopher what to change in Version B)
- ☐ Agree what to measure: did they finish? where did they tap first? how long did adding take?
- ☐ Decide who sees which version (easiest: take turns, A, B, A, B…)

3 Write the test plan

WHO: you + team

Fill in the class template (User_Test_Plan_Template.pdf). The task testers do is already built into the app: *"You just bought spinach. Get it into your pantry, find a recipe that uses it, then save and share that recipe."*

- ☐ Task scenario (copy the sentence above)
- ☐ Who the participants are and how many
- ☐ The A/B design from step 2
- ☐ Which UXtweak tests you'll use (First Click, Five Second, Preference, website test)

Handy links

Version A	https://senahpomaikai.github.io/pantry-pal/?v=a
Version B	https://senahpomaikai.github.io/pantry-pal/?v=b
No task text	add **&task=0** to the end of either link

Use &task=0 when UXtweak shows the instructions itself, so testers don't see them twice. Nothing a tester does is saved; refreshing the page starts fresh.

4 Set up the tests

WHO: you (Christopher gives you the pictures)

Use the **Version A** and **Version B** links from page 1. They don't change.

- [ ] Get the folder of app pictures from Christopher and upload them to the UXtweak picture tests
- [ ] In the UXtweak website test, paste a link. Use the A link for some testers and the B link for others
- [ ] Try the eye-tracking software once on the laptop you'll use. Make sure it records

5 Run 2 practice (pilot) tests

WHO: you + one helper

Pilots are dress rehearsals. You're mostly checking that **the test itself** works: are the instructions clear? does UXtweak record? Ideally do one with Version A and one with Version B.

- [ ] Pilot 1: write down the date, the link, and the version (A or B)
- [ ] Pilot 2: same again
- [ ] Note anything confusing about the instructions or the setup and fix it before the real tests
- [ ] Write down what you saw (a simple notes doc or spreadsheet is fine)

6 Run the real tests and write it up

WHO: you + team

After the pilots, test with your 10 people. Keep the app the same the whole time, so results are fair.

- [ ] Tell Christopher about anything that broke during the pilots (he fixes it before the real tests)
- [ ] Run the tests, splitting people between Version A and Version B
- [ ] List the problems you saw, from worst to smallest
- [ ] Compare A and B: who finished, where they tapped first, how long adding took