


-----Original Message-----
From: Daragan, Karen M.
Sent: Tuesday, March 02, 1999 6:55 PM
To: Cooper, David; Pfeil, Michael E.; Lattanzio, Ted; Borelli, Thomas; McKittrick, Beverly; Carnovale, Mary E.; Mohrmann, Christine
Cc: Lenzi, Jack
Subject: YSP-SGA-PA Plan Implementation

In taking a look at our YSP-SGA-PA Plan, there are eight clear and distinct pieces that need to be implemented. You guys are the eight folks that have been chosen to lead the teams to implement those pieces of the plan.

Are you all available for a quick meeting on Thursday this week (Bev: you can join by phone) to talk about your implementation teams and set up meetings to create implementation plans? How about 11 - 12:30 or 2-3:30 pm?

Here's the breakdown:
1. Education/Communication: Pfeil
2. Model Legislation: Mohrmann
3. Research: Cooper
4. Legislative Orgs/Forums/Foundation: Lattanzio
5. Policy Groups Outreach: Borelli/McKittrick
6. Youth Orgs Ourtreach: Daragan
7. Media Relations: Carnovale
8. State Activity: Lenzi

Please take another look at your section of the plan and come with a list of people that you think should sit on your team and your next steps for follow-up meetings and implementation. We'll discuss as a group. I don't think we need more than 1 1/2 hours for this. Thanks!!! Let me know about Thu . . .

KD
Youth Smoking Prevention

2078785553B

1

Belge 1 / 20 · E-posta

test_email_00109.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. gonderen
   gan, Karen M.

2. alici
   Cooper, David: Pfeil, Michael E.; Lattanzio, Ted; Borelli, Thomas; Mciittrick, Beverly; Cemovale, Mary E.; Mohrmann, Christine

3. konu
   YSP-SGA-PA Plan Implementation

4. tarih
   Tuesday, March 02, 1999 6:55 PM

5. e_postalar
   — (bulunamadı)

6. govde_ozeti
   In taking a look at our YSP-SGA-PA Plan, there are eight clear and distinct pieces that need to be implemented. You guys are the eight folks that have been chosen to lead the teams to implement those

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
-----Original Message-----
From: gan, Karen M.
Sent: Tuesday, March 02, 1999 6:55 PM
To: Cooper, David: Pfeil, Michael E.; Lattanzio, Ted; Borelli, Thomas;
Mciittrick, Beverly; Cemovale, Mary E.; Mohrmann, Christine
Ja
Subject: YSP-SGA-PA Plan Implementation
In taking a look at our YSP-SGA-PA Plan, there are eight clear and
distinct pieces that need to be
implemented. You guys are the eight folks that have been chosen to
lead the teams to implement those
pieces of the plan.
Are you all available for a quick meeting on Thursday this week (Bev:
you can join by phone) to talk
about your implementation teams and set up meetings to create
impiementation plans? How about 11
12:30 or 2-3:30 pm?
Here's the breakdown:
1. Education/Communication: Pfeil
2. Model Legislation: Mohrmann
3. Research: Cooper
4. Legislative Orgs/Forums/Foundation: Lattanzio
5. Policy Groups Outreach: Borelli/McKiturick
6. Youth Orgs Ourtreach: Daragan
7. Media Relations: Carnovale
8. State Activity: Lenzi
Please take another look at your section of the plan and come with a
list of people that you think should
sit on your team and your next steps for follow-up meetings and
implementation. We'll discuss as a
```

BRAND	Cigarette ID	Spec Revision	Change Description
WINSTON 100 TAXABLE PUERTO RICO	2001257	AA	New Cigarette Specification
SALEM 100 TAXABLE PUERTO RICO	2001259	AB	Add tob.wt., chg tipp paper, cigt paper dil
MONTE CARLO 100 (LATIN AMERICA)	2001278	AA	New Cigarette Specification
RIVER 100(LATIN AMERICA)	2001279	AA	New Cigarette Specification
MONTE CARLO LTS 100 (LATIN AMERICA)	2001269	AA	New Cigarette Specification
SALEM LT 84 CPB ASIAN E	2001240	AC	Dilution,F.Capacity,Firmness
SALEM 85 MEN THAILAND	2000678	AU	Tob wt, F.C., Nic, Men,Tar, and Filter
SALEM LIGHT 85 MEN THAILAND	2001090	AD	Tob. wt,F.C., Menthol
VANTAGE LT 98 CPB CHAR JAPAN	2000097	AV	Tob. Wt. to increase Fill Ratio and Dil
CAMEL LIGHT 84 CPB	2000835	AU	T/N reduciton confirmation testing
SALEM 85 MEN SAUDI ARABIA	2001298	AA	New Cigarette Specification
SALEM 100 MEN SAUDI ARABIA	2001299	AA	New Cigarette Specification
WINSTON SUPER LGTH 98 REG CPB SAUDI ARABIA	2001297	AA	New Cigarette Specification
WINSTON 84 REG CPB SAUDI ARABIA	2001296	AA	New Cigarette Specification
WINSTON 85 REG SAUDI ARABIA	2001295	AA	New Cigarette Specification
CAMEL FILTER 84 REG SAUDI ARABIA	2001294	AA	New Cigarette Specification
CAMEL FILTER 84 REG CPB GULF OTHERS	2000836	AT	Change Blend, Tobacco Wt, Fill Capa
CAMEL LIGHT 84 REG CPB GULF	2000835	AU	Change Blend, Tobacco Wt, Fill Capa
CAMEL FILTER 85 REG GULF	2000203	BK	Change Blend, Tobacco Wt, Fill Capa
CAMEL MEDIUM 84 CP ISRAEL	2001301	AA	New Cigarette Specification
WINSTON 85 GULF OTHERS	2001308	AA	New Cigarette Specification
WL84 CPB SAUDI/GULF OTHERS	2001310	AA	New Cigarette Specification

53097 9430

RJR0000000537020771
70046 0364

Belge 2 / 20 · E-posta

test_email_00167.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. gonderen
   — (bulunamadı)

2. alici
   — (bulunamadı)

3. konu
   — (bulunamadı)

4. tarih
   — (bulunamadı)

5. e_postalar
   — (bulunamadı)

6. govde_ozeti
   BRAND Cigarette Spec Change Description 1D Revision WINSTON 100 TAXABLE PUERTO RICO 2001257 AA New Cigarette Specification

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
BRAND Cigarette Spec Change Description
1D Revision
WINSTON 100 TAXABLE PUERTO RICO 2001257 AA New Cigarette Specification
SALEM 100 TAXABLE PUERTO RICO 2001259 AB Ado tob.wt., chg tipp paper,
cigt paper
MONTE CARLO 100 (LATIN AMERICA) 2001278 AA New Cigarette Specification
RIVER 100(LATIN AMERICA) 2001279 AA New Cigarette Specification
MONTE CARLO LTS 100 (LATIN AMERICA) 2001269 AA New Cigarette
Specification
SALEM LT 84 CPB ASIAN E 2001240 AC _Dilution,F.Capacity,Firmness
SALEM 85 MEN THAILAND. 2000678 AU Tobw, F.C., Nic, Men, Tar, and
Filter
SALEM LIGHT 85 MEN THAILAND 2001090 AD Tob.wt,F.C., Menthol
VANTAGE LT 98 CPB CHAR JAPAN 2000097 AV Tob. Wt. to increase Fill
Ratio and Dik
CAMEL LIGHT 84 CPB 2000835 AU __T/N reduciton confirmation testing
SALEM 85 MEN SAUDI ARABIA 2001298 AA New Cigarette Specification
SALEM 100 MEN SAUDI ARABIA 2001299 AA New Cigarette Specification
WINSTON SUPER LGTH 98 REG CPB SAUDI ARABIA 2001297 AA New Cigarette
Specification
WINSTON 84 REG CPB SAUD! ARABIA 2001296 AA New Cigarette Specification
WINSTON 85 REG SAUDI ARABIA 2001295 AA New Cigarette Specification
CAMEL FILTER 84 REG SAUDI ARABIA 2001294 AA New Cigarette
Specification
CAMEL FILTER 84 REG CPB GULF OTHERS 2000836 AT Change Blend, Tobacco
Wt, Fill Capa
CAMEL LIGHT 84 REG CPB GULF 2000835 AU Change Blend, Tobacco Wi, Fill
Capa
CAMEL FILTER 85 REG GULF 2000203 BK Change Blend, Tobacco Wt, Fill
Capa
```

Chaikin, Karen

From: Chaikin, Karen
Sent: Friday, July 16, 1999 7:45 AM
To: Fernandez, Henry L.; Dillard, Jack
Subject: RE: Tobacco Use Reduction & Teenage Smoking Prevention Network of TX

Henry,
Thanks for following up with Bob.

Jack: If you or Weldon have anything new to add that Henry should be aware of, please let us know.

KC
Youth Smoking Prevention

2072356527 A

Belge 3 / 20 · E-posta

test_email_00198.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. gonderen
   Chaikin, Karen

2. alici
   Fernandez, Henry L.; Dillard, Jack

3. konu
   RE: Tobacco Use Reduction & Teenage Smoking Prevention Network of TX


4. tarih
   Friday, July 16, 1999 7:45 AM

5. e_postalar
   — (bulunamadı)

6. govde_ozeti
   Henry, Thanks for following up with Bob. Jack: If you or Weldon have anything new to add that Henry should be aware of, please let us know.

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
Chaikin, Karen
From: Chaikin, Karen
Sent: Friday, July 16, 1999 7:45 AM
To: Fernandez, Henry L.; Dillard, Jack
Subject: RE: Tobacco Use Reduction & Teenage Smoking Prevention
Network of TX
Henry,
Thanks for following up with Bob.
Jack: If you or Weldon have anything new to add that Henry should be
aware of, please let us know.
KC
Youth Smoking Prevention
2072356527 A
```



From: Cox, Mickie O.
To: Bledsoe, Maude C.; Bowman, Cyrus S.; Hendrickson, Selina; Montgomery, Nancy W.; Walkup, Donna F.
CC:
BCC:
Primary Date: 8/22/1997 11:17:00 AM
Last Modified Date: 2001-Nov-20 13:27:36
Last Touched Date:
Sent Date: 1997-Aug-22 11:17:00
Received Date: 1997-Aug-22 11:17:00
Subject: DORALFM.XLS

Attachments:
DORALFM.XLS

52797 2637

RJR0000000423086574
70013 5265

Belge 4 / 20 · E-posta

test_email_00132.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. gonderen
   Cox, Mickie O.

2. alici
   Bledsoe, Maude C.; Bowman, Cyrus S.; Hendrickson, Selina; Montgomery, Nancy

3. konu
   DORALFM.XLS


4. tarih
   8/22/1997

5. e_postalar
   — (bulunamadı)

6. govde_ozeti
   Last Touched Date: Sent Date: 1997-Aug-22 11:17:00 Received Date: 1997-Aug-22 11:17:00

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
From: Cox, Mickie O.
To: Bledsoe, Maude C.; Bowman, Cyrus S.; Hendrickson, Selina;
Montgomery, Nancy
W.; Walkup, Donna F,
cc:
BCC:
Primary Date: 8/22/1997 11:17:00 AM
Last Modified Date: 2001-Nov-20 13:27:36
Last Touched Date:
Sent Date: 1997-Aug-22 11:17:00
Received Date: 1997-Aug-22 11:17:00
Subject: DORALFM.XLS
Attachments:
DORALEM.XLS
RJRO000000423086574
70013 5265
Zeg2 26L2e¢
```



-----Onginal Message-----
From. Anziska, Evan
Sent: Tuesday, March 21, 2000 3 53 PM
To Clare Purcell, David Tovar, Deidra Barnes, Ellen Micenko, Jack Macauley, James Lindheim, Johan Puotila, John Sorrells, LaTessha Larkins, Laune Guzzinati, Liliana Esposito, Mike York, Peggy Roberts, Susan Mandola, Tara Carraro, Vic Han
Cc. Bennie Darden, Brendan McCormick, Charlie Agee, Ellen Merlo, Gayathn Chandran, Holly Snyder, Jean Crabill, Jessica Wadkins, Karl Cheuvront, Katherine Otto, Kathy Waters, Kevin Berry, Kimberlie Farlow, Mary Camovale, Melodee Nelson, Michael Pfeil, Monique Tapie, Patty Wells, Robin Hulsey, Terry D Hanson, Thomas Ryan
Subject. AP Story

20784275634

Belge 5 / 20 · E-posta

test_email_00184.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. gonderen
   — (bulunamadı)

2. alici
   — (bulunamadı)

3. konu
   — (bulunamadı)


4. tarih
   Tuesday, March 21, 2000 353 PM

5. e_postalar
   — (bulunamadı)

6. govde_ozeti
   Clare Purcell, David Tovar, Oexdira Barnes, Ellen Micenko, Jack Macauley, James Lindheim, Johan Puotia, John Sorrells, LaTessha Larkins, Laune Guzzinab, Liana Esposito, Mike York, Peggy Roberts, Susan

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
--Onginal Message---
From. Anziska, Evan
Sent: Tuesday, March 21, 2000 353 PM
Clare Purcell, David Tovar, Oexdira Barnes, Ellen Micenko, Jack
Macauley, James Lindheim, Johan
Puotia, John Sorrells, LaTessha Larkins, Laune Guzzinab, Liana
Esposito, Mike York, Peggy
Roberts, Susan Mandola, Tera Carraro, Vic Han
Bennie Darden, Brendan McCormick, Charlie Agee, Ellen Merlo, Gayathn
Chandran, Holly Snyder,
Jean Crabill, Jessica Wadkins, Karl Cheuvront, Kathenne Otto, Kathy
Waters, Kevin Berry, Kimberie
Farlow. Mary Cumovale, Melodee Nelson, Michael Piel, Monque Tapie,
Patty Wells, Robin Hulsey,
Terry D Hanson, Thomas Ryan
AP Story
VE9SLZv8L02
```



Belge 6 / 20 · Fatura

test_invoice_00295.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. fatura_no
   — (bulunamadı)

2. tarih
   Jan 26, 2000


3. firma
   Television/Flim/Theatre

4. toplam_tutar
   $300.00

5. tutarlar
   $150.00, $300.00

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
Acting for Television/Flim/Theatre est. 1956
35 West 45 St» 6th Fl NYC 10036
(212) 840-7025
INVOICE
Jan 26, 2000
CCl
Luther Fontaine
90 Grandview Ave
Great Neck.NY 11020
it: Ivonne Pendarvis
RE: INVOICE FOR STUDIO RENTAL (ON-CAMERA)
REF: Phillip Morris
Tues Jan 25 1/2 DAY $150.00
Wed Jan26 1/2 DAY $150.00
TOTAL $300.00
lease make check payable to Weist Barron
Thank You,
Valerie Adami
4296699802
```



Sports Illustrated

Invoice

NO. 2181090

DATE 03/25/88

PAGE 1

TIME & LIFE BUILDING • ROCKEFELLER CENTER • NEW YORK, NY 10020

MAKE CHECKS PAYABLE TO: SPORTS ILLUSTRATED AND MAIL TO: ADDRESS INDICATED

LORILLARD MEDIA SERVICES
ATTN: MS BETTY EPPERSON
ONE PARK AVENUE - 17FL
NEW YORK NY 100165896

P.O. Box 5979
Church St. Station
New York, NY 10249

P. O. Box 93503
Chicago, IL 60673

ADVERTISER NEWPORT CIGARETTES
BRAND/DIV LORILLARD DIVISION
PARENT LOEWS CORPORATION

TERMS 2% - 10 DAYS

ITEM	ISSUE	EDITION	CLASS	ITEM DESCRIPTION		CARD RATE	NET AMOUNT
01	03/21/88	LSEL		1 PAGE 4C	1X	75,515.00	
				AGENCY DISCOUNT		11,327.25-	
				NAT LESS SI SELECT			64,187.75

MAGAZINE S,LL
BRAND New
ISSUE 3/21
INSERTION 1
ESTIMATE 1
INV NO 2181090
INV DATE 3/21
AMOUNT 60388.63
DATE PD 4-08-88
CHECK # 008243

*NON-COMMISSION ITEM

Pay This Amount 64,187.75

PLEASE RETURN ATTACHED COPY WITH PAYMENT

87063881

Belge 7 / 20 · Fatura

test_invoice_00208.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. fatura_no
   — (bulunamadı)

2. tarih
   03/25/88


3. firma
   TIME & LIFE BUILDING ROCKEFELLER CENTER

4. toplam_tutar
   — (bulunamadı)

5. tutarlar
   — (bulunamadı)

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
No. 2281090]
7 _Invoice DATE 03/25/88
PAGE i
TIME & LIFE BUILDING ROCKEFELLER CENTER NEW YORK, NY 10020
Al
MAKE CHECKS PAYABLE TO: SPORTSILLUSTRATED AND MAIL TO: v noe iy
LORILLARD MEDIA SERVICES
ATIN: MS BETTY EPPERSON P.O. Box 5979
ONE PARK AVENUE 17FL Church St. Station
NEW YORK NY 100165896 New York, NY 10249
aovertiseR NEWPORT CIGARETTES P. O. Box 93503
eranoioiv LORILLARD DIVISION Chicago, IL 60673
PARENT LOEWS CORPORATION reras 2%.- 10 0av8
1 PAGE 4C 759515200
AGENCY DISCOUNT 119327-25I SELECT 649187075
*NON-COMMISSION ITEM
```



#1501-A 1/87

VOUCHER

July 24, 1989 19

PHILIP MORRIS
U. S. A.

TO: DR PHILIP S. GUZELIAN
CLINICAL TOXICOLOGY ASSOCIATES PC
3 ROSLYN HILLS DRIVE
RICHMOND VA 23229

Professional services (7/13/89) $1000.00 plus	
air line ticket (NY to Richmond) $189.00	$1189.00
PLEASE RETURN CHECK TO NANCY PETERS OC/A2W July 28,	
1989 FOR TRANSMITTAL	

MO.
RECEIPT
CAL'N:
PAYMENT:
ACCT. CODE
VOUCHER NUMBER 520-010-000

2023550823

Belge 8 / 20 · Fatura

test_invoice_00274.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. fatura_no
   — (bulunamadı)

2. tarih
   July 24, 1989


3. firma
   NANCY

4. toplam_tutar
   — (bulunamadı)

5. tutarlar
   $1000.00, $1189.00

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
VOUCHER
July 24, 1989 19
U.S.A.
DR PHILIP S. GUZELIAN
RICHMOND VA 23229
CLINICAL TOXICOLOGY ASSOCIATES PC
3 ROSLYN HILLS DRIVE
Professional services (7/13/89) $1000.00 plus
air line ticket (NY to Richmond) $189.00 $1189.00 I
PLEASE RETURN CHECK TO NANCY PETERS OC/A2W July 28)
1989 FOR TRANSMITTAL
a tt
fo
ft
520-010-000 ees
1 Il 4
2023550823
```



☐ RJRN
☒ RJRT
☐ RJRTI
☐ OTHER

ACCOUNTS PAYABLE VOUCHER
SEE INSTRUCTIONS ON BACK

270060

April 10, 19 90

0136 0003
9/8

☒ Mail to payee ☐ Other
☐ Call for check pick-up – Name Ext.
☐ Return Name Dept. Name
Bldg. Rm. No.

Check to be dated May 18, 1990

ISSUE CHECK TO
Name California All Starts
Attn: Mike Rojas

$ 3,000 CENTS 00

Employee Account No: (if applicable)

Address 11321 1/2 Collins Street

City North Hollywood, State CA Zip 91601

Explanation: Sponsorship of the Sonora Poncena and Grupo Niche Concert.

Special Payment information to appear on check stub:

51316 2565

Related AR/AC/CA/Contract Number:

G/L Account Code	Other Required Code	Amount
04 73 4603 8390 869	000207-041409	$3,000.00

William S. Lindquist
Approval Authority Name (Type or Print)

Approval Authority Signature

Requestor Signature

Extn: 1403

G. G. Strauss

NOTE: Property approved and coded original invoice can be used in lieu of this form.

RJRT Form 57 – Rev 5/89

ORIGINAL

Belge 9 / 20 · Fatura

test_invoice_00224.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. fatura_no
   — (bulunamadı)

2. tarih
   — (bulunamadı)


3. firma
   California All Starts

4. toplam_tutar
   — (bulunamadı)

5. tutarlar
   $9, $3,000.00

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
+ ACCOUNTS PAYABLE VOUCHER eT 0 060
SEE INSTRUCTIONS ON BACK
OO pati April 10 19 90
is) Mall to payee 0 Other
0 Call for check pick-up Name
Bldg,
ISSUE CHECK TO... $
Name___ California All Starts
n: @,Rojas_.
Employee Account No: (it applicable)
Address
cty__North Hollywood, "gus CA zp __91601
Explanation: "Sponsorship Of the Sonora Poncena and Grupo
eee
Niche Concert.
Special Payment information to appear on check stub:
$9SZ 9teTs
Related AR/AC/CA/Contract Number:
GIL Account Code Other Required Code. Arai
04, 73 4603 §390 869 000207-041409 $3,000.00
William S. Lindquist 1403
Extn:
Approval Authority Name (Type pr Print) Requestor Signature G. G. Str,
auss
N NOTE: Pri 'oved and coded
ES WA erga? vale Can Be Sood
Approval Authority Zignature 2S r>) feu of this form.
RJAT Form 67 Rev 5/89 ORIGINAL
```





Belge 10 / 20 · Fatura

test_invoice_00289.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. fatura_no
   — (bulunamadı)

2. tarih
   — (bulunamadı)

3. firma
   MEMO: F

4. toplam_tutar
   — (bulunamadı)

5. tutarlar
   — (bulunamadı)

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
Use full name and department when directing mail.
MEMO: F
2250002SS
```

NSA NATIONAL BOARD OF ADVISORS

The Honorable William J. Althaus, Chairman
Former Mayor, York, PA
Former President, U.S. Conference of Mayors

Wm. C. "Bill" Anderson
Government Relations Representative

Jeanie Austin
Co-Chairman,
Republican National Committee

Oscar J. Coffey Jr., LL.D.
President/CEO,
U.S. African-American Chamber of Commerce

John F. Droney Jr.
Principal,
Levy & Droney, P.C.

The Honorable Milton "Toby" Fitch Jr.
Majority Leader,
House of Representatives,
North Carolina

J. Curtis Herge
Partner,
Herge, Sparks & Christopher

Bruce Herschensohn
Senior Fellow,
Clairmont Institute

John Hillerman
Actor

Fred M. Hodges III
Vice President of Sales,
Bailey Marketing Group, Inc.

David A. Keene
President
Keene/Halper & Associates

20 485 892 49

Belge 11 / 20 · CV

test_resume_00309.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. ad_soyad
   NSA NATIONAL BOARD OF

2. universite
   Clairmont Institute

3. bolum_derece
   — (bulunamadı)

4. e_posta
   — (bulunamadı)

5. telefon
   — (bulunamadı)

6. beceriler
   — (bulunamadı)

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
NSA NATIONAL BOARD OF ADVISORS
The Honorable William J. Althaus, Chairman
Former Mayor, York, PA
Former President, U.S. Conference of Mayors
Wm. C. "Bill" Anderson
Government Relations Representative
Jeanie Austin
Co-Chairman,
Republican National Committee
Oscar J. Coffey Jr., LL.D.
President/CEO,
U.S. African-American Chamber of Commerce
John F. Droney Jr.
Principal,
Levy & Droney, P.C
The Honorable Milton "Toby" Fitch Jr.
Majority Leader,
House of Representatives,
North Carolina
J. Curtis Herge
Partner,
Herge, Sparks & Christopher
Bruce Herschensohn
Senior Fellow,
Clairmont Institute
John Hillerman
Actor
Fred M. Hodges III
Vice President of Sales,
Bailey Marketing Group, Inc.
```

FF Principal Investigator/Program Director (Last, first, middle): MAZIARZ, Richard T.

BIOGRAPHICAL SKETCH

Give the following information for the key personnel and consultants and collaborators. Begin with the principal investigator/program director. Photocopy this page for each person.

NAME	POSITION TITLE
Richard Thomas Maziarz, M.D.	Asst. Professor of Medicine and Microbiology and Immunology

EDUCATION (Begin with baccalaureate or other initial professional education, such as nursing, and include postdoctoral training.)

INSTITUTION AND LOCATION	DEGREE	YEAR CONFERRED	FIELD OF STUDY
University of Pennsylvania, Philadelphia, PA	B.S.	1974	Biology
Harvard Medical School, Boston, MA	M.D.	1979	Medicine

RESEARCH AND PROFESSIONAL EXPERIENCE: Concluding with present position, list, in chronological order, previous employment, experience, and honors. Key personnel include the principal investigator and any other individuals who participate in the scientific development or execution of the project. Key personnel typically will include all individuals with doctoral or other professional degrees, but in some projects will include individuals at the masters or baccalaureate level provided they contribute in a substantive way to the scientific development or execution of the project. Include present membership on any Federal Government public advisory committee. List, in chronological order, the titles, all authors, and complete references to all publications during the past three years and to representative earlier publications pertinent to this application. DO NOT EXCEED TWO PAGES.

1979-1980	Intern in Internal Medicine, University Hospitals of Cleveland, Cleveland, OH
1980-1981	Medical Resident, University Hospitals of Cleveland, Cleveland, OH
1979-1981	Postdoctoral Fellow, Case Western Reserve Medical School, Cleveland, OH
1981-1985	Research Fellow in Pediatrics, Dana-Farber Cancer Institute, Harvard Medical School
1985-1987	Research/Clinical Fellow in Medicine, Brigham and Women's Hospital
7/1985-9/1985	Research Fellow in Medicine, Harvard Medical School
11/1986-2/1987	Clinical Fellow in Oncology, Dana-Farber Cancer Institute
10/1985-1989	Instructor in Medicine, Harvard Medical School
1989-1991	Assistant Professor of Medicine, Harvard Medical School
1987-1991	Associate Physician, Brigham and Women's Hospital
1989-1991	Assistant in Medicine, The Children's Hospital
1989-1991	Staff Physician (part-time), Brockton-West Roxbury VA Medical Center
1991-	Assistant Professor of Medicine, Oregon Health Sciences University
1991-	Staff Physician, Oregon Health Sciences University
1991-	Staff Physician, Portland VA Hospital
1992-	Assistant Professor of Microbiology & Immunology, OHSU

Awards and Honors

1974	B.A. cum laude, University of Pennsylvania
1981-1984	National Research Service Award
1985-1990	American Heart Association Clinician-Scientist Award

Publications

1. Bernabeu, C, Finlay D, van de Rijn M, Maziarz R, Biro PA, Spits H, de Vries J, Terhorst C. Expression of the major histocompatibility antigens HLA-A2 and HLA-B7 by DNA mediated gene transfer. J Immunol. 1983; 131:2032-8.

2. Duprez V, Maziarz R, Weinberger 0, Burakoff S. Thymectomized, irradiated and bone marrow reconstituted chimeras have normal cytolytic T lymphocyte precursors but a defect in lymphokine production. J Immunol. 1984; 132:2185-9.

* 3. Bernabeu C, Maziarz R, Spits H, de Vries J, Burakoff S, Terhorst C. Coexpression of human HLA heavy chain and human beta-2 microglobulin in mouse L cells. J Immunol. 1984; 133:3188-94

4. Bernabeu C, Maziarz R, Burakoff S, Terhorst C. Beta-2 microglobulin from serum associates to native and foreign MHC Class I antigens on the surface of mouse L cells. Mol Immunol. 1985; 22:955-60.

Belge 12 / 20 · CV

test_resume_00367.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. ad_soyad
   Richard Thomas Maziarz, M.D.

2. universite
   University of Pennsytvania, Philadelphia, PA
   BS. i 1978 Blology

3. bolum_derece
   1974 B.A cum laude, University of Pennsylvania

4. e_posta
   — (bulunamadı)

5. telefon
   — (bulunamadı)

6. beceriler
   — (bulunamadı)

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
FF Principal Investigator/Program Director (Last, first. muddle}:
AZIARZ, Richard T.
BIOGRAPHICAL SKETCH
Give the following information for the Key personnel ang consultants
and collaborators Begin with the principal
Nvesigator/program director. Photocopy this page tor each person.
JAME 5 T
Richard Thomas Maziarz, M.D. POSITION Rost Professor of Medicine and
Microbiology and Immunology
EDUCATION (Begin with baccalaureate or other unital professional
educavon. such as nursing, and include postdoctoral traning.)
YEAR i
INSTITUTION AND LOCATION _ DEGREE CONFERRED FIELO OF STUDY
University of Pennsytvania, Philadelphia, PA BS. i 1978 Blology
Harvard Medical School, Boston, MA MD. 1979 Medicine
RESEARCH AND PROFESSIONAL EXPERIENCE: Concluding with present
position, list. in chronological oraer, previous employment,
experience, and
honors. Key personnel include the pnncipal investigator and any other
individuals who Partcipate in the scientific cevelopment or execution
of the project.
Key personnel typically will include all individuals with dectoral or
other professiona! degrees, nut in some projects mill include
individuais at the masters or
baccalaureate level provided they contribute in a substantive way to
the scientific development or execution of the project. inciude
present membership on
any Federal Government public advisory commuttee. List, in
chronological order. the tities, ali authors. and complete references
to ail publications ouring the
```

FF Principal Investigator/Program Director *(Last, first, middle):* Romer , Lewis, Hartley

BIOGRAPHICAL SKETCH

Provide the following information for the key personnel in the order listed on Form Page 2.
Photocopy this page or follow this format for each person.

U.S. Citizen

NAME	POSITION TITLE
Lewis Hartley Romer	Associate Professor

EDUCATION/TRAINING *(Begin with baccalaureate or other initial professional education, such as nursing, and include postdoctoral training.)*

INSTITUTION AND LOCATION	DEGREE *(if applicable)*	YEAR(s)	FIELD OF STUDY
Dartmouth College Hanover, NH	AB	1977	Pre-Medical
Dartmouth Medical School Hanover, NH	MD	1981	Medicine

RESEARCH AND PROFESSIONAL EXPERIENCE: Concluding with present position, list, in chronological order, previous employment, experience, and honors. Include present membership on any Federal Government public advisory committee. List, in chronological order, the titles, all authors, and complete references to all publications during the past three years and to representative earlier publications pertinent to this application. If the list of publications in the last three years exceeds two pages, select the most pertinent publications. **DO NOT EXCEED TWO PAGES.**

Positions Held:

Pediatric Resident	University of Utah Medical Center	1981-84
Pediatric Staff Physician	Munson Med. Ctr.,TraverseCity, MI	1984-87
Director, NICU and PICU	Munson Med. Ctr.	1985-87
Pediatric Critical Care Fellow	Childrens' Hosp. of Phila. Univ. of Penn.	1987-89
Research Fellow	Wistar Institute and U. of Penn.	1989-90
Assistant Professor of Pediatrics and Cell Biology	Univ. of North Carolina at Chapel Hill	1990-94 94-96
Associate Professor, Pediatrics, Cell Biology and Anatomy, and Anesthesiology	UNC-Chapel Hill	1996-

Honors:

Rufus Choate Scholar, Dartmouth College, Hanover, N.H., 1974-77
Summa Cum Laude, Dartmouth College, 1977
Phi Beta Kappa, Dartmouth College, 1977
Senior Fellowship, Dartmouth College, 1976-77
Alpha Omega Alpha, Dartmouth Medical School, Hanover, N.H., 1981
Ciba Award for Community Service, Dartmouth Medical School, 1981
Junior Faculty Development Award, UNC, 1991
Davis Award, American Lung Association, NC Chapter, 1994
Jefferson-Pilot Fellowship Award, UNC at Chapel Hill, 1995

Memberships:

Board Certified in Pediatrics and in Pediatric Critical Care
American Academy of Pediatrics
Society for Critical Care Medicine
NC Pediatric Society
American Society for Cell Biology
Society for Pediatric Research
Thrombosis Council, American Heart Association

Selected Recent Publications:

Peer-Reviewed

Albelda, S.E., Oliver, P.D., **Romer, L.H.**, and Buck, C.A. Endocam: A novel cell-cell adhesion molecule. *Journal of Cell Biology* 110: 1227-1237, 1990.

Nuckolls, GH, **Romer, LH,** and Burridge, K. The microinjection of antibodies against talin inhibits migration of fibroblasts. *Journal of Cell Science*. 102:753-762, 1992.

50732011

Belge 13 / 20 · CV

test_resume_00398.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. ad_soyad
   Lewis Hartley Romer

2. universite
   Rufus Choate Scholar, Dartmouth College,
   Hanover, N.H., 1974-77

3. bolum_derece
   DEGREE

4. e_posta
   — (bulunamadı)

5. telefon
   — (bulunamadı)

6. beceriler
   — (bulunamadı)

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
FF
Principal Investigator/Program Director (Last, first, middle):
BIOGRAPHICAL SKETCH
Provide the following information for the key personnel in the order
listed on Form Page 2.
Photocopy this page or follow this format for each person
EDUCATION/TRAINING (Begin with baccalaureate or other initial
professional education, such as nursing, and inciude postdoctoral
training.)
POSITION TITLE
Lewis Hartley Romer Associate Professor
DEGREE
i Dartmouth College fgpotcabie
Hanover, NH
Dartmouth Medical School
Hanover, NH
RESEARCH AND PROFESSIONAL EXPERIENCE: Concluding with present
position, list, in chronological order, previous employment,
experience, and
honors. Include present membership on any Federal Government public
advisory committee, List, in chronological order, the titles, ail
authors, and
complete references to all publications during the past three years
and to representative eartier publications pertinent to this
application. If the list of
publications in the last three years exceeds two pages, select the
most pertinent publications. DO NOT EXCEED TWO PAGES.
Positions Held:
Pediatric Resident University of Utah Medical Center
Pediatric Staff Physician Munson Med. Ctr.,TraverseCity, MI
```

EXHIBIT 120
Deitz-7
9-22-87

PROFESSIONAL BIOGRAPHY OF IRWIN MILLER

Director of Statistical Analysis
Raytheon Company
141 Spring Street
Lexington, Massachusetts 02173

Experiance

1987 - present	Raytheon Company, Lexington, Massachusetts Director of Statistical Analysis
1986 - 1987	Alfred University, Alfred, New York Professor of Mathematics
1965 - 1986	Arthur D. Little, Inc., Cambridge, Massachusetts Senior Professional Staff, 1965-1969, 1971-1973; Vice-President, 1973-1975; Manager and Head of Behavioral Science and Statistics Section, 1968-1969, Manager of Statistics Section, 1971-1975.
1980 - 1986	Opinion Research Corporation, Princeton, New Jersey Chairman, 1976-1986 and Chief Executive Officer.
1976 - 1980	Arthur D. Little, Inc., Cambridge, Massachusetts Group Vice President, Life Sciences and Statistics.
1975 - 1976	Opinion Research Corporation, Princeton, New Jersey President and Chief Executive Officer.
1969 - 1971	Wesleyan University, Middletown, Connecticut Director of Computer Center and Adjunct Professor of Statistics.
1967 - 1969	Boston University, Boston, Massachusetts Adjunct Professor of Statistics, School of Management.
1958 - 1965	Arizona State University, Tempe, Arizona Associate Professor of Mathematics, 1958-1964; Professor of Statistics and Director of Statistical Laboratory, 1964-1965.

85758518

Belge 14 / 20 · CV

test_resume_00332.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. ad_soyad
   PROFESSIOMAL BIOGRAPHY OF IRWIN

2. universite
   1986 1987 Alfred University, Alfred, Mew York

3. bolum_derece
   rand Head of Behavioral science and

4. e_posta
   — (bulunamadı)

5. telefon
   — (bulunamadı)

6. beceriler
   — (bulunamadı)

OCR'IN OKUDUĞU METİN (ilk satırlar)

PROFESSIOMAL BIOGRAPHY OF IRWIN MILLER
Director of statistical Analysis
Raytheon Company
141 Spring street
Lexington, Massachusetts 02173
Exparience
1987 present Raytheon Company, Lexington, Kassachusetts
Director of Statistical Analysis
1986 1987 Alfred University, Alfred, Mew York
Professor of Mathenatics
1965.- 1986 Arthur D. Little, Inc., Cambridge, Massachusetts
Senior Professional Staff, 1965-1969,
1971-1973) Vice-President, 1973-1975;
rand Head of Behavioral science and
Statistics section, 1968-1969, Manager of
Statistics Section, 1971-1975.
1980 1986 opinion Research Corporation, Princeton,
New Jersey
Chairman, 1976-1986 and Chief Executive
Officer.
1976 1980 arthur D. Little, Inc., Cambridge,
Group Vice President, Lite sci. and
ce Life sciences
Statistics.
1975 1976 Opinion Research Corporation, Princeton,
New Jersey
President and Chief Executive officer.
1969 1971 Wesleyan University, Middletown, Connecticut
Director of Computer Center and Adjunct
Professor of statistics.

Name: Arnon Ruth, Professor

Institution and Location	Degree	Year Conferred	Field of study
Hebrew University, Jerusalem, Israel.	M.Sc.	1955	Biochemistry & Org. Chem.
The Weizmann Institute of science, Rehovot, Israel.	Ph.D.	1960	Protein Antigenicity

Research and professional experience:

1960-1962	Research Associate at the Rockefeller Institute, N.Y.
1964-1966	Research Associate at the Weizmann Institute of Science
1966-1971	Senior Scientist at The Weizmann Institute of Science
1968-1969	Visiting Associate Professor in the Department of Biochemistry, University of Washington, Seattle
1971-1975	Associate Professor at the Weizmann Institute of Science
1975-present	Professor at the Weizmann Institute of Science
1977-1978	Visiting Professor, Department of Microbiology and Immunology, University of California, Los Angeles
1983-	Sabbatical - Pasteuer Institute, France
1994-1994	Sabbatical - Walter & Eliza Hall Institute of Medical Research, Melbourne, Australia
1995-1995	Imperial Cancer research Fund - London
1995	Rockefeller Center Research Centre - Bellagio, Italy
1996	Fogarty Scholar, NIH

Administrative Positions at The Weizmann Institute

1973-1978 - 1984-present	Head of Department of Chemical Immunology Director of the MacArthur Center for Molecular Biology of Parasitic Diseases at the Institute
1985-1988	Dean of the Faculty of Biology
1988-1993	Vice-President of the Institute
1993-present	Vice-President of International Scientific Relations

Awards and Honors

1979: Encumbent of the Paul Ehrlich Chair of Cancer Research and Immunology at the Weizmann Institute of Science
1979: The Robert Koch Prize in Medical Sciences (Bonn)
1986: The Jimenez Diaz Award, Spai
1990: Member of Israel Academy of Sciences and Humanities
1994: The French Legion of Honour Award

Selected publications (out of 350)
(see also publications in co-authorship with B. Schechter and M. Wilchek)

1. Levy, R., Hurwitz, E., Maron, R., Arnon, R. and Sela, M. (1975) Specific cytotoxicity of drugs chemically linked to antibody. Transplant. Proc.Suppl.1:485.

2. Bernstein, M., Hurwitz, E., Maron, R., Arnon, R., Sela, M. and Wilchek, M. (19 78) Higher anti-tumor efficacy of daunomycin when linked to dextran. In-vitro and in-vivo studies. J. Natl. Cancer Inst. 60:379.

3. Hurwitz, E., Maron, R., Arnon, R., Wilchek, M. and Sela, M. (1978) Daunomycin-immunoglobulin conjugates, uptake and activity in-vitro. Eur. J. Cancer. 14:1213.

50545266

Belge 15 / 20 · CV

test_resume_00384.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. ad_soyad
   Amon Ruth

2. universite
   Hebrew University, Jerusalem, Israel. M.Sc. 1955 Biochemistry & Org. Chem.

3. bolum_derece
   (see also publications in co-authorship with B. Schechter and M. Wilchek)

4. e_posta
   — (bulunamadı)

5. telefon
   — (bulunamadı)

6. beceriler
   — (bulunamadı)

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
Name: Amon Ruth, Professor
Hebrew University, Jerusalem, Israel. M.Sc. 1955 Biochemistry & Org.
Chem.
The Weizmann Institute of science, Rehovot,
Israel. 1960 Protein Anfigenicity
Research and professional experience:
1960-1962 Research Associate at the Rockefeller Institute, N.Y.
1964-1966 Research Associate at the Weizmann Institute of Science
1966-1971 Senior Scientist at The Weizmann Institute of Science
1968-1969 Visiting Associate Professor in the Department of
Biochemistry, University of Washington, Seattle
1971-1975 Associate Professor at the Weizmann Institute of Science
1975-present Professor at the Weizmann Institute of Science
1977-1978 Visiting Professor, Department of Microbiology and
Immunology, University of California, Los Angeles
1983- Sabbatical Pasteuer Institute, France
1994-1994 Sabbatical Walter & Eliza Hall Institute of
Medical Research, Melbourne, Australia
1995-1995 Imperial Cancer research Fund London
1995 Rockefeller Center Research Centre Bellagio, Italy
1996 Fogarty Scholar, NIH
1973-1978 Head of Department of Chemical Immunology
1984-present Director of the MacArthur Center for Molecular
Biology of Parasitic Diseases at the Institute
1985-1988 Dean of the Faculty of Biology
1988-1993 Vice-President of the Institute
1993-present Vice-President of International Scientific Relations
Awards and Honors
1979: Encumbent of the Paul Ehrlich Chair of Cancer Research and
Immunology at the Weizmann
```

A Novel Method for the Isolation and Quantitative Analysis of Nicotine and Cotinine in Biological Fluids/*

NOTICE
This material may be protected by copyright law (Title 17 U.S. Code).

M.P. Maskarinec, R.W. Harvey, and J.E. Caton, Analytical Chemistry Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee 37830

Abstract

A rapid quantitative method has been developed for the estimation of nicotine and cotinine in blood and urine. Isolation is accomplished by adsorption of the alkaloids on Amberlite XAD-2 resin and subsequent elution with chloroform/methanol. No solvent extraction or further purification is required. The final determination is made by high performance liquid chromatography using UV detection. Absolute recovery of nicotine was at least 80% in all samples. The accuracy of the method is estimated to be ± 5% on standard addition measurements. Detection limits of 2 ng/ml urine may be routinely obtained.

Introduction

The adsorption, distribution, and metabolism of nicotine have been investigated in a variety of animal species (1-3), as have the pharmacological actions of this tobacco alkaloid (4). However, in spite of the widespread use of tobacco products, there exists no simple quantitative method for the determination of nicotine and cotinine, its major metabolite, in body fluids. Previous methods for nicotine and cotinine in urine and serum have relied mainly on solvent partition schemes for isolation and purification, while the final determination is made by gas chromatography, using conventional flame ionization detection (5-7), nitrogen-selective detection (8,9) or electron capture detection (10). While the sensitivity of these methods has been entirely sufficient, the isolation schemes have been generally non-reproducible and tedious. In addition, total analysis times have been rather long. The advent of High-Performance Liquid Chromatography (HPLC) as a rapid, reliable analytical tool has led to the development of a method for the estimation of nicotine and cotinine by HPLC using UV detection (11). This method also employed solvent partition for isolation. Earlier work on the screening of urine for basic drugs of abuse by adsorption onto Amberlite XAD-2 (12) led us to investigate the practicality of this approach to the rapid quantitative isolation of nicotine and its metabolites from body fluids, while relying on HPLC for the final determination.

*Research sponsored by the National Cancer Institute under Interagency Agreement NIH (NCI) 40-485-74 under Union Carbide Corporation contract W-7405-eng-26 with the U.S. Department of Energy.

Send reprint requests to: M.P. Maskarinec, Analytical Chemistry Division, Oak Ridge National Laboratory, P.O. Box X, Oak Ridge, TN 37830.

Materials and Methods

Amberlite XAD-2 was obtained in prefilled, precleaned columns (Isolab, Inc., Akron, OH). ^{14}C-nicotine was obtained from Amersham Inc., Arlington Heights, IL. ^{14}C-cotinine (13) and nicotine-1-N-oxide (14) were synthesized according to established procedures. Nornicotine was obtained from Pfaltz & Bauer, Flushing, NY. A Packard Tri-Carb Model C2425 Liquid Scintillation Counter was used for recovery experiments. Liquid chromatography was done using a Waters Model ALC-202 isocratic liquid chromatograph equipped with a Rheodyne sample injector and a UV absorbance detector (254 nm). Columns were 25 cm by 4.6 mm i.d. Zorbax-Sil (Dupont). All solvents were spectro-quality or better.

Urine (20 ml) was adjusted to pH 9 with saturated NH_4Cl buffer (pH 10). Plasma (1-5 ml) was diluted to 20 ml using a 10% saturated buffer. ^{14}C-nicotine (0.27 μCi) was added to each sample to measure recovery. Ten ml of the 10% buffer solution was allowed to flow through the XAD-2 column for equilibration. The sample was then passed through the column at a flow rate of approximately 2.5 ml/min. After a second wash with 10% NH_4Cl buffer (15 ml), the alkaloids were eluted with 1 ml acetone, followed by 20 ml methanol/chloroform (1:3). The eluate was biphasic. The upper (methanol) layer was discarded, and the lower (chloroform) layer gently evaporated to dryness after removal of a 50-μl aliquot for liquid scintillation counting. The residue was redissolved in 200 μl dioxane/isopropanol/NH_4OH (80:3:0.4), which was also used as the mobile phase. A 20-μl aliquot was applied to the liquid chromatographic system and eluted at a flow rate of 1.0 ml/min.

Results and Discussion

Six replicate analyses of urine samples indicated a mean recovery (after evaporation) of 85.7% for nicotine and 86.4% for cotinine, with standard deviations of 4.8% and 0.98%, respectively, as shown in Table I. Adsorption of both nicotine

2023094539

Belge 16 / 20 · Bilimsel makale

test_scientific_publication_00005.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. baslik
   I AlNovel Method for the Isolation and Quantitative Analysis of Nicotine and

2. yazarlar
   Caton, Analytical Chemistry Division, Oak Ridge National


3. ozet
   — (bulunamadı)

4. anahtar_kelimeler
   — (bulunamadı)

5. kaynakca_var
   False

OCR'IN OKUDUĞU METİN (ilk satırlar)

I AlNovel Method for the Isolation and
Quantitative Analysis of Nicotine and
Fluids/
Caton, Analytical Chemistry Division, Oak Ridge National
Cotinine in Biological
7 0°
M.P. Maskarinec, R.W. Harvey, and JE.
Laboratory, Oak Ridge, Tennessee 37830
Abstract
A rapid quantitetive method hes been developed for the
estimation of nicotine and cotinine In blood and urine. Isolaton Is
accomplished by adsorption of the alkaloids on AmberNite XAO-2 resin
and subsequent elution with chloroform
methanol. No solvent extraction or further purification Is
required. The final determination ts made by high performance liquid
chromatography using UV detectlon. Absolute
recovery of nicotine was at least 80% In all samples. The
accuracy of the mothod Is estimated to be + 5% on standard
addition measurements. Detection Iimlts of 2 ng/ml urine
may be Joutinely obtained.
Introduction
The adsorption, distribution, and metabolism of nicotine
have been investigated in a variety of animal species (1-3), as
have the pharmacological actions of this tobacco alkaloid (4).
However, in spite of the widespread use of tobacco products,
there exists no simpie quantitative method for the determination of
nicotine and cotinine, its major metabolite, in body
fluids. Previous methods for nicotine and cotinine in urine
and sx: um have relied mainly on solvent partition schemes for
isolation and purification, while the final determination is



Preliminary Two-Dimensional [^{1}H]NMR Characterization of the Complex Formed between an 18-Amino Acid Peptide Fragment of the α-Subunit of the Nicotinic Acetylcholine Receptor and α-Bungarotoxin[a]

LISA N. GENTILE,[b] VLADIMIR J. BASUS,[c] QING-LUO SHI,[b] AND EDWARD HAWROT[b]

[b]*Section of Molecular and Biochemical Pharmacology Brown University Providence, Rhode Island 02912*

[c]*Department of Pharmaceutical Chemistry University of California at San Francisco San Francisco, California 94143*

The nicotinic acetylcholine receptor (nAChR) is a ~250 kDa pentameric complex (subunit composition: $\alpha_2\beta\gamma\delta$) which is located at the neuromuscular junction and which is critically involved in eliciting skeletal muscle contraction. The nAChR is a transmembrane protein believed to have a topographical distribution as depicted in FIGURE 1.[1] The snake venom-derived, protein α-neurotoxins, such as α-bungarotoxin (BGTX), which behave as high-affinity, competitive antagonists at the nAChR are believed to bind to an extracellular site at or near the outermost edge or cusp of the receptor (FIG. 1). Although the four subunits are encoded by separate genes, they have a high degree of sequence homology and are presumed to share a common tertiary structure. Each of the subunits is predicted on the basis of primary sequence hydropathy analysis to contain four membrane-spanning regions (M1–M4), with M2 forming the lining of the nonselective cation channel. It is widely held that the first ~200 N-terminal residues from each subunit are extracellular. All four subunits contain a common disulfide loop involving Cys residues 128 and 142 (*Torpedo californica* α-subunit numbering scheme). The α-subunit alone contains an additional, extremely rare vicinal disulfide between residues 192 and 193. Many lines of investigation argue that the major determinants of the agonist and antagonist binding sites are located predominantly on the α-subunit although contributions from the γ- and δ-subunits also appear to be involved. At present, the exact role of the vicinal disulfide in the α-subunit is unclear, but it has been postulated that the conformational movements about the highly strained eight-membered disulfide ring

[a]This work was supported by National Science Foundation grants BNS 90-21227 (to E.H.) and DMB9104794 (to V.J.B.); National Institutes of Health grant GM32629 (to E.H.); and a NIH predoctoral training grant GM07601 (to L.N.G.). Some of the work presented here was done in partial fulfillment of the requirements for a Ph.D. degree (L.N.G.) from Brown University.

Belge 17 / 20 · Bilimsel makale

test_scientific_publication_00070.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. baslik
   Characterization of the Complex Formed between an 18-Amino Acid Peptide Fragment of the a-Subunit

2. yazarlar
   o-Bungarotoxin®


3. ozet
   — (bulunamadı)

4. anahtar_kelimeler
   — (bulunamadı)

5. kaynakca_var
   False

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
Preliminary Two-Dimensional CPHINMR
Characterization of the Complex Formed
between an 18-Amino Acid Peptide
Fragment of the a-Subunit
of the Nicotinic Acetylcholine Receptor
and o-Bungarotoxin®
LISA N. GENTILE,' VLADIMIR J. BASUS,*
QING-LUO SHI,' AND EDWARD HAWROT®
Section of Molecular and Biochemical Pharmacology
Brown University
Providence, Rhode Island 02912
Department of Pharmaceutical Chemistry
University of California at San Francisco
San Francisco, California 94143
The nicotinic acetylcholine receptor (nAChR) is a ~250 kDa pentameric
complex
(subunit composition: cBy5) which is located at the neuromuscular
junction and
which is critically involved in eliciting skeletal muscle contraction.
The nAChR is a
transmembrane protein believed to have a topographical distribution as
depicted in
FiGuRE 1.! The snake venom-derived, protein «-neurotoxins, such as ce-
bungarotoxin
(BGTX), which behave as high-affinity, competitive antagonists at the
nAChR are
believed to bind to an extracellular site at or near the outermost
edge or cusp of the
receptor (FIG. 1). Although the four subunits are encoded by separate
genes, they
```



Pneumonologie 151(4):270–272, 1975

The Bloodless Determination of av-O_2 Saturation Difference from Expiratory O_2 and CO_2 Curves

U. Smidt, G. v. Nieding, and H. Löllgen

Laboratorium für Atmung und Kreislauf, Krankenhaus Bethanien, D-413 Moers, Fed. Rep. Germany

When expiratory O_2 and CO_2 curves are plotted versus time, the alveolar part of the CO_2-curves is exponential, whereas the O_2 curves are linear, particularly in prolongued expirations. This different behavior can be explained by the different dissociation curves. The venous–alveolar CO_2 partial pressure difference lies in the linear part of the CO_2 dissociation curve between 30 and 50 torr. Accordingly the amount of CO_2 transferred per unit of time is a function of perfusion, of the driving pressure difference and the slope of the dissociation curve

$$\frac{dV_{CO_2}}{dt} = \dot{Q} \cdot (pCO_{2v} - pCO_{2A}) \cdot \frac{0.47}{\text{torr}}. \quad (1)$$

The alveolar–venous O_2 partial pressure difference lies in the curved part of the O_2 dissociation curve, so that despite the decreasing alveolar pO_2 (and end-capillary pO_2) the amount of O_2, transferred per unit of time, remains constant. It is a function of perfusion and of the endcapillary-venous difference in O_2 content. Neglecting the physiological shunt of about 2%, we assume that the endcapillary O_2 content equals the arterial O_2 content. So we get

$$-\frac{dV_{O_2}}{dt} = \dot{Q} \cdot avDO_2. \quad (2)$$

Assuming that these processes are reflected — with time delay — in the composition of expired gas, the quotient of equations (1) and (2) is the instantaneous respiratory quotient R_m

$$R_m = \frac{0.47 \cdot pCO_{2v}}{\text{torr} \cdot avDO_2} - \frac{0.47 \cdot pCO_{2A}}{\text{torr} \cdot avDO_2} \quad (3)$$

By differentiation of R_m after pCO_{2A}, the only variable, one gets

$$avDO_2 = \frac{-0.47 \cdot dpCO_{2A}}{dR_m}. \quad (4)$$

This linear relation between R_m and alveolar pCO_2 has already been determined by Kim *et al.* (1966) by another way.

The slope of this line reflects the $avDO_2$ (Muysers *et al.*, 1969). However, calculating this line by computer (PDP-12) was unreliable, because the cardiogenic oscillations of pO_2 and pCO_2 produced very unstable values of R_m.

Therefore we tried to calculate the course of the O_2-CO_2 diagram. Assuming, that only O_2 and CO_2 are exchanged in the lungs, one can calculate the instantaneous exchange ratio between two instants 1 and 2 from the formula of Benzinger (1937).

$$R_m = \frac{\frac{p1N_2}{p2N_2} \cdot p2CO_2 - p1CO_2}{p1O_2 - p2O_2 \cdot \frac{p1N_2}{p2N_2}}. \quad (5)$$

2501634691

Belge 18 / 20 · Bilimsel makale

test_scientific_publication_00090.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. baslik
   The Bloodless Determination of av-O,
   Saturation Difference from Expiratory O, and
   CO, Curves

2. yazarlar
   U. Smide; G. v. Nieding, ind H. Lillgen

3. ozet
   – (bulunamadı)

4. anahtar_kelimeler
   – (bulunamadı)

5. kaynakca_var
   False

OCR'IN OKUDUĞU METİN (ilk satırlar)

Frewmonoye. ASAI) 290-222, AFIS
The Bloodless Determination of av-O, Saturation Difference
from Expiratory O, and CO, Curves
U. Smide; G. v. Nieding, ind H. Lillgen
Laboratorium fiir Atmung und Kreislauf, Krankeohaus Bethanien,
D-+13 Moers, Fed. Rep. Germany
= When expiratory Oy and CO, curves are plotted versus time, the alveolar part
of the CO,-cirves i is exponential, whereas the O, curves are linear, particularly in
prolongued expirations. This different behavior can be explained by the different
dissociation curves, The venous-alveolar co, partial pressure difference lies in the
+. Hinear part of the CO, dissociation curve between 30 and 50 torr. Accordingly the
amount of CO, transferred per unit of time is'a function of perfusion, of the driv-
ing pressute difference-and the slope of the dissociation curve
Woon Q-(pCOje-pCO,4): 247. Mb...
de _ torr Pa
The alveolar-venous O, partial pressure difference lies in the curved part of the
O, dissociation curve, so that despite the decreasing alveolar RO: (and end-capil-
lary pO,) the amount of O,, transferred-per unit' of time, remains constant. It is a
+" function of perfusion and: of the endcapillary-venous difference in O, conyent.
Neglecting the physiological shunt Of about '2%., we assume that the



FUNDAMENTAL AND APPLIED TOXICOLOGY 24, 76-85 (1995)

RWA → HHM
& DVE
WST
ATE
MIC

Effect of Chronic Cigarette Smoke Exposure on Lung Clearance of Tracer Particles Inhaled by Rats[1]

G. L. FINCH, K. J. NIKULA, B. T. CHEN, E. B. BARR, I.-Y. CHANG, AND C. H. HOBBS

Inhalation Toxicology Research Institute, Lovelace Biomedical and Environmental Research Institute, P.O. Box 5890, Albuquerque, New Mexico 87185

Received November 3, 1993; accepted April 28, 1994

Effect of Chronic Cigarette Smoke Exposure on Lung Clearance of Tracer Particles Inhaled by Rats. FINCH, G. L., NIKULA, K. J., CHEN, B. T., BARR, E. B., CHANG, I.-Y., AND HOBBS, C. H. (1995). *Fundam. Appl. Toxicol.* 24, 76–85.

Cigarette smoking can influence the pulmonary disposition of other inhaled materials in humans and laboratory animals. This study was undertaken to investigate the influence of cigarette smoke exposures of rats on the pulmonary clearance of inhaled, relatively insoluble radioactive tracer particles. Following 13 weeks of whole-body exposure to air or mainstream cigarette smoke for 6 hr/day, 5 days/week at concentrations of 0, 100, or 250 mg total particulate matter (TPM)/m³, rats were acutely exposed pernasally to ^{85}Sr-labeled fused aluminosilicate (^{85}Sr-FAP) tracer particles, then air or smoke exposures were resumed. A separate group of rats was exposed to the ^{85}Sr-FAP then serially euthanized through 6 months after exposure to confirm the relative insolubility of the tracer particles. We observed decreased tracer particle clearance from the lungs that was smoke concentration-dependent. By 180 days after exposure to the tracer aerosol, about 14, 20, and 40% of the initial activity of tracer was present in control, 100 mg TPM/m³, and 250 mg TPM/m³ groups, respectively. Body weight gains were less in smoke-exposed rats than in controls. Smoke exposure produced lung lesions which included increased numbers of pigmented alveolar macrophages distributed throughout the parenchyma and focal collections of enlarged alveolar macrophages with concomitant alveolar epithelial hyperplasia and neutrophilic alveolitis. The severity of the lesions increased with smoke exposure duration and concentration to include interstitial aggregates of pigmented macrophages and interstitial fibrosis. Our data confirm previous findings that exposure to cigarette smoke decreases the ability of the lungs to clear inhaled materials. We further demonstrate an exposure–concentration related magnitude of effect, suggesting that the cigarette smoke-exposed rat constitutes a useful model for studies of the effects of cigarette smoke on the disposition of inhaled particles.

© 1995 Society of Toxicology.

Cigarette smoking induces a variety of carcinogenic and noncarcinogenic effects in humans and laboratory animals. One issue of concern is the extent to which smoking might influence pulmonary responses to other inhaled toxic materials. This influence could take the form of a direct alteration of the disposition of another inhaled agent; for example, it has been reported that cigarette smoking delays the pulmonary clearance of inhaled, insoluble particles in humans (Bohning *et al.*, 1982) and in laboratory animals (Mauderly *et al.*, 1989a). In cases in which the relatively insoluble particles contain radionuclides, retarded clearance would increase the radiation dose and could potentially modify the resulting biological effects.

Our laboratory is currently studying potential interactions between chronic cigarette smoke exposure and inhaled $^{239}PuO_2$ in producing lung cancer in rats. As a part of this study, we used relatively insoluble ^{85}Sr-labeled fused aluminosilicate tracer particles (^{85}Sr-FAP) to investigate how an initial subchronic (3 months) whole-body exposure to smoke might influence the ability of the lungs to clear deposited particles under conditions of continued smoke exposure. We performed the present study to determine if cigarette smoke-induced decreased particle clearance would be observed in the rats and, if so, the extent to which decreased clearance was (1) quantitatively similar to previously reported values for rats exposed pernasally to cigarette smoke, (2) dependent on the exposure concentration of smoke, and (3) correlated with histological changes in the lungs.

MATERIALS AND METHODS

Animals. We used 126 male and female F344 rats [CDF (F344)/CrlBR; Charles River Laboratories, Raleigh, NC] 28 ± 3 days of age at receipt. The rats were quarantined and conditioned to the whole-body exposure chambers (H2000; Lab Products, Inc., Maywood, NJ; 12 ± 2 air changes per hour) for 2 weeks after receipt. Food (Wayne Lab Blox, Allied Mills, Chicago, IL) and water were available *ad libitum*. Chamber temperatures were maintained at 24 ± 2°C, humidity at 40 to 70%, and lights on a 12-hr on/off cycle.

During the second week of conditioning, the rats were weighed and randomly assigned to groups by weight (Path-Tox System, Xybion, Cedar

[1] The U.S. Government's right to retain a nonexclusive royalty-free license in and to the copyright covering this paper, for governmental purposes, is acknowledged.

0272-0590/95 $6.00
Copyright © 1995 by the Society of Toxicology.
All rights of reproduction in any form reserved.

2026988820

Belge 19 / 20 · Bilimsel makale

test_scientific_publication_00008.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. baslik
   Effect of Chronic Cigarette Smoke Exposure on Lung Clearance of Tracer Particles Inhaled by Rats'

2. yazarlar
   G. L. Fincn, K. J. NiKULA, B. T. CHEN, E. B. Barr, I.-Y. CHANG


3. ozet
   — (bulunamadı)

4. anahtar_kelimeler
   — (bulunamadı)

5. kaynakca_var
   False

OCR'IN OKUDUĞU METİN (ilk satırlar)

```
Ao Aten a een mae Aenea SRN Bik BARGER SEL TOL
FUNDAMENTAL AND APPLIED TONICOLOGY IM. "6-85 (1998)
sa Beit
B OvE
WsT
ATE
Ale
Effect of Chronic Cigarette Smoke Exposure on Lung Clearance
of Tracer Particles Inhaled by Rats'
G. L. Fincn, K. J. NiKULA, B. T. CHEN, E. B. Barr, I.-Y. CHANG, AND C.
H. Hosas
Inhalation Toxicology Rescarch Institute. Le
Yeve Biomedical and Environmental Research Institute, P.O. Box $890,
Albuquerque, New Mexiee $718$
Received November 3, 1993; accepted April 28, 1994
eSSeSeSeeeSS
Effect of Chronic Cigarette Smoke Exposure on Lung Clearance of Tracer
Particles Inhaled by Rats. FINCH, G. L., Nikuta,
K. J., CHEN, B. T., BarR, E. B,, CHANG, IY. AND Hosss,
C. H. (1995). Fundam, Appl. Toxicol. 24 85.
Cigarette smoking can influence the pulmonary disposition of
other inhaled materials in humans and laboratory animals. This
study was undertaken to investigate the influence of cigarette
smoke exposures of rats on the pulmonary clearance of inhaled,
relatively insoluble radioactive tracer particles. Following 13
weeks of whole-body exposure to air or mainstream cigarette
smoke for 6 hr/day, 5 days/week at concentrations of 0, 100, or
250 mg total particulate matter (TPM)/m?, rats were acutely
exposed pernasally to "S-labeled fused aluminosilicate (*SrFAP) tracer
particles, then air or smoke exposures were re-
```



630 THE NEW ENGLAND JOURNAL OF MEDICINE March 12, 1981

COFFEL AND CANCER OF THE PANCREAS

BRIAN MACMAHON, M.D., STELLA YEN, M.D., DIMITRIOS TRICHOPOULOS, M.D., KENNETH WARREN, M.D., AND GEORGE NARDI, M.D.

Abstract We questioned 369 patients with histologically proved cancer of the pancreas and 644 control patients about their use of tobacco, alcohol, tea, and coffee. There was a weak positive association between pancreatic cancer and cigarette smoking, but we found no association with use of cigars, pipe tobacco, alcoholic beverages, or tea. A strong association between coffee consumption and pancreatic cancer was evident in both sexes. The association was not affected by controlling for cigarette use. For the sexes combined, there was a significant dose-response relation ($P < 0.001$); after adjustment for cigarette smoking, the relative risk associated with drinking up to two cups of coffee per day was 1.8 (95 per cent confidence limits, 1.0 to 3.0), and that with three or more cups per day was 2.7 (1.6 to 4.7). This association should be evaluated with other data; if it reflects a causal relation between coffee drinking and pancreatic cancer, coffee use might account for a substantial proportion of the cases of this disease in the United States. (N Engl J Med. 1981; 304:630-3.)

OVER the past few decades, cancer of the pancreas has emerged as one of the most important neoplasias in human beings. It now accounts for approximately 20,000 deaths annually in the United States. Causative factors have been sought in several previous studies, but only cigarette smoking has emerged as a consistent, though relatively weak, exogenous risk factor. We report the results of a study that was planned to reevaluate the relation of this disease to smoking and to examine the role of alcohol consumption as a possible confounding variable. Data were also obtained on intake of tea and coffee — factors that have not been adequately investigated in this disease.

METHODS

We conducted a case-control interview study. The cases were patients with histologic diagnoses of cancer of the exocrine pancreas who were in any of 11 large hospitals in the Boston metropolitan area and Rhode Island between October 1974 and August 1976. Patients with tumors of the islet cells, periampullary duodenal mucosa, or ampulla of Vater were not included. We identified 575 patients and interviewed 466 of them. Twenty patients died and 35 were discharged before an interview could be arranged; 76 were too sick to be interviewed; 14 had language difficulties; and 26 refused the interview. Also excluded from the analysis were eight nonwhite patients, four residents of countries other than the United States, eight patients older than 79 years, and 10 patients whose interview information was judged by the interviewer to be of questionable reliability. The analysis is based on data from the remaining 369 patients.

To assemble a control series, the interviewers also attempted to question all other patients who were under the care of the same physician in the same hospital at the time of an interview with a patient with pancreatic cancer. Either before the interview (if the information was known) or afterward, patients with diseases of the pancreas or hepatobiliary tract or diseases known to be associated with smoking or alcohol consumption were excluded. The principal diagnostic categories excluded in addition to diseases of the biliary tract or pancreas were cardiovascular disease, diabetes mellitus, respiratory or bladder cancer, and peptic ulcer. From a total of 1118 eligible patients, we interviewed 726; nine died and 131 were discharged before the interview, 176 were too ill, 26 had language problems, and 52 refused. After exclusion of 17 nonwhites, five foreign residents, four persons older than 79 years, and 30 persons whose interviews were judged to be unreliable, the control series used for the analysis consisted of 644 patients. Minor differences between tables in the stated numbers of cases and controls resulted from absence of specific items being analyzed in a few questionnaires.

The control series was composed of two principal diagnostic groups: 273 patients with cancer other than cancers of the pancreas and biliary tract, respiratory tract, or bladder and 371 patients with other disorders. Of the control patients with cancer, the tumor was in the breast in 65 patients, colon in 60, rectum in 25, stomach in 24, small intestine in nine, ovary in eight, prostate in eight, and cervix in seven; there were also 16 with melanoma and 15 with lymphoma. No other cancer was found in more than four subjects. Diagnoses in the controls without cancer were of a wide variety, although because of the nature of the practices of many of the physicians who were responsible for patients with cancer of the pancreas, patients with gastroenterologic conditions were probably overrepresented in relation to a general hospital population. The principal diagnoses were hernia in 70 patients, colitis, enteritis, or diverticulitis in 41, bowel obstruction, adhesions, or fistula in 26, gastritis in 17, other gastroenterologic conditions in 47, benign tumors in 29, varicose veins or phlebitis in 21, genitourinary disorders in 20, neurologic disorders in 20, gynecologic disorders in 16, and other conditions in 64.

In the analyses, the patients with pancreatic cancer were compared with the control patients with cancer and independently with the control group without cancer. The findings were quite similar, and only the results with the combined control group are presented here.

Several questions in the interview probed the duration and intensity of smoking of cigarettes, cigars, and pipes. Questions on alcoholic beverages asked about the frequency of use before the onset of illness, the age span over which such use occurred, and the type of beverage used most frequently. The questions on tea and coffee were limited to the number of cups consumed in a typical day before the current illness was evident.

Tests of significance and estimates of adjusted relative risks and their confidence limits were derived with the method of Mantel and Haenszel[1] and its extension.[2] The data were stratified by age in 10-year groups and by sex where appropriate. All confidence limits are 95 per cent intervals. Most analyses were performed with the calculator programs developed by Rothman and Boice.[3]

RESULTS

Tobacco

There was no difference between cases and controls in the use of cigars or pipe tobacco. Among men, the relative risk associated with use of cigars (with nonsmokers as the referent group) was 1.0 (confidence interval, 0.7 to 1.4), and that with use of a pipe was 1.0 (confidence interval, 0.7 to 1.4).

From the Department of Epidemiology, Harvard School of Public Health, 677 Huntington Ave., Boston, MA 02115, where reprint requests should be addressed to Dr. MacMahon.

Supported by a grant (5 P01 CA 03535) from the National Cancer Institute.

Belge 20 / 20 · Bilimsel makale

test_scientific_publication_00017.png

SİSTEMİN ÇIKARDIĞI ALANLAR

1. baslik
   COFFEE AND CANCER OF THE PANCREAS

2. yazarlar
   Buias MacManos. M.D, Sizata Yen

3. ozet
   — (bulunamadı)

4. anahtar_kelimeler
   — (bulunamadı)

5. kaynakca_var
   False

OCR'IN OKUDUĞU METİN (ilk satırlar)

ow THE NEW ENGLAND JOURNAL OF MEDICINE
March 32. 1961
COFFEE AND CANCER OF THE PANCREAS
Buias MacManos. M.D., Sizata Yen, M.D., Disntaios Tarcropucios. MD, Kexxetn Warnes, M.D.
asp Grorct Naror, M.D.
Abstract We questioned 369 patients with histologically proves cancer of the pancreas and 644
Control patents about ther use of todscco. alcohol,
fea. 8nd coflee There was 8 weak posite associewon between pancreatic cancer end agaretie smoking. But we found no association with use Of CigOrs.
pipe tobacco. slcoholic beverages. or tes. A strong 8ssociation betweer coffee Consumption and pancreal1c CANCEr was Endent mn both sexes. The association
was not affecied by controlling for cigarette use. For
the sexes combined. there was 0 significant dose-reOu the past few decades, cancer of the pancreas has emerged as one of the most important
neoplasias in human beings. 11 now accounts for approximately 20,000 deaths annually in the United
States. Causative factors have been sought in several
previous studies, but only cigarette smoking has
emerged as aconsistent. though relatively weak, exogenous risk factor.
We report the resul:s of a study that
was planned to reevaluate the relation of this disease
to smoking and to examine the role of alcohol consumption as a possible confounding variable. Dara
were aise obtained on intake of tea and cofiee face
tors that have not been adequately investigated in this