


L1 - Lab assessment

Name: Madhan s

Employee Id: 12209

Lot no:8



HomePage.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Cakes and cookies</title>
    <link
        href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
        rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
        crossorigin="anonymous">
        <script
            src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
            integrity="sha384-YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIds1K1eN7N6jIeHz"
            crossorigin="anonymous"></script>
        <link rel="shortcut icon" type="image/x-icon" href="logo.jpg"/>
    </head>
    <style>
        nav{
            position: sticky;
        }
        #logo{
            width: 90px;
            height: 100px;
        }
    </style>
    <body>
        <nav class="navbar sticky-top navbar-expand-lg bg-light" id="home">
            <div class="container-fluid">
                <a class="navbar-brand" href="index.html"></a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item p-3">
            <a class="nav-link active" href="index.html">Home</a>
        </li>
        <li class="nav-item p-3">
            <a class="nav-link" href="menu.html">Our cakes</a>
        </li>
        <li class="nav-item p-3">
            <a class="nav-link" href="#menu.html">Services</a>
        </li>
        <li class="nav-item p-3">
            <a class="nav-link" href="#index">News</a>
        </li>
        <li class="nav-item p-3">
            <a class="nav-link" href="gallery.html">Gallery</a>
        </li>
        <li class="nav-item p-3">
            <a class="nav-link" href="">Contact</a>
        </li>
    </ul>
```

```
<form class="d-flex" role="search">
    <input class="form-control me-2" id="sea" type="search" placeholder="Cakes, cookies etc..." aria-label="Search">
    <button class="btn btn-outline-success" type="submit">Search</button>
</form>
</div>
</div>
</nav>

<div class="container-fluid">
    <div id="carouselExampleCaptions" class="carousel slide w-100" data-bs-ride="carousel" >
        <div class="carousel-indicators">
            <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="0" class="active" aria-current="true" aria-label="Slide 1"></button>
```

```
        <button type="button" data-bs-target="#carouselExampleCaptions" data-
bs-slide-to="1" aria-label="Slide 2"></button>
        <button type="button" data-bs-target="#carouselExampleCaptions" data-
bs-slide-to="2" aria-label="Slide 3"></button>
    </div>
    <div class="carousel-inner carousel-sm" style="height: 500px;">
        <div class="carousel-item active">
            
            <div class="carousel-caption d-none d-md-block">
                <h5></h5>
                <p>Filled with chocofills</p>
            </div>
        </div>
        <div class="carousel-item">
            
            <div class="carousel-caption d-none d-md-block">
                <h5></h5>
                <p>Rich in Taste and soft</p>
            </div>
        </div>
        <div class="carousel-item">
            
            <div class="carousel-caption d-none d-md-block">
                <h5></h5>
                <p>Creamy cup cakes</p>
            </div>
        </div>
    </div>
    <button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Next</span>
    </button>
</div>
</div>
<br>
<hr>
```

```
<div class="container">
  <div class="row">
    <h1 class="display-1 d-flex justify-content-center"></h1>
  </div>
</div>

<div class="container container-center justify-content-space-evenly">
  <div class="row">
    <div class="col-md-4 d-flex justify-content-center">
      <div class="card" style="width: 18rem;">
        
        <div class="card-body">
          <h5 class="card-title">Chocalate Cake</h5>
          <p class="card-text">Sweet and delicious</p>
          <a href="" class="btn btn-danger">50 &#8377</a>
        </div>
      </div>
    </div>
  </div>

  <div class="col-md-4 d-flex justify-content-center">
    <div class="card" style="width: 18rem;">
      
      <div class="card-body">
        <h5 class="card-title">Cup cakes</h5>
        <p class="card-text">Different flavors of cup cake</p>
        <a href="" class="btn btn-danger">30 &#8377</a>
      </div>
    </div>
  </div>
</div>

<div class="col-md-4 d-flex justify-content-center">
  <div class="card" style="width: 18rem;">
    
    <div class="card-body">
      <h5 class="card-title">Choco filled cup cakes</h5>
      <p class="card-text">Filled with chocofills</p>
      <a href="" class="btn btn-danger">50 &#8377</a>
    </div>
  </div>
</div>
</div>
<br>

<hr>
```

```
<div class="about" id="ab">
  <div class="display-1 text-center">
    About us
  </div>
</div>

<div class="container aboutmsg">
  <div class="row">
    <div class="col-md-6 align-content-center">
      
    </div>

    <div class="col-md-6 align-content-center">
      <p style="text-align: center;">“The Best Cake in your City”</p><p> We are committed to providing high quality products including bakery, snacks, confectionery, drinks; and delightful service to our valued customers. Meeting customer expectations is our prime objective and exceeding customer expectations is where we have set our eyes. While doing so, we ensure compliance with national statutory and regulatory framework related to product quality, safety, hygiene, freshness and export order requirements through well established Quality Management System ISO 9001:2008. Adherence to company’s Quality Policy by all stakeholders is a key to our success. We shall continuously upgrade our Quality Management System in order to attain highest standards of quality and thereby exceeding our customers’ expectations. </p>
    </div>
  </div>
</div>

<br>
<br>

</body>
</html>
```



Menu.html

```
<html>
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Cakes and cookies</title>
    <link
        href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
        rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
        crossorigin="anonymous">
        <script
            src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
            integrity="sha384-YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIds1K1eN7N6jIeHz"
            crossorigin="anonymous"></script>
        <link rel="shortcut icon" type="image/x-icon" href="logo.jpg"/>
    </head>
    <style>
        nav{
            position: sticky;
        }
        #logo{
            width: 30px;
            height: 30px;
        }
        .display-1,.row{
            opacity: 0;
            animation-name: fadeIn;
            animation-duration: 0.75s;
            animation-timing-function: ease-in;
            animation-fill-mode: forwards;
        }
        @keyframes fadeIn {
            from{
                opacity: 0;
            }
            to{
                opacity: 1;
            }
        }
    </style>
<body>
    <nav>
        <img id="logo" alt="Logo" />
        <ul>
            <li>Home</li>
            <li>About</li>
            <li>Products</li>
            <li>Contact</li>
        </ul>
    </nav>
    <div class="display-1 row">
        <div>Welcome to our website!</div>
    </div>
</body>
</html>
```

```
}

.card:hover,a:hover{
    transform: scale(1.02);
}

body{
    background-image: url(home.jpeg);
}
h1{
    text-decoration: underline;
}
p{
    text-decoration: underline;
    color: beige;
    text-shadow: white;
}

p:hover{
    color: antiquewhite;
}

</style>
<body>
    <nav class="navbar navbar-expand-lg ">
        <div class="container-fluid">
            <a class="navbar-brand" href="index.html"></a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarSupportedContent">
                <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                    <li class="nav-item">
                        <a class="nav-link" aria-current="page"
href="index.html">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link active" href="menu.html">Menu</a>
                    </li>
                </ul>

                <form class="d-flex " role="search">

```

```
        <input class="form-control me-2" id="sea" type="search"
placeholder="Cakes,cookies etc..." aria-label="Search">
        <button class="btn btn-outline-success"
type="submit">Search</button>
    </form>
</div>
</div>
</nav>
<br>

<h1 class="display-1 text-center" style="color: beige;">Cakes and
cookies</h1>
<a href="checkout.html" class="text-decoration-none text-light"><p
id="checkout" class="display-3" align="center" col>Checkout</p></a>

<div class="container container-center justify-content-space-evenly">
<div class="row">
    <div class="col-md-4 d-flex justify-content-center">
        <div class="card" style="width: 18rem;">
            
            <div class="card-body">
                <h5 class="card-title">Red velvet cake</h5>
                <p class="card-text">Delicious</p>
                <a href="" class="btn btn-danger">700 RUPEES</a>
            </div>
        </div>
    </div>
</div>

<div class="col-md-4 d-flex justify-content-center">
    <div class="card" style="width: 18rem;">
        
        <div class="card-body">
            <h5 class="card-title">Choco cup cake</h5>
            <p class="card-text">Choco filled cup cake</p>
            <a href="" class="btn btn-danger">30 RUPEES Each</a>
        </div>
    </div>
</div>

<div class="col-md-4 d-flex justify-content-center">
    <div class="card" style="width: 18rem;">
        
        <div class="card-body">
```

```
        <h5 class="card-title">Birthday cakes</h5>
        <p class="card-text">Price varies on Kg</p>
        <a href="" class="btn btn-danger">From 250 RUPEES</a>
    </div>
</div>
</div>
</div>
<br>

<section id="second">
<div class="container container-center" id="foods">
<div class="row">
    <div class="col-md-4 d-flex justify-content-center">
        <div class="card" style="width: 18rem;">
            
            <div class="card-body">
                <h5 class="card-title">Moist cakes</h5>
                <p class="card-text">Moisty</p>
                <a href="" class="btn btn-danger">70 RUPEES Each </a>
            </div>
        </div>
    </div>
</div>

    <div class="col-md-4 d-flex justify-content-center">
        <div class="card" style="width: 18rem;">
            
            <div class="card-body">
                <h5 class="card-title">Choco-fills </h5>
                <p class="card-text">Fully filles with chocofills</p>
                <a href="" class="btn btn-danger">90 RUPEES </a>
            </div>
        </div>
    </div>
</div>

    <div class="col-md-4 d-flex justify-content-center">
        <div class="card" style="width: 18rem;">
            
            <div class="card-body">
                <h5 class="card-title">Brownie with ice cream</h5>
                <p class="card-text">Sweet filled with chocolate</p>
                <a href="" class="btn btn-danger">120 RUPEES</a>
            </div>
        </div>
    </div>
</div>
```

```
        </div>
    </div>

    <br>
</body>
</html>
```



Checkout.html with validation using jQuery

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <link
        href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
        rel="stylesheet">

    <script
        src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

    <style>
        body{
            background-image: url(home.jpeg);
            background-repeat: no-repeat;
            background-position: center;
```

```

width:550px;
margin-left: 500px;

}

label{
    color:whiteSmoke;
    font-size:medium;
    font-family: 'Times New Roman', Times, serif;
    text-rendering: auto;
    border-radius: 20px;
    text-shadow: white;
}

</style>
<script>
$(document).ready(function(){
    $("#button1").click(function(){

        var name = $('#fullname').val();
        var email = $('#Email-Id').val();
        var cardno=$('#cardnumber').val();
        var exp=$('#expiry').val();

        var n = /^[a-zA-Z]+ [a-zA-Z]+$/;
        var e = /^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$/;
        var cn = /^(\?:3[47][0-9]{13})$/;
        var ex =^(\?:3[47][0-9]{13})$/;

        if(name == ''){
            alert("First name can not be empty");
        }

        if(email == ''){
            alert("Email-Id can not be empty");
        }
        if(! email.match(e)) {
            alert("Email does not match the fields")
        }

        if(cardno == ''){
            alert("card no can not be empty");
        }

    })
})

```

```

        }
        if(! cardno.match(e)) {
            alert("Invalid card number ")
        }

        if(exp == '') {
            alert("Exp can not be empty");
        }
        if(! exp.match(e)) {
            alert("Invalid expiry date")
        }
    })

    })
}

</script>
</head>
<body>
<div class="container" id="one">
    <form method="post">
        <h2 class="mb-4" style="color: azure;">Billing Information</h2>
        <div class="mb-3">
            <label for="fullname" class="form-label">Full Name</label>
            <input type="text" class="form-control" id="fullname"
name="fullname" required>
        </div>
        <div class="mb-3">
            <label for="email" class="form-label">Email</label>
            <input type="email" class="form-control" id="Email-Id"
name="email" required>
        </div>
        <div class="mb-3">
            <label for="address" class="form-label">Address</label>
            <input type="text" class="form-control" id="address"
name="address" required>
        </div>
        <div class="mb-3">
            <label for="city" class="form-label">City</label>
            <input type="text" class="form-control" id="city" name="city"
required>
    </form>
</div>

```

```

        </div>
    <div class="mb-3">
        <label for="zip" class="form-label">PIN Code</label>
        <input type="text" class="form-control" id="zip" name="zip"
required>
    </div>
    <div class="mb-3">
        <label for="cardnumber" class="form-label">Card Number</label>
        <input type="text" class="form-control" id="cardnumber"
name="cardnumber" required>
    </div>
    <div class="mb-3">
        <label for="expiry" class="form-label">Expiration Date</label>
        <input type="text" class="form-control" id="expiry" name="expiry"
placeholder="MM/YY" required>
    </div>

        <button type="submit" id="button1" class="btn btn-primary">Place
Order</button>
    </form>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js
"></script>
</body>
</html>

```



Gallery.html

```
<html>
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Our Gallery</title>
    <link
        href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
        rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU9OFerP0k6YctnYmDr5pNlyT2bRjXh0JMHjY6hW+ALEwIH"
        crossorigin="anonymous">
        <script
            src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
            integrity="sha384-YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIds1K1eN7N6jIeHz"
            crossorigin="anonymous"></script>
        <link rel="shortcut icon" type="image/x-icon" href="logo.jpg"/>
    </head>
    <style>
        nav{
            position: sticky;
        }
        #logo{
            width: 30px;
            height: 30px;
        }
        .display-1,.row{
            opacity: 0;
            animation-name: fadeIn;
            animation-duration: 0.75s;
            animation-timing-function: ease-in;
            animation-fill-mode: forwards;
        }
        @keyframes fadeIn {
            from{
                opacity: 0;
```

```

        }
        to{
            opacity: 1;
        }
    }
    .card:hover,a:hover{
        transform: scale(1.02);
    }

body{
    background-image: url(home.jpeg);
}
h1{
    text-decoration: underline;
}
p{
    text-decoration: underline;
    color: beige;
    text-shadow: white;
}

p:hover{
    color: antiquewhite;
}

</style>
<body>
    <nav class="navbar navbar-expand-lg ">
        <div class="container-fluid">
            <a class="navbar-brand" href="index.html"></a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarSupportedContent">
                <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                    <li class="nav-item">
                        <a class="nav-link" aria-current="page"
href="index.html">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link active" href="menu.html">Menu</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>

```

```
</ul>

<form class="d-flex " role="search">
  <input class="form-control me-2" id="sea" type="search"
placeholder="Cakes,cookies etc..." aria-label="Search">
    <button class="btn btn-outline-success"
type="submit">Search</button>
  </form>
</div>
</div>
</nav>
<br>

<h1 class="display-1 text-center" style="color: beige;">Cakes and cookies
gallery</h1>

<div class="container container-center justify-content-space-evenly">
<div class="row">
  <div class="col-md-4 d-flex justify-content-center">
    <div class="card" style="width: 18rem;">
      
      <div class="card-body">
        <h5 class="card-title">Red velvet cake</h5>
        <p class="card-text">Delicious</p>
      </div>
    </div>
  </div>
</div>

  <div class="col-md-4 d-flex justify-content-center">
    <div class="card" style="width: 18rem;">
      
      <div class="card-body">
        <h5 class="card-title">Choco cup cake</h5>
        <p class="card-text">Choco filled cup cake</p>
      </div>
    </div>
  </div>
</div>

  <div class="col-md-4 d-flex justify-content-center">
    <div class="card" style="width: 18rem;">
      
```

```
<div class="card-body">
    <h5 class="card-title">Birthday cakes</h5>
    <p class="card-text">Price varies on Kg</p>

    </div>
</div>
</div>
</div>
<br>

<section id="second">
<div class="container container-center" id="foods">
    <div class="row">
        <div class="col-md-4 d-flex justify-content-center">
            <div class="card" style="width: 18rem;">
                
                <div class="card-body">
                    <h5 class="card-title">Moist cakes</h5>
                    <p class="card-text">Moisty</p>

                </div>
            </div>
        </div>
    </div>

    <div class="col-md-4 d-flex justify-content-center">
        <div class="card" style="width: 18rem;">
            
            <div class="card-body">
                <h5 class="card-title">Choco-fills </h5>
                <p class="card-text">Fully filles with chocofills</p>

            </div>
        </div>
    </div>

    <div class="col-md-4 d-flex justify-content-center">
        <div class="card" style="width: 18rem;">
            
            <div class="card-body">
                <h5 class="card-title">Brownie with ice cream</h5>
                <p class="card-text">Sweet filled with chocolate</p>

            </div>
        </div>
    </div>

```

```
</div>

<div class="col-md-4 d-flex justify-content-center">
  <div class="card" style="width: 18rem; margin-top: 19px;">
    
    <div class="card-body">
      <h5 class="card-title">Choco-fills with add-ons </h5>
      <p class="card-text">Fully filles with chocofills</p>

    </div>
  </div>
</div>

<div class="col-md-4 d-flex justify-content-center">
  <div class="card" style="width: 18rem; margin-top: 19px;">
    
    <div class="card-body">
      <h5 class="card-title">Cookies </h5>
      <p class="card-text">Fully filles with chocofills in cookies</p>

    </div>
  </div>
</div>

<div class="col-md-4 d-flex justify-content-center">
  <div class="card" style="width: 18rem; margin-top: 19px;">
    
    <div class="card-body">
      <h5 class="card-title">Plum cake </h5>
      <p class="card-text">Fully filed with nuts</p>

    </div>
  </div>
</div>

</div>
</div>

<br>
</body>
</html>
```



Choco-fills



Home page:

The screenshot shows a website header with a logo on the left, followed by navigation links: Home, Our cakes, Services, News, Gallery, and Contact. To the right is a search bar with placeholder text "Cakes,cookies etc..." and a "Search" button. Below the header is a large, vibrant banner image of a chocolate cake topped with berries and chocolate sauce. Below the banner are three smaller image thumbnails.

The screenshot shows a website header with a logo on the left, followed by navigation links: Home, Our cakes, Services, News, Gallery, and Contact. To the right is a search bar with placeholder text "Cakes,cookies etc..." and a "Search" button. Below the header is a large, bold title "About us". To the left of the title is the company logo, which is a circular emblem with the text "CAKES & COOKIES" at the top and "ESTD 2023" at the bottom, featuring a cupcake icon in the center. To the right of the title is a quote: "The Best Cake in your City".



About us

"The Best Cake in your City"

We are committed to providing high quality products including bakery, snacks, confectionery, drinks; and delightful service to our valued customers. Meeting customer expectations is our prime objective and exceeding customer expectations is where we have set our eyes. While doing so, we ensure compliance with national statutory and regulatory framework related to product quality, safety, hygiene, freshness and export order requirements through well established Quality Management System ISO 9001:2008. Adherence to company's Quality Policy by all stakeholders is a key to our success. We shall continuously upgrade our Quality Management System in order to attain highest standards of quality and thereby exceeding our customers' expectations.

Menu page:

Cakes and cookies

Checkout

 Red velvet cake
Delicious
700 RUPEES

 Choco cup cake
Choco filled cup cake
30 RUPEES Each

 Birthday cakes
Price varies on Kg
From 250 RUPEES







Checkout page:

Billing Information

Full Name

Email

Address

City

PIN Code

Card Number

Expiration Date
 MM/YY

Gallery page:

