JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class Number

java.lang.Object
    java.lang.Number

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

AtomicInteger, AtomicLong, BigDecimal, BigInteger, Byte, Double, DoubleAccumulator, DoubleAdder, Float, Float16, Integer, Long, LongAccumulator, LongAdder, Short

---

```
public abstract class Number
extends Object
implements Serializable
```

The abstract class `Number` is the superclass of platform classes representing numeric values that are convertible to the primitive types `byte`, `double`, `float`, `int`, `long`, and `short`. The specific semantics of the conversion from the numeric value of a particular `Number` implementation to a given primitive type is defined by the `Number` implementation in question. For platform classes, the conversion is often analogous to a narrowing primitive conversion or a widening primitive conversion as defined in *The Java Language Specification* for converting between primitive types. Therefore, conversions may lose information about the overall magnitude of a numeric value, may lose precision, and may even return a result of a different sign than the input. See the documentation of a given `Number` implementation for conversion details.

See *Java Language Specification*:

5.1.2 Widening Primitive Conversion
5.1.3 Narrowing Primitive Conversion

Since:

1.0

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`Number()`	Constructor for subclasses to call.

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
byte	**byteValue**()	Returns the value of the specified number as a byte.
abstract double	**doubleValue**()	Returns the value of the specified number as a double.
abstract float	**floatValue**()	Returns the value of the specified number as a float.
abstract int	**intValue**()	Returns the value of the specified number as an int.
abstract long	**longValue**()	Returns the value of the specified number as a long.
short	**shortValue**()	Returns the value of the specified number as a short.

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Details

Number

```
public Number()
```

Constructor for subclasses to call.

Method Details

intValue

`public abstract int intValue()`

Returns the value of the specified number as an `int`.

Returns:

the numeric value represented by this object after conversion to type `int`.

longValue

`public abstract long longValue()`

Returns the value of the specified number as a `long`.

Returns:

the numeric value represented by this object after conversion to type `long`.

floatValue

`public abstract float floatValue()`

Returns the value of the specified number as a `float`.

Returns:

the numeric value represented by this object after conversion to type `float`.

doubleValue

`public abstract double doubleValue()`

Returns the value of the specified number as a `double`.

Returns:

the numeric value represented by this object after conversion to type `double`.

byteValue

`public byte byteValue()`

Returns the value of the specified number as a `byte`.

Implementation Requirements:

The default implementation returns the result of `intValue()` cast to a `byte`.

Returns:

the numeric value represented by this object after conversion to type `byte`.

Since:

1.1

shortValue

```
public short shortValue()
```

Returns the value of the specified number as a `short`.

Implementation Requirements:

The default implementation returns the result of `intValue()` cast to a `short`.

Returns:

the numeric value represented by this object after conversion to type `short`.

Since:

1.1

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.