JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class IOException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

AttachOperationFailedException, ChangedCharSetException, CharacterCodingException, CharConversionException, ClosedChannelException, ClosedConnectionException, EOFException, FileLockInterruptionException, FileNotFoundException, FilerException, FileSystemException, HttpRetryException, HttpTimeoutException, IIOException, InterruptedByTimeoutException, InterruptedIOException, InvalidPropertiesFormatException, JMXProviderException, JMXServerErrorException, MalformedURLException, ObjectStreamException, ProtocolException, RemoteException, SaslException, SocketException, SSLException, StreamLimitException, SyncFailedException, TransportTimeoutException, UnknownHostException, UnknownServiceException, UnsupportedEncodingException, UnsupportedProtocolVersionException, UserPrincipalNotFoundException, UTFDataFormatException, WebSocketHandshakeException, ZipException

---

```
public class IOException
extends Exception
```

Signals that an I/O exception of some sort has occurred. This class is the general class of exceptions produced by failed or interrupted I/O operations.

Since:

1.0

See Also:

InputStream, OutputStream, Serialized Form

Constructor Summary

Constructors

Constructor	Description
IOException()	Constructs an IOException with null as its error detail message.

IOException(String message)	Constructs an IOException with the specified detail message.
IOException(String message, Throwable cause)	Constructs an IOException with the specified detail message and cause.
IOException(Throwable cause)	Constructs an IOException with the specified cause and a detail message of (cause==null ? null : cause.toString()) (which typically contains the class and detail message of cause).

Method Summary

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

IOException

```
public IOException()
```

Constructs an IOException with null as its error detail message.

IOException

```
public IOException(String message)
```

Constructs an IOException with the specified detail message.

Parameters:

message - The detail message (which is saved for later retrieval by the Throwable.getMessage() method)

IOException

```
public IOException(String message,
                   Throwable cause)
```

Constructs an `IOException` with the specified detail message and cause.

Note that the detail message associated with `cause` is *not* automatically incorporated into this exception's detail message.

Parameters:

`message` - The detail message (which is saved for later retrieval by the `Throwable.getMessage()` method)

`cause` - The cause (which is saved for later retrieval by the `Throwable.getCause()` method). (A null value is permitted, and indicates that the cause is nonexistent or unknown.)

Since:

1.6

IOException

```
public IOException(Throwable cause)
```

Constructs an `IOException` with the specified cause and a detail message of `(cause==null ? null : cause.toString())` (which typically contains the class and detail message of `cause`). This constructor is useful for IO exceptions that are little more than wrappers for other throwables.

Parameters:

`cause` - The cause (which is saved for later retrieval by the `Throwable.getCause()` method). (A null value is permitted, and indicates that the cause is nonexistent or unknown.)

Since:

1.6

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.