JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class ExceptionInInitializerError

java.lang.Object
  java.lang.Throwable
    java.lang.Error
      java.lang.LinkageError
        java.lang.ExceptionInInitializerError

All Implemented Interfaces:

Serializable

```
public class ExceptionInInitializerError
extends LinkageError
```

Signals that an unexpected exception has occurred in a static initializer. An `ExceptionInInitializerError` is thrown to indicate that an exception occurred during evaluation of a static initializer or the initializer for a static variable.

Since:

1.1

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`ExceptionInInitializerError()`	Constructs an `ExceptionInInitializerError` with `null` as its detail message string and with no saved throwable object.
`ExceptionInInitializerError(String s)`	Constructs an `ExceptionInInitializerError` with the specified detail message string.
`ExceptionInInitializerError(Throwable thrown)`	Constructs a new `ExceptionInInitializerError` class by saving a reference to the `Throwable` object thrown for later retrieval by the `getException()` method.

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
Throwable	**getException**()	Returns the exception that occurred during a static initialization that caused this error to be created.

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

ExceptionInInitializerError

```
public ExceptionInInitializerError()
```

Constructs an `ExceptionInInitializerError` with `null` as its detail message string and with no saved throwable object. A detail message is a String that describes this particular exception.

ExceptionInInitializerError

```
public ExceptionInInitializerError(Throwable thrown)
```

Constructs a new `ExceptionInInitializerError` class by saving a reference to the `Throwable` object thrown for later retrieval by the `getException()` method. The detail message string is set to `null`.

Parameters:

`thrown` - The exception thrown

ExceptionInInitializerError

```
public ExceptionInInitializerError(String s)
```

Constructs an `ExceptionInInitializerError` with the specified detail message string. A detail message is a String that describes this particular exception. The detail message string is saved for later retrieval by the `Throwable.getMessage()` method. There is no saved throwable object.

Parameters:

`s` - the detail message

Method Details

getException

```
public Throwable getException()
```

Returns the exception that occurred during a static initialization that caused this error to be created.

API Note:

This method predates the general-purpose exception chaining facility. The `Throwable.getCause()` method is now the preferred means of obtaining this information.

Returns:

the saved throwable object of this `ExceptionInInitializerError`, or `null` if this `ExceptionInInitializerError` has no saved throwable object.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.