JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class SecurityException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.SecurityException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

AccessControlException, RMISecurityException

```
public class SecurityException
extends RuntimeException
```

Thrown to indicate a security violation.

This exception was originally specified for use with a SecurityManager when an operation was denied. This feature no longer exists. This exception may be deprecated in a future release.

Since:

1.0

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
SecurityException()	Constructs a SecurityException with no detail message.
SecurityException(String s)	Constructs a SecurityException with the specified detail message.
SecurityException(String message, Throwable cause)	Creates a SecurityException with the specified detail message and cause.
SecurityException (Throwable cause)	Creates a SecurityException with the specified cause and a detail message of (cause==null ? null : cause.toString()) (which typically

	contains the class and detail message of cause).

Method Summary

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

SecurityException

```
public SecurityException()
```

Constructs a SecurityException with no detail message.

SecurityException

```
public SecurityException(String s)
```

Constructs a SecurityException with the specified detail message.

Parameters:

s - the detail message.

SecurityException

```
public SecurityException(String message,
                         Throwable cause)
```

Creates a SecurityException with the specified detail message and cause.

Parameters:

message - the detail message (which is saved for later retrieval by the Throwable.getMessage() method).

cause - the cause (which is saved for later retrieval by the Throwable.getCause() method). (A null value is permitted, and indicates that the cause is nonexistent or unknown.)

Since:

1.5

SecurityException

```
public SecurityException(Throwable cause)
```

Creates a SecurityException with the specified cause and a detail message of (cause==null ? null : cause.toString()) (which typically contains the class and detail message of cause).

Parameters:

cause - the cause (which is saved for later retrieval by the Throwable.getCause() method). (A null value is permitted, and indicates that the cause is nonexistent or unknown.)

Since:

1.5

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.