JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang

Class SecurityException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.SecurityException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

AccessControlException, RMISecurityException

```
public class SecurityException
extends RuntimeException
```

Thrown by the security manager to indicate a security violation.

Since:

JDK1.0

See Also:

SecurityManager, Serialized Form

Constructor Summary

Constructors

Constructor	Description
SecurityException()	Constructs a SecurityException

	with no detail message.
SecurityException(**String** s)	Constructs a SecurityException with the specified detail message.
SecurityException(**String** message, **Throwable** cause)	Creates a SecurityException with the specified detail message and cause.
SecurityException(**Throwable** cause)	Creates a SecurityException with the specified cause and a detail message of (cause==null ? null : cause.toString()) (which typically contains the class and detail message of cause).

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

SecurityException

```
public SecurityException()
```

Constructs a SecurityException with no detail message.

SecurityException

```
public SecurityException(String s)
```

Constructs a SecurityException with the specified detail message.

Parameters:

s - the detail message.

SecurityException

```
public SecurityException(String message,
                         Throwable cause)
```

Creates a SecurityException with the specified detail message and cause.

Parameters:

message - the detail message (which is saved for later retrieval by the Throwable.getMessage() method).

cause - the cause (which is saved for later retrieval by the Throwable.getCause() method). (A null value is permitted, and indicates that the cause is nonexistent or unknown.)

Since:

1.5

SecurityException

```
public SecurityException(Throwable cause)
```

Creates a SecurityException with the specified cause and a detail message of (cause==null ? null : cause.toString()) (which typically contains the class and detail message of cause).

Parameters:

cause - the cause (which is saved for later retrieval by the Throwable.getCause() method). (A null value is permitted, and indicates that the cause is nonexistent or unknown.)

Since:

1.5

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.