JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class ClassNotFoundException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.ReflectiveOperationException
        java.lang.ClassNotFoundException

All Implemented Interfaces:

Serializable

```
public class ClassNotFoundException
extends ReflectiveOperationException
```

Thrown when an application tries to load in a class through its string name using:

- The `forName` method in class `Class`.
- The `findSystemClass` method in class `ClassLoader` .
- The `loadClass` method in class `ClassLoader`.

but no definition for the class with the specified name could be found.

Since:

1.0

See Also:

`Class.forName(java.lang.String)`,
`ClassLoader.findSystemClass(java.lang.String)`,
`ClassLoader.loadClass(java.lang.String, boolean)`,
Serialized Form

Constructor Summary

Constructors

Constructor	Description
`ClassNotFoundException()`	Constructs a `ClassNotFoundException` with no detail message.
`ClassNotFoundException(String s)`	Constructs a `ClassNotFoundException` with the specified detail message.
`ClassNotFoundException(String s, Throwable ex)`	Constructs a `ClassNotFoundException` with the specified detail message and

	optional exception that was raised while loading the class.

Method Summary

All Methods | Instance Methods

Modifier and Type	Method	Description
Throwable	**getException**()	Returns the exception that was raised if an error occurred while attempting to load the class.

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

ClassNotFoundException

```
public ClassNotFoundException()
```

Constructs a ClassNotFoundException with no detail message.

ClassNotFoundException

```
public ClassNotFoundException(String s)
```

Constructs a ClassNotFoundException with the specified detail message.

Parameters:

s - the detail message.

ClassNotFoundException

```
public ClassNotFoundException(String s,
                              Throwable ex)
```

Constructs a `ClassNotFoundException` with the specified detail message and optional exception that was raised while loading the class.

Parameters:

s - the detail message

ex - the exception that was raised while loading the class

Since:

1.2

Method Details

getException

```
public Throwable getException()
```

Returns the exception that was raised if an error occurred while attempting to load the class. Otherwise, returns `null`.

API Note:

This method predates the general-purpose exception chaining facility. The `Throwable.getCause()` method is now the preferred means of obtaining this information.

Returns:

the `Exception` that was raised while loading a class

Since:

1.2

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.