JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang

Class NegativeArraySizeException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.NegativeArraySizeException

All Implemented Interfaces:

Serializable

```
public class NegativeArraySizeException
extends RuntimeException
```

Thrown if an application tries to create an array with negative size.

Since:

JDK1.0

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`NegativeArraySizeException()`	Constructs a NegativeArraySizeException with no detail message.
`NegativeArraySizeException(String s)`	Constructs a NegativeArraySizeException

	with the specified detail message.

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

NegativeArraySizeException

```
public NegativeArraySizeException()
```

Constructs a `NegativeArraySizeException` with no detail message.

NegativeArraySizeException

```
public NegativeArraySizeException(String s)
```

Constructs a `NegativeArraySizeException` with the specified detail message.

Parameters:

```
s - the detail message.
```


Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.