JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface Appendable

All Known Implementing Classes:

`BufferedWriter`, `CharArrayWriter`, `CharBuffer`, `FileWriter`, `FilterWriter`, `LogStream`, `OutputStreamWriter`, `PipedWriter`, `PrintStream`, `PrintWriter`, `StringBuffer`, `StringBuilder`, `StringWriter`, `Writer`

`public interface` **`Appendable`**

An object to which `char` sequences and values can be appended. The `Appendable` interface must be implemented by any class whose instances are intended to receive formatted output from a `Formatter`.

The characters to be appended should be valid Unicode characters as described in Unicode Character Representation. Note that supplementary characters may be composed of multiple 16-bit `char` values.

Appendables are not necessarily safe for multithreaded access. Thread safety is the responsibility of classes that extend and implement this interface.

Since this interface may be implemented by existing classes with different styles of error handling there is no guarantee that errors will be propagated to the invoker.

Since:

1.5

Method Summary

All Methods | Instance Methods

Modifier and Type	Method	Description
Appendable	**append**(char c)	Appends the specified character to this Appendable.
Appendable	**append**(CharSequence csq)	Appends the specified character sequence to this Appendable.
Appendable	**append**(CharSequence csq, int start, int end)	Appends a subsequence of the specified character sequence to this Appendable.

Method Details

append

```
Appendable append(CharSequence csq)
          throws IOException
```

Appends the specified character sequence to this Appendable.

Depending on which class implements the character sequence csq, the entire sequence may not be appended. For instance, if csq is a CharBuffer then the subsequence to append is defined by the buffer's position and limit.

The contents of this Appendable are unspecified if the CharSequence is modified
during the method call or an exception is thrown when accessing the CharSequence.

Parameters:

csq - The character sequence to append. If csq is null, then the four characters "null" are appended to this Appendable.

Returns:

A reference to this Appendable

Throws:

IOException - If an I/O error occurs

append

```
Appendable append(CharSequence csq,
                  int start,
                  int end)
           throws IOException
```

Appends a subsequence of the specified character sequence to this `Appendable`.

An invocation of this method of the form `out.append(csq, start, end)` when `csq` is not `null`, behaves in exactly the same way as the invocation

```
    out.append(csq.subSequence(start, end))
```

The contents of this `Appendable` are unspecified if the `CharSequence` is modified
during the method call or an exception is thrown when accessing the `CharSequence`.

Parameters:

`csq` - The character sequence from which a subsequence will be appended. If `csq` is `null`, then characters will be appended as if `csq` contained the four characters `"null"`.

`start` - The index of the first character in the subsequence

`end` - The index of the character following the last character in the subsequence

Returns:

A reference to this `Appendable`

Throws:

`IndexOutOfBoundsException` - If `start` or `end` are negative, `start` is greater than `end`, or `end` is greater than `csq.length()`

`IOException` - If an I/O error occurs

append

```
Appendable append(char c)
           throws IOException
```

Appends the specified character to this `Appendable`.

Parameters:

`c` - The character to append

Returns:

A reference to this `Appendable`

Throws:

`IOException` - If an I/O error occurs

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.