JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class NoSuchElementException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.util.NoSuchElementException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

InputMismatchException

```
public class NoSuchElementException
extends RuntimeException
```

Thrown by various accessor methods to indicate that the element being requested does not exist.

Since:

1.0

See Also:

Enumeration.nextElement(), Iterator.next(), Serialized Form

Constructor Summary

Constructors

Constructor	Description
NoSuchElementException()	Constructs a NoSuchElementException with null as its error message string.
NoSuchElementException(String s)	Constructs a NoSuchElementException, saving a reference to the error message string s for later retrieval by the getMessage method.
NoSuchElementException(String s, Throwable cause)	Constructs a NoSuchElementException with the specified detail message and cause.
NoSuchElementException(Throwable cause)	Constructs a NoSuchElementException with the specified cause.

Method Summary

Methods declared in class Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getMessage`, `getStackTrace`, `getSuppressed`, `initCause`, `printStackTrace`, `printStackTrace`, `printStackTrace`, `setStackTrace`, `toString`

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Details

NoSuchElementException

```
public NoSuchElementException()
```

Constructs a `NoSuchElementException` with `null` as its error message string.

NoSuchElementException

```
public NoSuchElementException(String s,
                              Throwable cause)
```

Constructs a `NoSuchElementException` with the specified detail message and cause.

Parameters:

`s` - the detail message, or null

`cause` - the cause (which is saved for later retrieval by the `Throwable.getCause()` method), or null

Since:

15

NoSuchElementException

```
public NoSuchElementException(Throwable cause)
```

Constructs a `NoSuchElementException` with the specified cause. The detail message is set to `(cause == null ? null : cause.toString())` (which typically contains the class and detail message of `cause`).

Parameters:

cause - the cause (which is saved for later retrieval by the `Throwable.getCause()` method)

Since:

15

NoSuchElementException

```
public NoSuchElementException(String s)
```

Constructs a `NoSuchElementException`, saving a reference to the error message string `s` for later retrieval by the `getMessage` method.

Parameters:

`s` - the detail message.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.