JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface BinaryOperator<T>

Type Parameters:

T - the type of the operands and result of the operator

All Superinterfaces:

BiFunction<T,T,T>

Functional Interface:

This is a functional interface and can therefore be used as the assignment target for a lambda expression or method reference.

```
@FunctionalInterface
public interface BinaryOperator<T>
extends BiFunction<T,T,T>
```

Represents an operation upon two operands of the same type, producing a result of the same type as the operands. This is a specialization of BiFunction for the case where the operands and the result are all of the same type.

This is a functional interface whose functional method is BiFunction.apply(Object, Object).

Since:

1.8

See Also:

BiFunction, UnaryOperator

Method Summary

Static Methods

Modifier and Type	Method	Description
static <T> BinaryOperator <T>	**maxBy**(Comparator<? super T> comparator)	Returns a BinaryOperator which returns the greater of two elements according to the specified Comparator.
static <T> BinaryOperator <T>	**minBy**(Comparator<? super T> comparator)	Returns a BinaryOperator which returns the lesser of two elements according to

	the specified `Comparator`.

Methods declared in interface BiFunction

`andThen`, `apply`

Method Details

minBy

`static <T> BinaryOperator<T> minBy(Comparator<? super T> comparator)`

Returns a `BinaryOperator` which returns the lesser of two elements according to the specified `Comparator`.

Type Parameters:

`T` - the type of the input arguments of the comparator

Parameters:

`comparator` - a `Comparator` for comparing the two values

Returns:

a `BinaryOperator` which returns the lesser of its operands, according to the supplied `Comparator`

Throws:

`NullPointerException` - if the argument is null

maxBy

`static <T> BinaryOperator<T> maxBy(Comparator<? super T> comparator)`

Returns a `BinaryOperator` which returns the greater of two elements according to the specified `Comparator`.

Type Parameters:

`T` - the type of the input arguments of the comparator

Parameters:

`comparator` - a `Comparator` for comparing the two values

Returns:

a `BinaryOperator` which returns the greater of its operands, according to the supplied `Comparator`

Throws:

`NullPointerException` - if the argument is null

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.