JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util

Class EmptyStackException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.util.EmptyStackException

All Implemented Interfaces:

Serializable

```
public class EmptyStackException
extends RuntimeException
```

Thrown by methods in the `Stack` class to indicate that the stack is empty.

Since:

`JDK1.0`

See Also:

`Stack`, `Serialized Form`

Constructor Summary

Constructors

Constructor	Description
`EmptyStackException()`	Constructs a new `EmptyStackException` with `null` as its error message string.

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

EmptyStackException

```
public EmptyStackException()
```

Constructs a new `EmptyStackException` with `null` as its error message string.

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.