JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class FileWriter

java.lang.Object
    java.io.Writer
        java.io.OutputStreamWriter
            java.io.FileWriter

All Implemented Interfaces:

Closeable, Flushable, Appendable, AutoCloseable

```
public class FileWriter
extends OutputStreamWriter
```

Writes text to character files using a default buffer size. Encoding from characters to bytes uses either a specified charset or the default charset.

Whether or not a file is available or may be created depends upon the underlying platform. Some platforms, in particular, allow a file to be opened for writing by only one `FileWriter` (or other file-writing object) at a time. In such situations the constructors in this class will fail if the file involved is already open.

The `FileWriter` is meant for writing streams of characters. For writing streams of raw bytes, consider using a `FileOutputStream`.

Since:

1.1

See Also:

`OutputStreamWriter`, `FileOutputStream`, `Charset.defaultCharset()`

Field Summary

Fields declared in class Writer
`lock`

Constructor Summary

Constructors

Constructor	Description
`FileWriter(File file)`	Constructs a `FileWriter` given the `File` to write, using the default charset
`FileWriter(FileDescriptor fd)`	

	Constructs a `FileWriter` given a file descriptor, using the default charset.
FileWriter(File file, boolean append)	Constructs a `FileWriter` given the `File` to write and a boolean indicating whether to append the data written, using the default charset.
FileWriter(File file, Charset charset)	Constructs a `FileWriter` given the `File` to write and charset.
FileWriter(File file, Charset charset, boolean append)	Constructs a `FileWriter` given the `File` to write, charset and a boolean indicating whether to append the data written.
FileWriter(String fileName)	Constructs a `FileWriter` given a file name, using the default charset
FileWriter(String fileName, boolean append)	Constructs a `FileWriter` given a file name and a boolean indicating whether to append the data written, using the default charset.
FileWriter(String fileName, Charset charset)	Constructs a `FileWriter` given a file name and charset.
FileWriter(String fileName, Charset charset, boolean append)	Constructs a `FileWriter` given a file name, charset and a boolean indicating whether to append the data written.

Method Summary

Methods declared in class OutputStreamWriter

close, flush, getEncoding, write, write, write

Methods declared in class Writer

append, append, append, nullWriter, write, write

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Details

FileWriter

```
public FileWriter(String fileName)
           throws IOException
```

Constructs a FileWriter given a file name, using the default charset

Parameters:

fileName - String The system-dependent filename.

Throws:

IOException - if the named file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

See Also:

Charset.defaultCharset()

FileWriter

```
public FileWriter(String fileName,
                  boolean append)
           throws IOException
```

Constructs a FileWriter given a file name and a boolean indicating whether to append the data written, using the default charset.

Parameters:

fileName - String The system-dependent filename.

append - boolean if true, then data will be written to the end of the file rather than the beginning.

Throws:

IOException - if the named file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

See Also:

Charset.defaultCharset()

FileWriter

```
public FileWriter(File file)
           throws IOException
```

Constructs a `FileWriter` given the `File` to write, using the default charset

Parameters:

`file` - the `File` to write.

Throws:

`IOException` - if the file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

See Also:

`Charset.defaultCharset()`

FileWriter

```
public FileWriter(File file,
                  boolean append)
           throws IOException
```

Constructs a `FileWriter` given the `File` to write and a boolean indicating whether to append the data written, using the default charset.

Parameters:

`file` - the `File` to write

`append` - if `true`, then bytes will be written to the end of the file rather than the beginning

Throws:

`IOException` - if the file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

Since:

1.4

See Also:

`Charset.defaultCharset()`

FileWriter

```
public FileWriter(FileDescriptor fd)
```

Constructs a `FileWriter` given a file descriptor, using the default charset.

Parameters:

`fd` - the `FileDescriptor` to write.

See Also:

`Charset.defaultCharset()`

FileWriter

```
public FileWriter(String fileName,
                  Charset charset)
           throws IOException
```

Constructs a `FileWriter` given a file name and charset.

Parameters:

`fileName` - the name of the file to write

`charset` - the charset

Throws:

`IOException` - if the named file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

Since:

11

FileWriter

```
public FileWriter(String fileName,
                  Charset charset,
                  boolean append)
           throws IOException
```

Constructs a `FileWriter` given a file name, charset and a boolean indicating whether to append the data written.

Parameters:

`fileName` - the name of the file to write

`charset` - the charset

`append` - a boolean. If `true`, the writer will write the data to the end of the file rather than the beginning.

Throws:

`IOException` - if the named file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

Since:

11

FileWriter

```
public FileWriter(File file,
                  Charset charset)
           throws IOException
```

Constructs a `FileWriter` given the `File` to write and charset.

Parameters:

`file` - the `File` to write

`charset` - the charset

Throws:

`IOException` - if the file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

Since:

11

FileWriter

```
public FileWriter(File file,
                  Charset charset,
                  boolean append)
           throws IOException
```

Constructs a `FileWriter` given the `File` to write, charset and a boolean indicating whether to append the data written.

Parameters:

`file` - the `File` to write

`charset` - the charset

`append` - a boolean. If `true`, the writer will write the data to the end of the file rather than the beginning.

Throws:

`IOException` - if the file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

Since:

11

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of

terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.