JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class FilterWriter

java.lang.Object
    java.io.Writer
        java.io.FilterWriter

All Implemented Interfaces:

Closeable, Flushable, Appendable, AutoCloseable

```
public abstract class FilterWriter
extends Writer
```

Abstract class for writing filtered character streams. The abstract class `FilterWriter` itself provides default methods that pass all requests to the contained stream. Subclasses of `FilterWriter` should override some of these methods and may also provide additional methods and fields.

Since:

1.1

Field Summary

Fields

Modifier and Type	Field	Description
protected Writer	**out**	The underlying character-output stream.

Fields declared in class Writer

lock

Constructor Summary

Constructors

Modifier	Constructor	Description
protected	**FilterWriter**(Writer out)	Create a new filtered writer.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description

void	close()	Closes the stream, flushing it first.
void	flush()	Flushes the stream.
void	write(char[] cbuf, int off, int len)	Writes a portion of an array of characters.
void	write(int c)	Writes a single character.
void	write(String str, int off, int len)	Writes a portion of a string.

Methods declared in class Writer

append, append, append, nullWriter, write, write

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Field Details

out

protected Writer out

The underlying character-output stream.

Constructor Details

FilterWriter

protected FilterWriter(Writer out)

Create a new filtered writer.

Parameters:

out - a Writer object to provide the underlying stream.

Throws:

NullPointerException - if out is null

Method Details

write

```
public void write(int c)
           throws IOException
```

Writes a single character.

Overrides:

`write` in class `Writer`

Parameters:

`c` - int specifying a character to be written

Throws:

`IOException` - If an I/O error occurs

write

```
public void write(char[] cbuf,
                  int off,
                  int len)
           throws IOException
```

Writes a portion of an array of characters.

Specified by:

`write` in class `Writer`

Parameters:

`cbuf` - Buffer of characters to be written

`off` - Offset from which to start reading characters

`len` - Number of characters to be written

Throws:

`IndexOutOfBoundsException` - If the values of the `off` and `len` parameters cause the corresponding method of the underlying `Writer` to throw an `IndexOutOfBoundsException`

`IOException` - If an I/O error occurs

write

```
public void write(String str,
                  int off,
                  int len)
           throws IOException
```

Writes a portion of a string.

Overrides:

`write` in class `Writer`

Parameters:

`str` - String to be written

`off` - Offset from which to start reading characters

`len` - Number of characters to be written

Throws:

`IndexOutOfBoundsException` - If the values of the `off` and `len` parameters cause the corresponding method of the underlying `Writer` to throw an `IndexOutOfBoundsException`

`IOException` - If an I/O error occurs

flush

```
public void flush()
           throws IOException
```

Flushes the stream.

Specified by:

`flush` in interface `Flushable`

Specified by:

`flush` in class `Writer`

Throws:

`IOException` - If an I/O error occurs

close

```
public void close()
           throws IOException
```

Description copied from class: `Writer`

Closes the stream, flushing it first. Once the stream has been closed, further write() or flush() invocations will cause an IOException to be thrown. Closing a previously closed stream has no effect.

Specified by:

`close` in interface `AutoCloseable`

Specified by:

`close` in interface `Closeable`

Specified by:

`close` in class `Writer`

Throws:

`IOException` - If an I/O error occurs

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.